#### Weiser 9GED92600-003

# Weiser SmartCode Keypad Electronic Deadbolt User Manual

Model: 9GED92600-003

Introduction Safety Information Package Contents Setup & Installation Operating Instructions Maintenance Troubleshooting Specifications Warranty & Support

## 1. Introduction

This user manual provides comprehensive instructions for the installation, operation, and maintenance of your Weiser SmartCode Keypad Electronic Deadbolt. This advanced keyless entry system offers enhanced security and convenience for your home.

The SmartCode deadbolt features a sleek design, a backlit keypad for visibility, and the ability to store up to 50 user codes. It operates on 4 AA batteries and includes SmartKey re-key technology for added security and flexibility.

## 2. SAFETY INFORMATION

Please read and understand all instructions before installing and using this product. Keep this manual for future reference.

- Do not attempt to disassemble or modify the lock. This may cause damage to the product and void the warranty.
- Use only the specified battery type (4 AA alkaline batteries). Do not mix old and new batteries or different types of batteries.
- Ensure proper polarity when inserting batteries.
- · Keep all keys and user codes in a secure location.
- Avoid exposing the lock to extreme temperatures or direct moisture.
- Regularly check the lock's functionality and battery level.

## 3. PACKAGE CONTENTS

Verify that all components are present before beginning installation:



Image: Complete package contents of the Weiser SmartCode Keypad Electronic Deadbolt.

- Electronic Deadbolt (Exterior Keypad Assembly)
- Electronic Deadbolt (Interior Battery Unit)
- Latch
- Strike Plate
- Mounting Plate
- Installation Hardware (Screws)
- 2 Keys
- SmartKey Tool
- Installation Manual (this document)

Note: 4 AA batteries are required and not included in the package.

# 4. SETUP & INSTALLATION

The Weiser SmartCode deadbolt is designed for easy installation. For a seamless setup experience, it is highly recommended to use the free BILT app, which provides step-by-step interactive 3D instructions with voice and video guidance.

## 4.1 Door Compatibility

This lock is designed to fit standard doors 1-3/8" to 1-3/4" (35 mm - 44 mm) thick with an adjustable backset (2-3/8" or 2-3/4"). It is ideal for most exterior and interior residential doors.

## 4.2 Installation Steps (Overview)

- 1. Prepare the Door: Ensure your door is properly drilled and aligned for a deadbolt installation.
- 2. Install the Latch: Insert the latch into the door edge, ensuring the correct backset is selected.
- 3. **Install the Exterior Assembly:** Place the exterior keypad assembly onto the door, feeding the cable through the cross bore.
- 4. **Install the Mounting Plate:** Secure the mounting plate to the door using the provided screws, ensuring the cable passes through the plate.
- 5. **Connect the Cable and Install Interior Assembly:** Connect the cable from the exterior assembly to the interior battery unit. Mount the interior unit to the mounting plate.
- 6. Install Batteries: Insert 4 AA alkaline batteries into the interior unit, observing polarity.
- 7. **Perform Door Handing Process:** This crucial step teaches the lock the orientation of your door. Follow the specific instructions in the full manual or BILT app.






Image: Assembled Weiser SmartCode Keypad Electronic Deadbolt, showing both exterior and interior components.




Image: Close-up of the exterior keypad, featuring the backlit numeric buttons and keyhole.

# 5. OPERATING INSTRUCTIONS

## **5.1 Locking the Door**

- One-Touch Locking: Press the Lock button (top button with padlock icon) on the keypad. The deadbolt will extend.
- Auto-Lock Feature: If enabled, the deadbolt will automatically extend after a set period (e.g., 30 seconds) once unlocked.

## 5.2 Unlocking the Door

• **Using a User Code:** Enter your personalized 4-8 digit user code on the keypad. The deadbolt will retract.

• Using the Key: Insert the physical key into the keyhole and turn to unlock.

## 5.3 Programming User Codes

The lock supports up to 50 user codes and 1 master code. Refer to the detailed programming instructions in the full manual for adding, deleting, or modifying codes.

- Master Code: The master code is used to add and delete user codes. It does not unlock the door.
- User Codes: These codes are used to unlock the door.



Image: Icons illustrating user management, programming, and auto-lock features.

## 5.4 SmartKey Re-key Technology

The SmartKey re-key technology allows you to re-key your lock in seconds, maintaining key control and protecting against lost, stolen, or unauthorized keys without removing the lock from your door. Use the provided SmartKey tool and follow the instructions carefully.



Image: SmartKey Security feature, demonstrating how to re-key the lock.

## 6. MAINTENANCE

## **6.1 Battery Replacement**

The lock operates on 4 AA alkaline batteries. When the batteries are low, the lock will provide an audible and/or visual low battery warning. Replace all four batteries simultaneously to ensure optimal performance.

- Remove the battery cover on the interior unit.
- Remove old batteries and dispose of them properly.
- Insert new AA alkaline batteries, ensuring correct polarity (+/-).

• Replace the battery cover.

Note: Battery life can vary based on usage frequency and environmental conditions. If the auto-lock feature is frequently used, battery life may be shorter.

# 6.2 Cleaning

Clean the lock with a soft, damp cloth. Avoid using abrasive cleaners, solvents, or chemical sprays, as these can damage the finish and electronic components.

# 7. TROUBLESHOOTING

Problem	Possible Cause	Solution
Lock does not respond or keypad is not lit.	Dead batteries.	Replace all four AA batteries.
Lock beeps 3 times during programming or code entry.	Incorrect code, programming error, or lock not handed correctly.	Verify the code. Re-attempt programming steps carefully. Perform the door handing process again. If issues persist, reset the unit to factory settings (refer to full manual).
Deadbolt extends when door is open (Auto-lock issue).	The lock does not have a sensor to detect if the door is open or closed. Auto-lock activates after the set time regardless of door position.	This is normal operation. Ensure the door is closed before the auto-lock time expires, or disable the auto-lock feature if it causes inconvenience.
Keypad is difficult to see at night.	Backlight not active.	The keypad is backlit and stays lit for 30 seconds after inactivity. Ensure there is enough battery power.
Lock is not operating smoothly.	Misalignment of door or strike plate, or internal mechanism issue.	Check door and frame alignment. Ensure the strike plate is correctly installed. If the issue persists, contact customer support.

# 8. SPECIFICATIONS

Feature	Detail
Model Number	9GED92600-003
Product Dimensions	6.99 x 2.86 x 13.97 cm (2.75 x 1.13 x 5.5 inches)
Item Weight	454 g (1 lb)
Color	Satin Nickel
Style	Contemporary
Finish	Brushed

Feature	Detail
Material	Metal
Lock Type	Deadbolt, Electronic
Keypad	10-Button, Backlit
User Codes	Up to 50 user codes, 1 master code
Power Source	4 AA Batteries (not included)
Door Thickness Compatibility	1-3/8" to 1-3/4" (35 mm - 44 mm)
Backset	Adjustable 2-3/8" or 2-3/4"
Special Features	Weather Resistant, Anti-Bump, Auto-Lock, One-Touch Lock, Back-Lit Keypad, SmartKey Security
ANSI Grade	Grade 2
Country of Origin	China

## 9. WARRANTY & SUPPORT

## 9.1 Warranty Information

The Weiser SmartCode Keypad Electronic Deadbolt comes with a**1-year warranty** from the date of purchase. This warranty covers defects in material and workmanship under normal use. Please retain your proof of purchase for warranty claims.

For full warranty details and limitations, please refer to the official Weiser website or contact customer support.

## 9.2 Customer Support

For technical assistance, troubleshooting, or warranty inquiries, please contact Weiser customer support:

- Online Support: Visit the official Weiser website for FAQs, video tutorials, and contact forms.
- **Phone Support:** Refer to the contact information provided on the Weiser packaging or website for phone support hours.
- BILT App: Utilize the BILT app for interactive 3D installation and programming guidance.

When contacting support, please have your product model number (9GED92600-003) and purchase date available.

© 2025 Weiser. All rights reserved. Weiser is a registered trademark.



#### Weiser Product Catalog and Ordering Guide

Explore the comprehensive Weiser product catalog, featuring a wide range of locks, handlesets, levers, and knobs. This guide provides detailed information on product specifications, ordering procedures, finishes, and keying options for both residential and commercial applications. Discover Weiser's commitment to security, style, and innovation.

lang:en score:36 filesize: 9.5 M page\_count: 132 document date: 2022-09-13



#### [pdf] Guide Pricing Guide

TABLE DES MATIÈRES Weiser Pricebook 2023 FR low res ca weiserlock assets resources price guide |||
TABLE DES MATIRES RENSEIGNEMENTS GNRAUX MODALITS Page En vigueur
le 1 octobre 2022 2 Mise jour ... disponibles 15 Nickel satin 26D Chrome satin 514
Noir mat Prix courant Quantit par caisse GED 9260 9GED92600-003 9GED92600004 9GED92600-005 270 2 20 min. Pav tactile traditionnel Smartcode Fini...
lang:fr score:30 filesize: 9.89 M page\_count: 139 document date: 2023-02-08



## [pdf]

6453abce5f969d6fd2506287 WEISER Door Hardware Visual Packs 2023 Price Book assets global website files 5e58071f0821819a2924c140 |||

ELECTRONICS 23 Intro ELECTRONICS HALO TOUCH Finish Availability 15 Satin Nickel 514 Matte Black ... Contemporary Keypad Finish Availability 15 Satin Nickel 26D Satin Chrome 514 Matte Black GED 9260 **9GED92600-003** 9GED92600-005 9GED92600-004 386 20 min. Box Pack Visual Pack Parts SmartKey is s... lang:en score:25 filesize: 1.82 M page\_count: 20 document date: 2023-05-04



#### [pdf]

63c17a1cc8c6b03ce7107c75 WEISER Door Hardware Visual Packs 2023 Price Book assets global website files 5e58071f0821819a2924c140 |||

ELECTRONICS 23 Intro Electronics ELECTRONICS HALO TOUCH Finish Availability 15 Satin Nickel 51 ... Contemporary Keypad Finish Availability 15 Satin Nickel 26D Satin Chrome 514 Matte Black GED 9260 **9GED92600-003** 9GED92600-005 9GED92600-004 386 20 min. Box Pack Visual Pack Parts SmartKey is s... lang:en score:25 filesize: 1.79 M page\_count: 20 document date: 2023-01-13



#### [pdf] Specifications

TABLE OF CONTENTS Weiser Pricebook 2024 EN distmorissette 02 |||

TABLE OF CONTENTS GENERAL INFORMATION Page TERMS CONDITIONS 2 GENERAL INFORMATION 4 ORDERING ... sh Availability 15 Satin Nickel 26D Satin Chrome 514 Matte Black List Price Case Quantity GED 9260 **9GED92600-003** 9GED92600-005 9GED92600-004 270 2 20 min. POWERBOLT 3 Finish Availability 3 Brass ...

lang:en score:18 filesize: 3.17 M page count: 106 document date: 2024-03-19



## [pdf] Specifications

TABLE OF CONTENTS Weiser Pricebook Oct 1 2022 EN distmorissette 07 |||

TABLE OF CONTENTS GENERAL INFORMATION Page TERMS CONDITIONS 2 GENERAL INFORMATION 4 HOW TO O ... sh Availability 15 Satin Nickel 26D Satin Chrome 514 Matte Black List Price Case Quantity GED 9260 **9GED92600-003** 9GED92600-004 9GED92600-005 270 2 20 min. Smartcode Traditional Touchpad Finish Av...

lang:en score:17 filesize: 3.86 M page\_count: 133 document date: 2022-09-30



### [pdf] Specifications

Weiser Pricebook 2022 EN Oct 25 Index of 11 distmorissette |||

TABLE OF CONTENTS GENERAL INFORMATION Page TERMS CONDITIONS 2 GENERAL INFORMATION 4 HOW TO O ... sh Availability 15 Satin Nickel 26D Satin Chrome 514 Matte Black List Price Case Quantity GED 9260 **9GED92600-003** 9GED92600-004 270 2 20 min. Smartcode Traditional Touchpad Finish Av...

lang:en score:17 filesize: 3.87 M page\_count: 133 document date: 2022-11-08



## [pdf] Documentation

Weiser liste de prix 2022 4 mo Documentation Distribution Morissette Pricebook FR Oct 25 distmorissette 11 |||

TABLE DES MATIRES RENSEIGNEMENTS GNRAUX MODALITS Page En vigueur le 1 octobre 2022 2 Mise jour ... disponibles 15 Nickel satin 26D Chrome satin 514 Noir mat Prix courant Quantit par caisse GED 9260 **9GED92600-003** 9GED92600-005 9GED92600-004 270 2 20 min. Pav tactile traditionnel Smartcode Fini... lang:fr score:16 filesize: 3.98 M page\_count: 137 document date: 2022-11-08