

Manuals.plus /

› EasyKeys /

› Weather Guard K090 Replacement Toolbox Key User Manual

EasyKeys K090

Weather Guard K090 Replacement Toolbox Key User Manual

Model: K090 | Brand: EasyKeys

INTRODUCTION

This manual provides essential information for the proper use and care of your Weather Guard K090 Replacement Toolbox Key. This key is specifically designed for use with KNAACK / WEATHERGUARD truck toolbox locks, particularly those featuring a red pushbutton lock found on saddle boxes, cross boxes, lo-side and super-lo side boxes, and pork chop boxes manufactured prior to 2005. The key is a square silver type.

Each purchase includes two (2) K090 replacement keys.



Image: A single silver replacement key, clearly marked with a code (example shown is K001, but represents the K090 series). This key is designed for specific Weather Guard toolbox locks.

SETUP

Before using your new K090 replacement key, ensure it is the correct key for your specific Weather Guard toolbox lock.

1. **Verify Key Code:** Confirm that your existing lock or key is marked with the K090 code. The K090 key is part of the K001-K100 series, and the specific code is typically stamped on the key or the lock cylinder.
2. **Inspect Lock:** Ensure the lock cylinder is clean and free of debris or obstructions. If the lock is dirty, gently clean it with a soft cloth.
3. **Insert Key:** Gently insert the K090 key into the corresponding toolbox lock. Do not force the key if it does not slide in smoothly.
4. **Test Operation:** Once inserted, turn the key to engage the lock mechanism and unlock the toolbox. Test both locking and unlocking functions to ensure smooth operation.

OPERATING INSTRUCTIONS

The K090 key is designed for straightforward operation with compatible Weather Guard toolbox locks.

- **Unlocking:** Insert the K090 key fully into the lock cylinder. Rotate the key clockwise or counter-clockwise (depending on the lock's design) until the lock mechanism disengages. You should hear or feel a click as the lock unlocks.
- **Locking:** To lock the toolbox, ensure the lid or door is properly closed and aligned. Insert the key, rotate it in the opposite direction until the lock mechanism engages, and then remove the key.
- **Smooth Operation:** Always turn the key smoothly and without excessive force. Forcing the key can damage both the key and the internal components of the lock.

MAINTENANCE

Proper maintenance will extend the life of your K090 keys and ensure reliable operation of your toolbox locks.

- **Keep Clean:** Regularly wipe the keys with a dry, soft cloth to remove dirt, dust, and grime. Avoid using abrasive cleaners or solvents.
- **Avoid Bending:** Do not use the key for purposes other than operating the lock. Avoid bending or twisting the key, as this can deform its shape and prevent it from working correctly.
- **Lubrication (If Needed):** If the lock mechanism becomes stiff, a small amount of graphite lubricant or a silicone-based spray lubricant can be applied to the lock cylinder. Avoid oil-based lubricants, which can attract dirt.
- **Proper Storage:** Store spare keys in a dry, secure location to prevent loss or corrosion.

TROUBLESHOOTING

If you encounter issues with your K090 replacement key, consider the following common solutions:

- **Key Does Not Insert Fully:**
 - Check for any visible obstructions inside the lock cylinder (e.g., dirt, debris).
 - Ensure you are using the correct K090 key for the specific lock.
- **Key Does Not Turn:**
 - Verify the key is fully inserted into the lock.

- Do not force the key. The lock mechanism might be jammed or corroded. Try applying a small amount of lubricant as described in the Maintenance section.
- Ensure the lock is not under tension (e.g., the toolbox lid is not pressing against the latch).

- **Key Is Stuck in Lock:**

- Gently wiggle the key while attempting to turn it or pull it out.
- Apply a small amount of lubricant to the key and lock cylinder.
- If the key is severely stuck or broken, professional assistance from a locksmith may be required.

SPECIFICATIONS

Feature	Detail
Manufacturer	Weather Guard
Brand (Seller)	EasyKeys
Item Weight	1 ounce
Item Model Number	K090
Material Type	Polyurethane
Manufacturer Part Number	K090
ASIN	B0BFZP7VZ2
Date First Available	September 21, 2022

WARRANTY AND SUPPORT

This product is sold by EasyKeys Inc. USA. For any issues or inquiries regarding your Weather Guard K090 Replacement Toolbox Key, please contact the seller directly.

A **30-day return policy** is typically offered for refund or replacement. Please refer to your purchase details or contact EasyKeys Inc. USA for specific warranty terms and support procedures.



Image: An Eco Lips Peppermint Buzz Lip Balm, which is included as a free bonus with the key purchase.

