Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

YINVANI DS01

YINVANI Frameless Double Sliding Bathtub Shower Door (DS01) Instruction Manual

Model: DS01 | Brand: YINVANI

1. Introduction and Product Overview

This manual provides detailed instructions for the installation, operation, maintenance, and troubleshooting of your YINVANI Frameless Double Sliding Bathtub Shower Door, Model DS01. Please read this manual thoroughly before beginning installation to ensure safe and correct assembly and usage.

Key Features:

- **Application Range:** Shower door width adjustment from 56 to 60.75 inches; Walk-in width from 24.5 to 29.5 inches; Height: 61 inches. Features an anti-collision wall-mounted bracket for enhanced safety.
- **Quality Materials:** Constructed with 304 stainless steel hardware and 3/8-inch (10mm) SGCC-certified transparent tempered glass. Includes two towel bars that also serve as handles.
- **Safe and Quiet Operation:** Premium roller assemblies ensure silent operation. Tempered glass offers exceptional impact and crack resistance, coated with an easy-clean finish.
- **Sealed Waterproofing:** Equipped with premium PVC sealing strips and a sturdy stainless steel waterproof threshold to prevent water leakage.



Figure 1: YINVANI Frameless Double Sliding Bathtub Shower Door (Model DS01) in Brushed Nickel finish.

2. Setup and Installation

Proper installation is crucial for the safety and functionality of your shower door. We recommend professional installation or careful adherence to these instructions. Ensure all necessary tools are available before starting.

Installation Video Guide:

▶ **Watch video online**

How to Install Double Sliding Shower Door YINVANI DS01

Video 1: Detailed installation guide for the YINVANI Double Sliding Shower Door DS01. This video demonstrates each step of the assembly process.

▶ **Watch video online**

Double Sliding Shower Door Installation Guide

Video 2: Another comprehensive installation guide for a Double Sliding Shower Door, providing additional visual assistance for the setup process.

Key Installation Considerations:

- **Wall Preparation:** Ensure walls are plumb and level. Use the provided pre-drilled aluminum positioning plate for accurate hole marking.
- **Roller Adjustment:** The unique roller eccentric shaft design allows adjustment to make the glass parallel to the wall, even if the wall is not perfectly flat. Use the provided Allen key to adjust the disks for out-of-plumb walls.
- **Guide Block Placement:** The minimum threshold/tub edge requires 3 inches for proper guide block installation.
- **Silicone Sealant:** Apply silicone sealant as instructed to ensure a watertight seal. Allow 24 hours for the sealant to dry completely before using the shower.



Figure 2: Illustration of the unique roller eccentric shaft design, allowing adjustment for uneven walls to ensure glass parallelism.



Figure 3: Diagram showing the minimum threshold/tub edge requirement of 3 inches for the DS01 model's guide block.

3. Operation

The YINVANI DS01 shower door is designed for smooth and quiet operation. The frameless double sliding mechanism allows for flexible entry and exit from your shower space.

Sliding Mechanism:

- The large, sturdy stainless-steel rollers, combined with an anti-jumping system, provide effortless and quiet sliding.
- The two glass panels slide independently, allowing you to adjust the opening width as needed.



Figure 4: Close-up of the large, sturdy stainless-steel rollers with anti-jumping system, ensuring smooth and quiet door operation.

Towel Bar Functionality:

- Each door panel features a convenient towel bar that also serves as a handle for opening and closing the doors.



Figure 5: The integrated towel bar design, which also functions as a handle for the shower door.

4. Maintenance

Regular cleaning and maintenance will prolong the life and appearance of your YINVANI shower door.

Glass Cleaning:

- The 3/8-inch (10mm) tempered glass is coated with an easy-clean finish to resist stain adhesion and water spots.
- For best results, wipe down the glass after each use with a soft cloth or squeegee.
- For deeper cleaning, use a non-abrasive glass cleaner. Avoid harsh chemicals or abrasive pads that could damage the coating.



Figure 6: Visual comparison demonstrating the effectiveness of the water and stain-resistant glass coating on YINVANI shower doors.

Hardware Maintenance:

- Clean stainless steel components with a soft, damp cloth. Avoid abrasive cleaners that can scratch the finish.
- Periodically check all screws and connections to ensure they remain tight.

5. Troubleshooting

If you encounter any issues with your YINVANI shower door, refer to the following common solutions:

- **Door Not Sliding Smoothly:** Check the rollers for any debris or obstructions. Ensure the eccentric wheels are properly adjusted and tightened. Clean the track thoroughly.
- **Water Leakage:** Verify that the PVC sealing strips are correctly installed and free from damage. Ensure the stainless steel waterproof threshold is securely in place and properly sealed with silicone. Reapply silicone sealant if necessary, allowing 24 hours to dry.

- **Loose Rollers/Door:** Periodically inspect and tighten all screws and connections, especially those on the rollers and wall brackets. If rollers become loose frequently, ensure they are properly seated and tightened with the Allen wrench.
- **Glass Damage:** While the tempered glass is highly durable, accidental breakage can occur. In such an event, contact customer support immediately for assistance and replacement options.

6. Specifications

Feature	Detail
Brand	YINVANI
Model	DS01
Color	Brushed Nickel
Material	Glass, Stainless Steel
Glass Thickness	3/8 inch (10mm)
Glass Certification	SGCC-Certified
Door Type	Frameless Double Sliding
Width Adjustment Range	56 to 60.75 inches
Height	66 inches
Item Weight	160 Pounds
Required Assembly	Yes

7. Warranty and Support

Manufacturer Warranty:

This product comes with a **Five-year manufacturer warranty**. Please retain your proof of purchase for warranty claims.

Customer Support:

YINVANI has a dedicated after-sales team. Should you encounter installation issues, accidental glass breakage during setup, or any other concerns, please contact us directly. We are committed to assisting in resolving problems and arranging for product replacement if necessary.
For further assistance, please visit the YINVANI Store on Amazon or contact our customer service team.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0BGBLCZ33

More documents and user manuals: **https://manuals.plus/**