

Kidsneed SM935A2

Kidsneed Baby Monitor User Manual

Model: SM935A2

Brand: Kidsneed

INTRODUCTION

Thank you for choosing the Kidsneed Baby Monitor. This system is designed to provide parents and caregivers with a reliable and secure way to monitor their baby. Featuring a 3.5-inch high-resolution display, remote pan, tilt, and zoom capabilities, two-way audio, night vision, and lullabies, this monitor ensures you can keep a close eye on your little one from anywhere in your home.

The system operates on 2.4G FHSS signal transmission technology, ensuring 100% privacy and security without the need for Wi-Fi or an app. With a long range of up to 960 feet, you can confidently move around your home while staying connected to your baby.

WHAT'S IN THE BOX

- 1 x Parent Unit (Monitor)
- 2 x Baby Units (Cameras)
- 3 x Power Adapters (Chargers)
- 1 x User Manual



Image: The Kidsneed Baby Monitor system, including the parent unit and two camera units.

SETUP GUIDE

1. Charging the Parent Unit

Before first use, fully charge the parent unit for at least 8 hours. Connect the power adapter to the parent unit and a power outlet. The battery indicator on the screen will show charging status. A full charge provides approximately 6-10 hours of portable use.



Image: The parent unit connected to its charger.

2. Powering the Camera Units

Connect each camera unit to its respective power adapter and plug it into a power outlet. The cameras must remain

plugged in for continuous operation.

3. Camera Placement

Place the camera units in a location that provides a clear view of your baby, ensuring they are out of reach of children. For optimal signal, avoid placing cameras near large metal objects or other electronic devices that may cause interference. The system offers a range of up to 960 feet in open areas.



Image: Visual representation of the monitor's effective range within a home environment.

4. Pairing (Pre-paired)

Your Kidsneed Baby Monitor units are pre-paired at the factory. Simply power on both the parent unit and camera units, and they should automatically connect. If connection issues occur, refer to the troubleshooting section for manual pairing instructions.

OPERATING INSTRUCTIONS

1. Power On/Off and Basic Controls

- **Power:** Press and hold the power button on the parent unit to turn it on or off.
- **Volume:** Use the volume buttons to adjust the audio level from the camera.
- **Brightness:** Adjust screen brightness for comfortable viewing.

2. Remote Pan, Tilt, and Zoom

The parent unit allows you to remotely control the camera's view. Use the directional buttons to pan (move horizontally) and tilt (move vertically) the camera. Press the zoom button to digitally zoom in (2x) on your baby for a closer look.

♥ Cover Every Corner of The Nurse



Image: The camera unit demonstrating its pan and tilt range.

♥ See Your Baby Up Close

Remotely control the zoom-in 2X.

Large Display for the Little Details.



Image: Comparison of 1X and 2X zoom on the monitor screen.

3. Two-Way Audio

Press and hold the talk button on the parent unit to speak to your baby through the camera's speaker. Release the button to hear your baby's sounds. This feature allows for comforting communication without entering the room.

♥ Two Way Talk

Link up love with you baby.

Mommy



Hi, baby

Image: The two-way talk feature in action, showing communication between parent and baby.

4. Automatic Night Vision

The camera automatically switches to infrared night vision mode in low-light conditions. This provides clear, greyscale images of your baby, allowing you to monitor them without disturbing their sleep with bright lights.

♥ Enjoy a Clear Image Day and Light



Image: The monitor's night vision capability showing a clear view of a baby sleeping in the dark.

5. Lullabies

Select from 4 pre-programmed lullabies to help soothe your baby to sleep. Access this feature through the menu on the parent unit.

♥ Temperature Sensor & Peaceful Lullabies



Image: The camera unit highlighting its lullaby and temperature sensing functions.

6. Temperature Monitoring

The camera unit includes a built-in temperature sensor that displays the room temperature on the parent unit's screen. An alert will be sent to the parent unit if the temperature goes outside a set range, helping you maintain a comfortable environment for your baby.

7. Multiple Camera Support

The Kidsneed Baby Monitor system supports up to four cameras. You can easily switch between connected

cameras or use the scan mode to cycle through them automatically. This is ideal for monitoring multiple children or different areas of your home.



Image: The versatility of the system with support for up to four cameras.

8. Alarm Function

The parent unit features an alarm function that can be set for various purposes, such as feeding reminders or wake-up calls. Consult the menu settings for alarm configuration.

MAINTENANCE

- **Cleaning:** Use a soft, dry cloth to clean the monitor and camera units. Do not use abrasive cleaners or solvents.
- **Battery Care:** To prolong battery life, avoid fully discharging the parent unit frequently. Recharge it regularly.
- **Storage:** If storing the unit for an extended period, ensure the battery is partially charged and store in a cool, dry place.

TROUBLESHOOTING

Problem	Possible Cause	Solution
No image/signal on parent unit	Out of range, camera not powered, units not paired.	Move units closer, ensure camera is plugged in, re-pair units (refer to manual for pairing steps).
Poor image quality	Low light, interference, camera lens dirty.	Ensure adequate lighting or rely on night vision, move away from other electronics, clean camera lens.
Short battery life on parent unit	Battery not fully charged, aged battery.	Charge for 8 hours before first use. If battery life significantly degrades, consider battery replacement if available.
No two-way audio	Volume too low, talk button not pressed.	Increase volume, ensure talk button is pressed and held during speaking.

SPECIFICATIONS

Feature	Detail
Model Name	SM935A2


Feature	Detail
Display Size	3.5 inches
Connectivity Technology	Wireless (2.4G FHSS)
Indoor/Outdoor Usage	Indoor
Power Source	Corded Electric
Video Capture Resolution	480p
Number of Channels	2 (expandable to 4 cameras)
Parent Unit Battery	1200 mAh Lithium Ion
Range	Up to 960 feet (open area)
Special Features	Pan, Tilt, Zoom, Two-Way Audio, Night Vision, Lullabies, Temperature Monitoring, Alarm Function
Product Dimensions	7.63 x 4.92 x 5.03 inches
Item Weight	1.79 pounds
UPC	797505192087



WARRANTY AND SUPPORT

Kidsneed products are manufactured to high-quality standards. For warranty information, technical support, or service inquiries, please refer to the contact information provided on the product packaging or visit the official Kidsneed website. Please retain your proof of purchase for warranty claims.

© 2024 Kidsneed. All rights reserved.

Related Documents - SM935A2

	<p>Kidsneed SM935A Video Baby Monitor: Features, Setup, and FAQs</p> <p>Comprehensive guide to the Kidsneed SM935A Video Baby Monitor, covering specifications, setup instructions, and frequently asked questions for remote pan-tilt-zoom camera and audio monitoring.</p>
---	--

<p>Kidsneed</p> <p>BABY MONITOR SM935C</p> <p>USER MANUAL</p>  <p>CATCH EVERY PRECIOUS MOMENT OF YOUR BABY</p>	<p>Kidsneed SM935C Baby Monitor User Manual</p> <p>User manual for the Kidsneed SM935C Digital Wireless Video Baby Monitor with a 3.5-inch color screen. Covers setup, operation, safety guidelines, technical specifications, and troubleshooting for optimal use.</p>
<p>USER MANUAL</p> <p>Video Baby Monitor</p> <p>5" LCD 720P</p>  <p>Kidsneed</p> <p>Register 3 year Warranty by sending Amazon Order ID to support@kidsneed.com</p>	<p>Kidsneed SM530 Video Baby Monitor User Manual</p> <p>User manual for the Kidsneed SM530 Video Baby Monitor with a 5" LCD 720P screen. Includes setup, operation, functions, specifications, and troubleshooting.</p>
<p>USER MANUAL</p> <p>Video Baby Monitor</p> <p>5" LCD 720P</p>  <p>Kidsneed</p> <p>Register 3 year Warranty by sending Amazon Order ID to support@kidsneed.com</p>	<p>Kidsneed SM530 Video Baby Monitor User Manual</p> <p>User manual for the Kidsneed SM530 Video Baby Monitor with a 5" LCD 720P screen. Includes setup, operation, troubleshooting, and specifications for the baby monitor and camera.</p>
 <p>ACTIVE LIFETIME WARRANTY</p> <p>Thank you for choosing Kidsneed baby monitors. Kidsneed baby monitors are designed to provide you with effective, safe, and reliable baby monitoring solutions.</p> <p>We provide 24/7 customer support and service. We guarantee 100% satisfaction or money back. Please email support@kidsneed.com or visit www.kidsneed.com for more information.</p> 	<p>Kidsneed Baby Monitor Lifetime Warranty and Support</p> <p>Information regarding the active lifetime warranty and customer service for Kidsneed Baby Monitors. Contact support@kidsneed.com for assistance or to activate your warranty.</p>
<p>Manuals - User Manuals Download</p>  <p>Baby Monitor: Kidsneed Video Baby Monitor with Remote Pan-Tilt-Zoom Camera and Audio-Complete Features Instruction Manual</p> <p>Download: Baby Monitor: Kidsneed Video Baby Monitor with Remote Pan-Tilt-Zoom Camera and Audio-Complete Features Instruction Manual</p> <p>Kidsneed</p> <p>Baby Monitor: Kidsneed Video Baby Monitor with Remote Pan-Tilt-Zoom Camera and Audio</p>	<p>Kidsneed SM935A Video Baby Monitor: Features, Setup, and FAQs</p> <p>Comprehensive guide to the Kidsneed SM935A Video Baby Monitor, covering specifications, setup instructions, and frequently asked questions for remote pan-tilt-zoom camera and audio monitoring.</p>