

RBROHANT JK0001**

RBROHANT Outdoor Shower User Manual

Model: JK0001**

INTRODUCTION

Thank you for choosing the RBROHANT Outdoor Shower. This freestanding outdoor shower kit is designed for use in various outdoor settings such as backyards, gardens, pools, and beaches. It features a durable brass construction with a matte black finish, offering both functionality and a sleek design. This manual provides essential information for safe installation, operation, and maintenance of your outdoor shower.



Image: The RBROHANT Outdoor Shower, matte black, positioned in a lush garden environment, showcasing its freestanding design.

SAFETY INFORMATION

Please read all instructions carefully before installation and use. Failure to follow these instructions may result in property damage, personal injury, or death.

- Ensure all local plumbing and building codes are met during installation.
- Turn off the main water supply before beginning any installation or maintenance.
- Use appropriate tools and safety equipment (e.g., gloves, eye protection).
- Protect the shower from freezing temperatures to prevent damage to internal components. Drain water completely during winter months.
- Do not exceed the maximum pressure of 60 PSI.

PACKAGE CONTENTS

Verify that all components are present and undamaged before proceeding with installation.



Image: All parts of the RBROHANT Outdoor Shower kit, including the main body, shower head, handheld shower, hoses, base, and installation hardware, neatly arranged on a white surface.


- Main Shower Column (Brass)
- Overhead Shower Head (304SUS Stainless Steel)
- Handheld Shower and Holder (Brass)
- Shower Hose (304SUS Stainless Steel)
- Fixed Base (Brass)
- Water Inlet Pipes (Pre-installed, 1/2" NPT thread)
- 3/8" Adaptors (x2)
- Diverter and Handle (Zinc Alloy)
- Installation Tools Kit

- Sealing Washers and O-rings

SETUP AND INSTALLATION

The RBROHANT Outdoor Shower is designed for quick and straightforward floor-mounted installation. Ensure you have a stable, level surface and access to water supply lines.

1. **Prepare the Installation Area:** Choose a suitable location with a solid, level foundation capable of supporting the shower and water connections. Ensure proper drainage.
2. **Connect Water Inlet Pipes:** The shower comes with pre-installed 1/2" NPT inlet pipes. Connect your hot and cold water supply lines to these pipes. Use the included 3/8" adaptors if necessary. Ensure all connections are sealed properly to prevent leaks.
3. **Secure the Base:** Position the brass fixed base on the prepared surface. Mark the drilling points for securing the base. Drill pilot holes if required and secure the base firmly using appropriate fasteners (not included, as they depend on your surface material).
4. **Assemble the Shower Column:** Carefully attach the main shower column to the fixed base, ensuring it is upright and stable.
5. **Install Shower Head and Handheld:** Attach the overhead shower head and the handheld shower with its holder to the main column. Connect the shower hose to the handheld shower and the appropriate outlet on the main column.
6. **Test for Leaks:** Slowly turn on the main water supply and check all connections for leaks. Tighten any leaking connections as needed.






Image: A technical diagram illustrating the dimensions of the RBROHANT Outdoor Shower, including overall height (2280mm/89.76"), shower head reach (425mm/16.73"), and base diameter (160mm/6.3").

OPERATING INSTRUCTIONS

Your RBROHANT Outdoor Shower features dual functionality, allowing you to switch between the overhead shower and the handheld shower.

- **Water Flow Control:** Use the main handle to turn the water on/off and adjust the water temperature.
- **Divertor Function:** The diverter knob allows you to switch water flow between the overhead shower head and the handheld shower. Turn the knob to select your desired output.
- **Overhead Shower:** Provides a wide rain shower experience, ideal for full body rinsing.
- **Handheld Shower:** Offers flexibility for targeted rinsing, such as washing feet, pets, or specific areas.



Image: A hand demonstrating the operation of the control knobs on the RBROHANT Outdoor Shower, showing the ease of adjusting settings.



Image: The RBROHANT Outdoor Shower in operation, with water cascading from the overhead shower head, illustrating its rain shower function.

MAINTENANCE

Regular maintenance will ensure the longevity and optimal performance of your outdoor shower.

- **Cleaning:** Clean the shower regularly with a soft cloth and mild soap. Avoid abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the matte black finish.
- **Nozzle Cleaning:** The silicone nozzles on the shower head and handheld can be easily cleaned by gently rubbing them to dislodge any mineral buildup.
- **Winterization:** In regions with freezing temperatures, it is crucial to properly winterize your outdoor shower to prevent damage from frozen water.
 - a. Turn off the water supply to the shower.
 - b. Open all shower valves (hot and cold) and the diverter to drain all water from the system.

- c. Disconnect the water supply lines if possible and ensure all water is drained from the pipes.
- d. Store the handheld shower and hose indoors if removable.



Image: A close-up view of the flexible silicone nozzles on the RBROHANT shower head, designed for easy cleaning and mineral deposit removal.

TROUBLESHOOTING

If you encounter issues with your RBROHANT Outdoor Shower, refer to the following common problems and solutions.

Problem	Possible Cause	Solution
Low Water Pressure	Clogged nozzles; partially closed water supply valve; low household water pressure.	Clean shower head nozzles. Ensure water supply valves are fully open. Consult a plumber if household pressure is consistently low.
Leaks at Connections	Loose connections; damaged washers/O-rings.	Tighten connections. Replace worn or damaged washers/O-rings.
Water Not Diverting Properly	Divertor mechanism obstruction or wear.	Ensure diverter knob is fully engaged. If issue persists, contact customer support.

Problem	Possible Cause	Solution
No Water Flow	Water supply turned off; frozen pipes (in cold weather).	Check main water supply. If pipes are frozen, do not attempt to thaw with open flame; use gentle heat or wait for natural thaw.

SPECIFICATIONS

Feature	Detail
Brand	RBROHANT
Model Number	JK0001**
Color	Matte Black
Main Body Material	Brass
Overhead Shower Head Material	304SUS Stainless Steel
Handheld Shower Material	Brass
Finish Type	Matte
Mounting Type	Floor Mount
Maximum Pressure	60 PSI
Overall Height	Approx. 89.76 inches (2280 mm)
Hose Length	59 Inches
Item Weight	22.1 pounds
Package Dimensions	41.3 x 20.3 x 3.4 inches

WARRANTY AND SUPPORT

RBROHANT stands behind the quality of its products.

- Lifetime Warranty:** This product is covered by a Lifetime Warranty. For details, please refer to the warranty information provided at the time of purchase or contact RBROHANT customer service.
- Customer Service:** If you have any questions, require assistance with installation, or need to report a problem, please contact RBROHANT customer support. Contact information can typically be found on the product packaging or the official RBROHANT website.

