

Eglo 900597

EGLO Padulari LED Ceiling Light

INSTRUCTION MANUAL

Model: 900597

1. Product Overview

The EGLO Padulari LED Ceiling Light is a modern, dimmable lighting fixture designed for various indoor spaces such as living rooms, bedrooms, offices, and hallways. It features a sleek black metal design with white plastic light surfaces, providing versatile illumination with adjustable color temperatures and brightness.

Key Features:

- Dimmable LED lighting with remote control.
- Adjustable light color: Warm white, neutral white, and cool white (25.6 watts, 3800 lumens).
- Includes comfort functions: night light mode and 30-minute timer.
- Minimalist design suitable for modern interiors.
- Dimensions: Length 53.5 cm, Width 47 cm, Height 5 cm.




Figure 1: EGLO Padulari LED Ceiling Light, showcasing its linear black and white design.

2. Safety Information

Please read all safety instructions carefully before installation and use. Failure to follow these instructions may result in electric shock, fire, or other hazards.

- **Electrical Safety:** Always disconnect power at the main circuit breaker before installing, cleaning, or servicing the fixture. Ensure all electrical connections comply with local codes and regulations. If unsure, consult a qualified electrician.
- **Installation:** This product requires assembly. Ensure the mounting surface can support the weight of the fixture (approximately 1.44 kg). Do not install in damp or wet locations.
- **Handling:** Handle the light fixture with care to avoid damage to the LED components or housing.
- **Light Source:** The LED light source is integrated and not user-replaceable. Do not attempt to disassemble the LED module.

3. Package Contents

Verify that all components are present before beginning installation:

- EGLO Padulari LED Ceiling Light fixture
- Remote Control
- Assembly Instructions (English language)
- Mounting Hardware (screws, anchors, etc. - typically included with assembly instructions)



Figure 2: Diagram illustrating the light fixture's dimensions and typical components included for assembly.

4. Setup and Installation

Assembly is required for this ceiling light. Please follow the detailed assembly instructions provided in the package for proper installation.

1. Prepare for Installation:

- Turn off power at the main circuit breaker to the junction box where the light will be installed.
- Unpack all components and lay them out on a clean, flat surface.
- Ensure you have the necessary tools (e.g., screwdriver, wire strippers, drill if needed).

2. Mounting the Fixture:

- Attach the mounting bracket to the ceiling junction box using the provided screws.
- Connect the electrical wires (live, neutral, ground) from the fixture to the corresponding wires in the junction box, following standard electrical wiring practices. Secure connections with wire nuts.
- Carefully attach the light fixture body to the mounting bracket, ensuring it is securely fastened.

3. Remote Control Setup:

- The remote control requires batteries. Insert the specified battery type (usually AAA, check remote compartment for details) into the remote control, observing polarity.
- The remote control should be pre-paired with the light. If not, refer to the specific pairing instructions in the included manual.

4. Final Check:

- Once the fixture is securely mounted and wired, restore power at the circuit breaker.
- Test the light using the remote control.





Figure 3: The EGLO Padulari LED Ceiling Light installed, demonstrating its appearance in a living space.

5. Operating Instructions

The EGLO Padulari LED Ceiling Light is operated using the included remote control. Familiarize yourself with the buttons and their functions:




Figure 4: The remote control for the EGLO Padulari LED Ceiling Light, showing various function buttons.

Remote Control Functions:

- **Power On/Off:** Press the **red circle** button to turn the light off, and the **white vertical line** button to turn it on.
- **Brightness Adjustment (Dimming):** Use the **+** and **-** buttons (often depicted as sun with plus/minus) to increase or decrease the light intensity.
- **Color Temperature Adjustment:**
 - **Snowflake/Blue Icon:** Adjusts to cooler white light.
 - **Sun/Yellow Icon:** Adjusts to warmer white light.
 - The light offers a range from warm white to neutral white to cool white.
- **Night Light Mode:** Press the **Crescent Moon with Stars** icon for a low-intensity, soft light suitable for nighttime.
- **Timer Function:** Press the **"OFF 30 min"** button to set the light to automatically turn off after 30 minutes.
- **Scene Presets (FAV1, FAV2):** These buttons allow you to save and recall your preferred light settings (brightness and color temperature). Refer to the detailed remote control instructions in your included manual for saving presets.
- **Specific Use Modes (e.g., Desk Lamp, Relax):** Icons resembling a person at a desk or a person relaxing may activate specific pre-programmed light settings optimized for those activities.

6. Maintenance

Proper care will ensure the longevity and optimal performance of your EGLO Padulari LED Ceiling Light.

- **Cleaning:**
 - Always turn off the light and disconnect power at the circuit breaker before cleaning.
 - Wipe the fixture with a soft, dry, or slightly damp cloth.
 - Do not use abrasive cleaners, solvents, or polishes as they may damage the finish or plastic components.
- **LEDs:** The LEDs are integrated and do not require replacement. Do not attempt to open the LED modules.

- **Remote Control:** If the remote control stops responding, check and replace the batteries. Ensure there are no obstructions between the remote and the light fixture.

7. Troubleshooting

If you encounter issues with your EGLO Padulari LED Ceiling Light, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Light does not turn on.	No power to the fixture; loose wiring; remote control issue.	Check circuit breaker. Ensure all wire connections are secure. Replace remote control batteries. Repair remote if necessary (refer to included manual).
Light flickers or dims unexpectedly.	Unstable power supply; loose connection; incompatible dimmer (not applicable as it uses its own remote).	Check power supply. Verify wiring connections. If problem persists, consult a qualified electrician.
Remote control not responding.	Dead batteries; remote out of range; obstruction; remote not paired.	Replace batteries. Ensure remote is within operating range and pointed towards the light. Remove any obstructions. Refer to manual for pairing instructions.
Light color or brightness cannot be adjusted.	Remote control issue; internal fault.	Check remote batteries and functionality. If remote works for other functions, there might be an internal fault. Contact customer support.

If the problem persists after trying these solutions, please contact customer support.

8. Specifications

Attribute	Value
Brand	Eglo
Model Number	900597
ASIN	B0BGMF7429
Product Dimensions	53.5 x 47 x 5 cm
Item Weight	1.44 Kilograms
Material	Aluminum Metal
Color	Black
Light Source Type	LED
Wattage	25.6 watts
Luminous Flux	3800 lumens

Attribute	Value
Color Temperature	Warm White / Neutral White / Cool White (Adjustable)
Power Source	AC
Assembly Required	Yes
Batteries Required (for remote)	Yes
Included Components	Ceiling light, remote control, assembly instructions

9. Warranty and Support

For warranty information and customer support, please refer to the documentation included with your purchase or contact the seller directly. As this product is fulfilled by Amazon Germany, you may contact Amazon customer service for assistance with returns or product-related inquiries.




Contact Information:



- For general inquiries or support, visit the [Amazon Customer Service](#) page.
- For product-specific technical support, refer to the contact details provided in the original packaging or on the Eglo official website.

© 2023 Eglo. All rights reserved.

This manual is for informational purposes only. Specifications are subject to change without notice.

Related Documents - 900597

	EGLO GIANELLA LED Ceiling Lamp - Installation and Operation Guide Detailed instructions for installing and operating the EGLO GIANELLA LED ceiling lamp, including wiring diagrams, assembly steps, and dimming control features. Article number 900947.
	EGLO 39685A LEMORIETA Pendant Light Installation Instructions Detailed installation guide for the EGLO 39685A LEMORIETA pendant light, including safety precautions, wiring, and height adjustment instructions.
	EGLO GIRON-TW LED Ceiling Light Installation and Remote Control Guide (Art.Nr. 75507, 31048) Comprehensive guide for installing the EGLO GIRON-TW LED ceiling light (Article Numbers 75507, 31048) and operating its ET3386 IR remote control for brightness and color temperature adjustments.

	EGLO FAVAZZINA LED Recessed Lamp Installation Guide Models 901755, 901756, 901757 Comprehensive installation guide for the EGLO FAVAZZINA LED recessed lamp. Learn about wiring, mounting, safety clearances, and product specifications. Includes models 901755, 901756, and 901757.
	EGLO 40 Degree Canopy Installation Manual and Warranty Information Comprehensive guide for installing the EGLO 40 Degree Canopy ceiling fan accessory, including safety precautions, parts list, wiring instructions, maintenance, and warranty details for models 20557501, 20557502, 20557504, 20557512.
	EGLO JUBILY Pendant Light (Model 43663) - Installation and Wiring Guide Step-by-step installation and wiring guide for the EGLO JUBILY pendant light, model 43663. Includes details on mounting, electrical connections, and operation for your EGLO lighting fixture.

Documents - Eglo – 900597

	
	
General Information	
Material number	900597
Type	ceiling light
Product segment	Recessed
Theme	sculptural / night constellation
Dimensions	
Article Height (in mm)	50
Article Width (in mm)	430
Article Length (in mm)	535
Net Weight (in kg)	1.44 kilograms
Material & Colour	
Enclosure Material	aluminum, steel
Enclosure Colour	black
Glass/Shade Material	glass
Glass/Shade Colour	white
Functionality	
Switch Type	without switch
Function	remote control (incl. control via remote control) CCT
Battery	186
Battery Type	CR2032
1/2	

[pdf] Datasheet Dimension Guide

EGLO MIDAS 900597 V1cdn files lightingonline group datasheets V1 |||

900597 PADULARI General Information Material number Type Product segment Theme Dimensions Article Height in mm Article Width in mm Article Length in mm Net Weight in kg Material Colour Enclosure Material Enclosure Colour Glass/Shade Material Glass/Shade Colour Functionality Switch Type Fun...
lang:en score:30 filesize: 1.04 M page_count: 2 document date: 2023-06-07

	
	
General Information	
Material number	900597
Type	griestu lampas
Produkta segments	iekštelpu
temats	cits / nakti konstelācija
Dimensions	
Izstrādājuma augstums (mm/in)	50
Izstrādājuma platums (mm/in)	430
Izstrādājuma garums (mm/in)	535
Neto svars (kg)	1,44
Material & Colour	
Korpusa materiāls	alumiņš, tērauds
Korpusa krāsa	melns
Stikla/Abažura materiāls	stikls
Stikla/Abažura krāsa	baltas
Functionality	
Slēdža tips	bez slēdža
1/2	

[pdf] Dimension Guide

900597 PADULARI EGLO Tools900597 General Information Materiāla numurs Type griestu lampas Produktu segments Iekštelpu temats cits nav piešķiramstools eglo tds lav LV |||
900597 PADULARI General Information Materiāla numurs Type Produktu segments temats Energoefektivitāte Dimensions Izstrādājuma augstums mm/in Izstrādājuma platums mm/in Izstrādājuma garums mm/in Neto svars kg Material Colour Korpusa materiāls Korpusa krāsa Stikla/Abažura materiāls Stikla/Abažura krāsa ...
lang:it score:27 filesize: 151.14 K page_count: 2 document date: 2025-11-23

900597 PADULARI		
		
General Information		
Material number	900597	
Type	ceiling light	
Product segment	indoor	
Theme	sonatiga / night wonderbar	
Dimensions		
Article Height (in mm)	50	
Article Width (in mm)	470	
Article Length (in mm)	535	
Net Weight (in kg)	1.44 kilogram	
Material & Colour		
Enclosure Material	aluminum, steel	
Enclosure Colour	black	
Glass/Shade Material	plastic	
Glass/Shade Colour	white	
Functionality		
Switch Type	without switch	
Function	remote control incl. control via remote control CCT	
Battery	Yes	
Battery Type	CR2032	
1/2		

[pdf] Dimension Guide Catalog

EGLO MIDAS Catalog sheet Eglo 900597 LED Dimmable ceiling light PADULARI 25 6W 230V RC

Lamps4sale EG900597 all lamps4sale ie ImgGalery Img1 PORT destination Katalogový list |||

900597 PADULARI General Information Material number Type Product segment

Theme Dimensions Article Height in mm Article Width in mm Article Length in mm Net

Weight in kg Material Colour Enclosure Material Enclosure Colour Glass/Shade

Material Glass/Shade Colour Functionality Switch Type Fun...

lang:en score:27 filesize: 1.01 M page_count: 2 document date: 2023-01-24

900597 PADULARI		
		
General Information		
Material number	900597	
Type	ceiling light	
Product segment	indoor	
Theme	sonatiga / night wonderbar	
Energy efficiency class (EEI)	E	
Dimensions		
Article Height (in mm/in)	50	
Article Width (in mm/in)	470	
Article Length (in mm/in)	535	
Net Weight (in kg)	1.44	
Material & Colour		
Enclosure Material	aluminum, steel	
Enclosure Colour	black	
Glass/Shade Material	plastic	
Glass/Shade Colour	white	
Functionality		
Switch Type	without switch	
1/2		

[pdf] Dimension Guide

900597 PADULARI EGLO ToolsArticle Height in mm 50 Article Width 470 Length 535 Net Weight kg 1 44

Material Colourtools eglo tds eng GB 900597tools |||

900597 PADULARI General Information Material number Type Product segment

Theme Energy efficiency class EEI Dimensions Article Height in mm/in Article Width in

mm/in Article Length in mm/in Net Weight in kg Material Colour Enclosure Material

Enclosure Colour Glass/Shade Material Glass/Sh...

lang:en score:27 filesize: 152.12 K page_count: 2 document date: 2025-11-23

900597 PADULARI		
		
General Information		
Material number	900597	
Type	ceiling light	
Product segment	indoor	
Theme	sonatiga / night wonderbar	
Dimensions		
Article Height (in mm)	50.0	
Article Width (in mm)	470.0	
Article Length (in mm)	535.0	
Net Weight (in kg)	2.9 kilogram	
Material & Colour		
Enclosure Material	aluminum, steel	
Enclosure Colour	black	
Glass/Shade Material	plastic	
Glass/Shade Colour	white	
Functionality		
Switch Type	without switch	
Function	remote control incl. control via remote control CCT	
Battery	Yes	
Battery Type	CR2032	
1/2		

[pdf] Dimension Guide

EGLO MIDAS PADULARI Taloon 5 giorni fa — Socket Type 1 LED Illuminant incl Inclusive Lumen

Complete 3800 Kelvin 3000 6500K Light colour 900597 tuotekortti taloon media attachments eglo |||

900597 PADULARI General Information Material number Type Product segment

Theme Dimensions Article Height in mm Article Width in mm Article Length in mm Net

Weight in kg Material Colour Enclosure Material Enclosure Colour Glass/Shade

Material Glass/Shade Colour Functionality Switch Type Fun...

lang:en score:27 filesize: 1.01 M page_count: 2 document date: 2022-09-06

900597
PADULARI





General Information

Gaminio kodas	900597
Tipas	lubo šviesa
Produkto segmentas	Vidaus
Tema	sonstige / nicht zuordenbar
Energijos vartojimo efektyvumo klasė	

Dimensions

Gaminio aukštis (mm/in)	50
Gaminio plotis (mm/in)	470
Gaminio ilgis (mm/in)	535
Grynasis svoris (kg)	1.44

Material & Colour

Korpuso medžiaga	aluminis, plienas
Korpuso spalva	juoda
Stiklo / gaubto medžiaga	stiklas
Stiklo / gaubto spalva	baltas

Functionality

Įjungimo tipas	nuo pavarėjimo
----------------	----------------

1/2

[pdf] Dimension Guide

900597 PADULARI EGLO Tools900597 General Information Gaminio kodas Type lubų šviesa Produktų segmentas Vidaus tema sonstige nicht zuordenbar Energijos vartojimo tools eglo tds lit LT |||

900597 PADULARI General Information Gaminio kodas Type Produkt segmentas tema Energijos vartojimo efektyvumo klas Dimensions Gaminio auk tis mm/in Gaminio plotis mm/in Gaminio ilgis mm/in Grynasis svoris kg Material Colour Korpuso med iaga Korpuso spalva Stiklo / gaubto med iaga St... lang:it **score:27** filesize: 151.42 K page_count: 2 document date: 2025-11-23

900597
PADULARI





General Information

Materialnummer	900597
Typ	Indoorlampe
Produktsegment	Indoor
Thema	sonstige / nicht zuordenbar
Energieeffizienzklasse	

Dimensionen

Produkt-Höhe (in mm)	50
Produkt-Breite (in mm)	470
Produkt-Länge (in mm)	535
Nettogewicht (in kg)	1.44 Kilogramm

Materialie og farve

Material	Alu, St
Farve	sort
Indesl. i glas/skerm	inkl.
Farve i glas/skerm	hvid

Funktionalitet

Stiktype	uden afbryder
Funktion	fjernbetjening inkl. kontrol via fjernbetjening
Batteri	ja
Batteritype	CR2032

1/2

[pdf]

EGLO MIDAS PADULARI Silvan900597 Genel information Materialenummer 900597 Type loftslampe Produktsegment Indoor Tema sonstige nicht zuordenbar Dimensioner9856470

Produktdatabladwebassets silvan dk resources Assets 9856470 Produktdatablad ||| **900597 PADULARI** Genel information Materialenummer Type Produktsegment Tema Dimensioner Produktets hjde i mm Produktets bredde i mm Produktets lngde i mm Nettovgt i kg Materiale og farve Materiale Farve Materiale glas/skrn Farve glas/skrn Funktionalitet Stiktype Funktion Batteri Battery... lang:da **score:26** filesize: 1.04 M page_count: 2 document date: 2023-06-16

900597
PADULARI





General Information

Material number	900597
Type	ceiling light
Product segment	Indoor
Theme	sonstige / nicht zuordenbar
Energy efficiency class	

Dimensions

Article height (in mm)	50.0
Article width (in mm)	470.0
Article length (in mm)	535.0
Net Weight (in kg)	1.44 Kilogram

Material & Colour

Enclosure Material	aluminium, steel
Enclosure Color	black
Glass/Shade Material	plastic
Glass/Shade Colour	white

Functionality

Switch Type	without switch
Function	remote control (incl. control via remote control)
Battery	yes
Battery Type	CR2032

1/2

[pdf] Dimension Guide

EGLO MIDAS ASSET 28246664docs keskofiles f btt 28246664 |||

900597 PADULARI General Information Material number Type Product segment Theme Dimensions Article Height in mm Article Width in mm Article Length in mm Net Weight in kg Material Colour Enclosure Material Enclosure Colour Glass/Shade Material Glass/Shade Colour Functionality Switch Type Fun... lang:en **score:20** filesize: 1.01 M page_count: 2 document date: 2022-09-06



[\[pdf\]](#) Catalog

0001 EGLO interiér 2022 2023 OUTDOOR 900209 VIGNANELLO venkovní závěsné svítidlo LED 0 06W 2700K 4xAA battery IP44 černá průhledná Feim cz interier 2022 23 kompri feim data upload files

Katalogy |||

2022/23 INTERIOR LIGHTING WO H N R AU M L EU CH T EN LUMINAIRES

INTRIEURS Dear business partners Ces luminaires ont une lueur supplémentaire l'intérieur. 900471 900596 incl. / inkl. / inclus **900597** incl. / inkl. / inclus 900471

RUOTALE ceiling light; aluminium, steel, black / plastic, whi...

lang:de score:10 filesize: 79.1 M page_count: 876 document date: 2022-10-07