

[Manuals.plus](#) /

› [Ibergrif](#) /

› Ibergrif Kitchen Faucet User Manual

Ibergrif MU22137

Ibergrif Kitchen Faucet with Pull Down Sprayer

Model: MU22137

Brand: Ibergrif

INTRODUCTION

Thank you for choosing the Ibergrif Kitchen Faucet with Pull Down Sprayer. This manual provides detailed instructions for the installation, operation, and maintenance of your new faucet. Please read this manual carefully before installation and keep it for future reference to ensure proper function and longevity of your product.



Image: The Ibergrif Kitchen Faucet in brushed nickel finish, featuring a high arc design and a pull-down sprayer.

PRODUCT OVERVIEW

The Ibergrif Kitchen Faucet is designed for modern homes, offering superior quality and versatile functionality. It features a durable stainless steel construction and multiple spray modes for various kitchen tasks.

Key Features:

- **Superior Quality Construction:** Crafted from lead-free SUS 304 stainless steel with drip-free ceramic cartridges and high-temp PEX hoses for durability and leak prevention.
- **Multifunctional Spray Settings:** Features three convenient spray settings: Stream, Spray, and Pause.
- **High Arc Design & 360° Rotation:** Offers efficient coverage and effortless control with a high arc design and a 360° rotating spray head.
- **Easy and Quick Installation:** Designed for installation in under 15 minutes, suitable for one, two, or three-hole sinks.
- **Efficient Cleaning:** Five-layer nanotechnology finish resists fingerprints and spots, making cleaning simple.

3 WAYS OF WATER EXPERIENCE



Stream Mode

Ideally suited for precise filling tasks



Spray Mode

Perfectly tailored for effective and washable cleaning



Pause Mode

Instantly halt water consumption on demand

Image: Illustration of the three water experience modes: Stream for precise filling, Spray for effective cleaning, and Pause to halt water consumption on demand.

360° Rotation

Spout rotates independently for a full range of motion, allowing you to position the faucet exactly how you need



Image: Depiction of the faucet's 360° rotation capability, allowing the spout to move freely for full range of motion.



Image: A cross-section of a pipe indicating the use of 304 stainless steel, highlighting the product's durable material.



Image: Close-up of the sprayer head showing Easy-Clean Rubber Nozzles and buttons for switching between Stream and Spray modes, along with an Easy-Stop button.

SETUP AND INSTALLATION

The Ibergriif Kitchen Faucet is designed for quick and easy installation, typically taking less than 15 minutes. No professional assistance is required. It is compatible with both 1-hole and 3-hole sinks using the included 10-inch detachable deck plate.

Before You Begin:


- Ensure all necessary mounting hardware is present (included in the package).
- Turn off the main water supply to your kitchen sink.
- Clear the area under the sink for easy access.

Installation Steps:


1. **Prepare the Sink Hole:** If using a 3-hole sink, place the deck plate over the holes. For a 1-hole sink, the deck plate is optional. Ensure the mounting hole size is $\Phi 35\text{mm}$.
2. **Mount the Faucet:** Insert the faucet body through the hole(s) from the top of the sink. Secure it from underneath with the provided mounting hardware (washer and nut).
3. **Connect Water Supply Lines:** Connect the hot and cold water supply lines (G 9/16" size, 50cm length) to your existing water supply valves. Ensure a tight, leak-free connection.
4. **Install the Weight:** Attach the counterweight to the pull-down hose, approximately 10mm from the bottom of the loop, to ensure smooth retraction of the sprayer.
5. **Test for Leaks:** Once all connections are secure, slowly turn on the main water supply and check for any leaks.

OPTIMUM SIZE

HOLES FOR INSTALLATION



SUPPLY HOSE SIZE



Mounting hole size
Φ35mm

Maximum thickness
of counter-top
(with deck plate): 1.36"

Maximum thickness
of counter-top
(without deck plate): 1.76"

Image: Diagram showing optimum size dimensions (16.9 inches total height, 8.6 inches spout height) and options for 1-hole or 3-hole installation, along with supply hose size details.




Image: A visual guide illustrating the five main steps of faucet installation, including mounting, hose connection, and weight placement.



Image: An exploded view showing all components included in the package, such as the faucet body, hoses, mounting hardware, and deck plate.

OPERATING INSTRUCTIONS

Your Ibergrif Kitchen Faucet is designed for ease of use and versatility in your daily kitchen tasks.

Water Flow and Temperature Control:

- **Single Handle Operation:** The single lever handle controls both water flow volume and temperature.
- **Temperature Adjustment:** Move the handle left for hot water and right for cold water.
- **Flow Volume Adjustment:** Lift the handle up to increase water flow and push it down to decrease or turn off the water.

Sprayer Functionality:

- **Pull-Down Sprayer:** Grasp the sprayer head and pull it down from the spout. The flexible hose allows for extended reach within your sink.
- **Switching Spray Modes:**
 - **Stream Mode:** Ideal for filling pots and general washing.
 - **Spray Mode:** Provides a powerful spray for rinsing dishes and cleaning the sink.
 - **Pause Mode:** Press the pause button on the sprayer head to temporarily stop water flow, useful for moving the sprayer between tasks without turning off the main handle.
- **360° Swivel Spout:** The faucet spout can rotate 360 degrees, providing flexibility and convenience for multi-tasking at the sink.
- **Retraction:** When finished, the counterweight on the hose will help the sprayer head retract smoothly back into the spout.

16" LONG EXTRA PEX HOSE

Wide Cleaning Range



Image: The pull-down sprayer extended from the faucet, demonstrating its 16-inch long PEX hose for wide cleaning range and ease of use.

MAINTENANCE

Regular maintenance will help preserve the finish and functionality of your Ibergri Kitchen Faucet.

- **Cleaning the Finish:** The five-layer nanotechnology finish is designed to resist fingerprints and spots. Clean the faucet regularly with a soft, damp cloth. Avoid abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the finish.
- **Cleaning Nozzles:** The sprayer head features easy-clean rubber nozzles. If mineral deposits build up, gently rub the rubber nozzles with your finger or a soft brush to dislodge them. This will help maintain optimal spray performance.
- **Checking for Leaks:** Periodically inspect the connections under the sink for any signs of leaks. Tighten connections if necessary.
- **Cartridge Longevity:** The drip-free ceramic cartridges are designed for long-term use. If you notice persistent dripping, it may indicate a need for cartridge replacement.

DETAILED CLOSE-UP



Anti-Dirt



Anti-Fingerprint



Easy to Clean




Image: Close-up views highlighting the faucet's anti-dirt, anti-fingerprint, and easy-to-clean properties, along with details of the sprayer head and hose connection.

TROUBLESHOOTING

If you encounter any issues with your Ibergrif Kitchen Faucet, please refer to the common problems and solutions below. If the problem persists, contact customer support.

Problem	Possible Cause	Solution
Low Water Flow	Clogged aerator or mineral buildup in nozzles.	Unscrew the aerator and clean any debris. Gently rub rubber nozzles to clear mineral deposits. Check supply line valves are fully open.
Leaking from Spout	Worn ceramic cartridge.	Contact customer support for a replacement ceramic cartridge.

Problem	Possible Cause	Solution
Leaking from Base	Loose mounting nut or supply line connection.	Tighten the mounting nut under the sink. Ensure supply lines are securely connected.
Sprayer Not Retracting Fully	Improperly positioned counterweight or obstruction.	Ensure the counterweight is correctly installed on the hose and there are no obstructions under the sink preventing smooth movement.

SPECIFICATIONS

Feature	Detail
Model Name	MU22137
Brand	Ibergrif
Material	SUS 304 Stainless Steel
Finish Type	Brushed Nickel
Mounting Type	Embedded (Single Hole Installation)
Number of Handles	1 (Lever Handle)
Hole Count Compatibility	1 or 3 (with included deck plate)
Special Feature	Pull Out Sprayer, 3 Spray Modes (Stream, Spray, Pause), 360° Swivel Spout
Maximum Flow Rate	1.8 Gallons Per Minute
Hose Length	15.7 Inches (400mm)
Product Dimensions	21.6 x 10.23 x 2.36 inches
Item Weight	4.04 pounds
Valve Type	Disc Valve

WARRANTY AND SUPPORT

Your Ibergrif Kitchen Faucet is backed by a **two-year limited warranty**, ensuring peace of mind regarding its quality and performance.

If you have any questions, require technical assistance, or need to make a warranty claim, please do not hesitate to contact the seller through Amazon's messaging system. Provide your order details and a clear description of the issue for prompt support.

We are committed to providing reliable products and excellent customer service.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B0BGN3CMCQ>

More documents and user manuals: **<https://manuals.plus/>**