

U`King ZQ01425-US

U`King LED Par Light RGBW 4-in-1 Stage Light Instruction Manual

Model: ZQ01425-US

INTRODUCTION


This manual provides detailed instructions for the safe and effective operation of your U`King LED Par Light RGBW 4-in-1 Stage Light. Please read this manual thoroughly before use and retain it for future reference. This LED stage light features 8 lighting modes: Static Color, Color Changing, Color Fade, Strobe, Auto, Sound Activated, Master-Slave, and DMX control. Speed and sound sensitivity are adjustable to create various stage atmospheres.

WHAT'S IN THE BOX

- Par light (x4)
- Remote control (x4)
- Power cord (x4)
- Metal Bracket (x8)
- Screw (x8)

PRODUCT FEATURES

- **Professional Stage Lighting:** Offers 8 lighting effects including Static Color, Color Changing, Color Fade, Strobe, Auto, Sound Activated, Master-Slave, and DMX. Adjustable speed and sound sensitivity.
- **Convenient Control:** Supports remote control and DMX control for versatile operation.
- **Simple Installation:** Features a durable dual-handle design for hanging or floor standing. The angle is easily adjustable and stable.
- **Wide Application:** Suitable for various occasions such as bars, family gatherings, KTV, theaters, wedding scenes, dance halls, discotheques, Halloween, and Christmas events.



LDE PAR LIGHT



DMX512



RGBW



Sound
Activated



High
Brightness

Image: U'King LED Par Light demonstrating its multi-color capabilities and control options including DMX, RGBW, Sound Activated, and High Brightness.

RGBW 27 LED PAR



Image: Close-up of the U'King LED Par Light highlighting its remote control, DMX (4/8CH), Auto, Sound Activated, and Master-Slave functionalities.

SPECIFICATIONS

Brand	U'King
Model Number	ZQ01425-US
Light Source Type	LED
Wattage	160 Watts
Material	Aluminum, Plastic
Product Dimensions	11"L x 5.2"W x 11"H
Item Weight	5 Pounds

Power Source	Corded Electric
Voltage	120 Volts
Bulb Features	Dimmable
Specification Met	CE



Image: Detailed view of the U'King LED Par Light showing its dimensions (11in, 3.5in, 12in), high brightness beads, cooling fan, and 360° adjustable angle.

SETUP

- Unpacking:** Carefully remove all components from the packaging. Verify that all items listed in the "What's in the Box" section are present.
- Mounting:** Attach the metal brackets to the light fixture using the provided screws. The dual-handle design allows for flexible positioning. You can hang the lights from a truss system or place them on a flat surface. Ensure the light

is securely mounted before operation.

3. **Power Connection:** Connect the power cord to the light fixture's power jack and then to a standard 120V AC power outlet.
4. **DMX Connection (Optional):** For DMX control, connect a DMX cable from your DMX controller's output to the DMX IN port on the first light. If using multiple lights, daisy-chain them by connecting the DMX OUT of the first light to the DMX IN of the next, and so on.



Image: Rear panel of the U'King LED Par Light, indicating the digital display, fan, power jack, DMX IN, DMX OUT, and portable bracket.

OPERATING MODES

The U'King LED Par Light offers multiple operating modes, which can be selected via the onboard digital display, remote control, or DMX controller.

- **Static Color Mode:** Displays a single, constant color. Select from various preset colors.

- **Color Changing Mode:** Automatically cycles through different colors.
- **Color Fade Mode:** Colors smoothly transition from one to another.
- **Strobe Mode:** Produces a flashing light effect. The flash rate can be adjusted.
- **Auto Play Mode:** Runs through a series of pre-programmed lighting sequences automatically.
- **Sound Activated Mode:** The lights react to ambient sound or music, changing patterns and colors in sync with the beat.
- **Master-Slave Mode:** Connect multiple lights, set one as the master, and the others as slaves. The slave units will mimic the master's settings.
- **DMX Control Mode:** For professional control, connect to a DMX controller to customize each light's parameters (color, intensity, effects) using 4 or 8 DMX channels.

Your browser does not support the video tag.

Video: Demonstration of the U'King LED Par Lights showcasing various color changes and effects.

Your browser does not support the video tag.

Video: Overview of the LED Par Can RGBW Lighting Effect, illustrating its dynamic capabilities.

MAINTENANCE

- **Cleaning:** Regularly clean the lens and housing with a soft, dry cloth to maintain optimal light output and prevent dust buildup. Do not use harsh chemicals or abrasive materials.
- **Inspection:** Periodically check power cords, DMX cables, and mounting hardware for any signs of wear or damage. Replace any damaged components immediately.
- **Cooling Fan:** Ensure the cooling fan vents are clear of obstructions to prevent overheating. The integrated cooling fan helps maintain silence during operation.
- **Storage:** When not in use, store the lights in a cool, dry place, away from direct sunlight and extreme temperatures.




Image: Premium LED stage light with 24 bulbs arranged in a circular pattern, showing four-in-one lamp beads with high brightness and conversion rate.



Image: 360-degree adjustable bracket for the lighting equipment, highlighting its rotational capability for flexible positioning.

TROUBLESHOOTING

- **No Power:** Ensure the power cord is securely connected to both the light and the power outlet. Check if the outlet is functional.
- **No Light Output:** Verify that the light is receiving power. Check the selected operating mode; some modes may appear off if not actively displaying light (e.g., during a dark segment of a program).
- **DMX Control Issues:** Ensure DMX cables are correctly connected (IN to OUT, OUT to IN). Verify the DMX address settings on each light match your controller's configuration. Check for proper termination if using a long DMX chain.
- **Remote Control Not Working:** Check the remote control's battery. Ensure there are no obstructions between the remote and the light's IR receiver.
- **Overheating:** If the light feels excessively hot or shuts down unexpectedly, ensure the cooling fan vents are clear and the light is in a well-ventilated area.

WARRANTY AND SUPPORT

This U`King LED Par Light is covered by a 30-Day Money Back Guarantee and a 90-Day warranty from the date of purchase. For any questions or issues regarding this product, please contact our customer service via the after-sale email provided at the time of purchase. We aim to respond within 24 hours to assist with any problems.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question