

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [KeylessOption](#) /

› [KeylessOption Remote Key Fob Control \(M3N5WY7777A\) for Chevrolet Corvette User Manual](#)

KeylessOption M3N5WY7777A

KeylessOption Remote Key Fob Control (M3N5WY7777A) for Chevrolet Corvette User Manual

Model: M3N5WY7777A | Brand: KeylessOption

INTRODUCTION

This user manual provides comprehensive instructions for the KeylessOption Remote Key Fob Control, designed as an aftermarket replacement for Chevrolet Corvette vehicles. This key fob (FCC ID: M3N5WY7777A, Part Number: 20940386) offers keyless entry and vehicle control functionalities. Please read this manual thoroughly before attempting to use or program your new key fob.

PRODUCT OVERVIEW

The KeylessOption Remote Key Fob Control is a complete unit, including all necessary electronics and a pre-installed battery. It features four buttons for various functions and includes a removable key blade, as shown in the image below.



Image: The KeylessOption Remote Key Fob Control, showing the main fob unit and the separate, un-cut key blade.

- **FCC ID:** M3N5WY7777A
- **Part Number (PN):** 20940386
- **Buttons:** Lock, Unlock, Trunk/Hatch Release, Panic
- **Compatibility:** Chevrolet Corvette
- **Type:** Aftermarket replacement

SETUP AND PROGRAMMING

Proper setup of your new key fob involves two main steps: cutting the physical key blade and programming the

remote functions to your vehicle.

1. Key Blade Cutting

The key fob includes a blank key blade (visible in the product overview image). This blade must be cut by a qualified professional (e.g., a locksmith) to match your vehicle's existing key. This allows for manual entry into the vehicle if the remote battery is dead or if remote functions are not working.

2. Remote Programming

Important: This key fob requires professional programming. It cannot be self-programmed by the user. You will need to take your vehicle and the new key fob to a dealership or a certified automotive locksmith for programming. They have the specialized equipment and software required to link the key fob to your vehicle's security system. Refer to your vehicle's owner's manual for specific instructions on key fob programming, as procedures can vary by model year. While some vehicles may have self-programming options for certain key fobs, this specific model (M3N5WY7777A) typically requires professional assistance.

Your browser does not support the video tag.

Video: A short promotional video from KeylessOption showcasing key fob remotes. While the video title mentions Cadillac, the content is relevant to the general appearance and function of KeylessOption fobs.

OPERATING INSTRUCTIONS

Once programmed, your key fob will allow you to control various functions of your Chevrolet Corvette:

- **Lock Button:** Press once to lock all vehicle doors.
- **Unlock Button:** Press once to unlock the driver's door, press twice to unlock all doors.
- **Trunk/Hatch Release Button:** Press and hold to open the vehicle's trunk or hatch. *Note: Some users have reported this function not working consistently with aftermarket replacements.*
- **Panic Button:** Press and hold to activate the vehicle's alarm system. Press again to deactivate.

MAINTENANCE

The key fob is powered by an internal battery. When the battery is low, the remote's range may decrease, or it may stop functioning. To replace the battery:

1. Carefully open the key fob casing. Refer to your vehicle's owner's manual or a reliable online resource for specific instructions on opening your Corvette's key fob model.
2. Note the type and orientation of the existing battery.
3. Remove the old battery and insert a new one of the same type, ensuring correct polarity.
4. Close the key fob casing securely.

Regularly inspect the key fob for any physical damage or wear. Keep it away from extreme temperatures and moisture.

TROUBLESHOOTING

If you experience issues with your KeylessOption Remote Key Fob Control, consider the following:

Problem	Possible Cause	Solution
Key fob not working at all.	Dead or low battery; not programmed correctly.	Replace the battery. Ensure the fob was professionally programmed.

Problem	Possible Cause	Solution
Trunk/Hatch release button does not work.	Known compatibility issue with some aftermarket fobs; programming error.	Verify with the locksmith/dealer if this function is supported for your specific vehicle model with an aftermarket fob. Manual release may be necessary.
Buttons work intermittently or have reduced range.	Low battery; interference; fob damage.	Replace the battery. Test in a different location away from potential interference. Inspect for damage.
Physical key blade does not fit or cannot be cut.	Incorrect key blank provided; improper cutting.	Contact the seller for a correct key blank. Consult a professional locksmith for proper cutting.

If these steps do not resolve the issue, please contact KeylessOption customer support or your automotive professional.

SPECIFICATIONS

- **Manufacturer:** KeylessOption
- **Model:** 20940386 (Internal), M3N5WY7777A (FCC ID)
- **Item Weight:** 1.44 ounces
- **Package Dimensions:** 6.81 x 4.49 x 0.67 inches
- **Special Feature:** Ergonomic design
- **Compatible Devices:** Chevrolet Corvette
- **Max Number of Supported Devices:** 1 (per fob)

WARRANTY AND SUPPORT

For information regarding product warranty, returns, or technical support, please refer to the purchase documentation or contact KeylessOption directly through their official channels. You can visit the [KeylessOption Store on Amazon](#) for more details and contact information.