

[Manuals.plus](#) /

› [FS-TFC](#) /

› FS-TFC Pocket Water Filter SY-UF-02 Replacement Kit User Manual

FS-TFC SY-UF-02-R

FS-TFC Pocket Water Filter SY-UF-02 Replacement Kit User Manual

Model: SY-UF-02-R

PRODUCT OVERVIEW

This manual provides instructions for the FS-TFC Pocket Water Filter SY-UF-02 Replacement Kit. This kit is designed to replace the pre-sand filter, UF membrane filter, and silicone hose components of your existing FS-TFC SY-UF-02 Pocket Water Filter system (ASIN: B0BGS4JGQ8).



Image: Overview of the FS-TFC Pocket Water Filter SY-UF-02 Replacement Kit components. It shows two main filter bodies, a pre-filter assembly, a white cap, and two clear silicone hoses.

The replacement kit ensures continued high filtration performance with its 0.01 micron pore size hollow fiber membrane, designed for effective water purification.

SETUP AND INSTALLATION

The replacement process is straightforward. Ensure you have the correct replacement kit for your FS-TFC SY-UF-02 Pocket Water Filter.

Replacing the Pre-Filter and Silicone Hose:

1. Locate the existing pre-filter and silicone hose assembly on your FS-TFC SY-UF-02 filter system.
2. Carefully remove the used pre-filter and its attached silicone pipe. The new kit includes a food-grade silicone pipe and an adjustable buoy.
3. Connect the new pre-filter and silicone hose assembly to your filter system, ensuring a secure fit.

Replacing the UF Membrane Filter (Post-Filter):

1. Identify the UF membrane filter, often referred to as the post-filter, on your system.

2. Unscrew the used post-filter from the main filter body.
3. Screw the new UF membrane filter into place, ensuring it is tightened sufficiently to prevent leaks.

Always ensure all connections are tight to prevent leaks and maintain filtration efficiency.

OPERATING INSTRUCTIONS

Once the replacement filters and hose are installed, your FS-TFC Pocket Water Filter SY-UF-02 is ready for use. Refer to your original SY-UF-02 manual for detailed operating procedures.

Key operational aspects include:

- **Water Source:** Use with non-potable water sources for filtration.
- **Flow Direction:** Ensure water flows through the filter in the correct direction as indicated on the main filter unit.
- **Initial Flush:** It is recommended to flush a small amount of water through the new filters before first use to remove any manufacturing residues.

MAINTENANCE

Regular maintenance is crucial for extending the lifespan and ensuring the effectiveness of your FS-TFC filters.

Easy Backwashing:

The filters can be easily cleaned after every trip or significant use. Backwashing helps to clear trapped particles and maintain flow rate.

1. Disconnect the filter from the water source.
2. Using clean water, backwash the filter by forcing water in the reverse direction of normal flow. This can often be done by attaching a clean water source to the outlet and flushing.
3. Continue backwashing until the water runs clear.
4. Store the filter properly after cleaning.

Proper backwashing helps to prevent clogging and ensures optimal performance of the 0.01 micron hollow fiber membrane.

TROUBLESHOOTING

If you encounter issues with your FS-TFC Pocket Water Filter SY-UF-02 after replacing components, consider the following:

- **Reduced Flow Rate:** This is often an indication that the filter is becoming clogged. Perform a thorough backwash as described in the Maintenance section. If the issue persists, the filter may need replacement.
- **Leaks:** Check all connections to ensure they are securely tightened. Ensure O-rings or gaskets are properly seated and not damaged.
- **No Water Flow:** Verify that the pre-filter and UF membrane filter are correctly installed and not blocked. Ensure the water source is not depleted.

For persistent issues not resolved by these steps, please contact customer support.

SPECIFICATIONS

Attribute	Detail
Model Number	SY-UF-02-R
Material	Acrylonitrile Butadiene Styrene (ABS)
Product Dimensions	2"D x 2"W x 5"H
Filtration Level	0.01 micron (Hollow Fiber Membrane)
External Testing Certification	CE
Item Weight	6.4 ounces
Manufacturer	Outdoor Water Filter
UPC	740528483830

WARRANTY AND SUPPORT

Lifetime Warranty:

FS-TFC Filters are covered by a Lifetime Warranty against all manufacturing and other defects. If you are not satisfied with your FS-TFC Filter, you may return it for a 100% refund of your purchase.

Customer Support:

For further assistance, technical support, or warranty claims, please contact FS-TFC customer service. Refer to the product packaging or the official FS-TFC website for contact information.

© 2023 FS-TFC. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question