

[manuals.plus](#) /

› [WoldoClean](#) /

› [WoldoClean Super Glue for Ceramics and Porcelain 25g Instruction Manual](#)

WoldoClean 9913

WoldoClean Super Glue for Ceramics and Porcelain 25g

Model: 9913

1. INTRODUCTION

This manual provides detailed instructions for the safe and effective use of WoldoClean Super Glue for Ceramics and Porcelain. This adhesive is formulated for strong, durable bonds on ceramic, porcelain, and earthenware materials, offering resistance to water, high temperatures, chemicals, and UV exposure.

The product is a medium viscosity cyanoacrylate (CA) adhesive, designed for quick curing and clear drying, suitable for repairing items such as vases, coffee cups, pottery, and decorative items.



Image 1: WoldoClean Super Glue for Ceramics and Porcelain 25g bottle.

2. SAFETY INFORMATION

WARNING: BONDS SKIN INSTANTLY. IRRITANT. READ CAUTIONS ON LABEL.

- **Skin Contact:** Cyanoacrylate adhesives bond skin and eyelids in seconds. In case of skin bonding, do not pull apart. Soak in warm soapy water or use acetone-based nail polish remover. Seek medical attention if irritation persists or if bonding occurs to sensitive areas.
- **Eye Contact:** In case of eye contact, flush immediately with plenty of water for at least 15 minutes and seek immediate medical attention.
- **Inhalation:** Use in a well-ventilated area. Avoid breathing vapors. If inhaled, move to fresh air.
- **Ingestion:** Do not ingest. If swallowed, do not induce vomiting. Seek immediate medical attention.
- **Storage:** Keep out of reach of children and pets. Store upright in a cool, dry place, ideally between 41°F (5°C) and 77°F (25°C).
- **Personal Protective Equipment:** Wear gloves and eye protection during application to prevent accidental contact.

3. PREPARATION

- Clean Surfaces:** Ensure all surfaces to be bonded are clean, dry, and free from dust, grease, oil, or other contaminants. Use a suitable cleaner if necessary, and allow to dry completely.
- Test Fit:** Before applying adhesive, test fit the pieces to ensure they align correctly.
- Ventilation:** Work in a well-ventilated area.
- Protection:** Wear appropriate personal protective equipment, including gloves and safety glasses. Protect your work surface with newspaper or a disposable mat.

4. SETUP

- Open the Bottle:** Twist the cap clockwise until it punctures the seal. Do not squeeze the bottle while opening.
- Nozzle Application:** The bottle features a precise application nozzle for controlled dispensing.



Image 2: The secure cap design helps prevent the glue from drying out.

5. OPERATING INSTRUCTIONS

- 1. Apply Adhesive:** Apply a small amount of WoldoClean Super Glue to one of the surfaces to be bonded. A single drop is often sufficient for a strong bond. Avoid over-application.
- 2. Join Surfaces:** Immediately press the two surfaces together firmly. Hold them in place for a few seconds. The adhesive cures quickly, typically within seconds.
- 3. Curing Time:** While initial bond forms rapidly, allow the adhesive to fully cure for at least 24 hours for maximum strength, especially for items that will be exposed to water or stress.
- 4. Excess Glue:** If any excess glue squeezes out, wipe it away immediately with a cloth dampened with acetone (nail polish remover) before it cures.



**DURABLE BOND
SUPER GLUE
CERAMIC**

Image 3: Example of repairing a ceramic vase with WoldoClean Super Glue, demonstrating a durable bond.



Image 4: WoldoClean Super Glue is suitable for a variety of ceramic and porcelain items, including statues, tiles, bowls, and cups.

6. MAINTENANCE

- Storage:** After use, ensure the cap is tightly closed to prevent air exposure and drying out. Store the bottle upright in a cool, dry place, away from direct sunlight and heat. Optimal storage temperature is between 41°F (5°C) and 77°F (25°C).
- Nozzle Cleaning:** If the nozzle becomes clogged, gently clear it with a pin or a small wire. Do not squeeze the bottle forcefully.

7. TROUBLESHOOTING

- Skin Bonded:** Do not pull apart. Soak the affected area in warm soapy water or use acetone-based nail polish remover. Gently peel apart. Seek medical attention if necessary.
- Poor Adhesion:** Ensure surfaces were clean, dry, and free of contaminants. Verify that enough glue was applied and that the pieces were held firmly together for sufficient time. Extreme temperatures or humidity can affect curing.
- Clogged Nozzle:** Use a pin or small wire to clear the nozzle. Do not apply excessive pressure to the

bottle.

- **Glue Dried in Bottle:** Ensure the cap is always tightly sealed after each use and stored upright in a cool, dry place.

8. SPECIFICATIONS

Feature	Detail
Product Name	WoldoClean Super Glue for Ceramics and Porcelain
Model Number	9913
Volume	25g (0.88 oz)
Adhesive Type	Cyanoacrylate (CA)
Viscosity	Medium
Color	Transparent, colorless
Temperature Resistance	239°F to -49°F (115°C to -45°C)
Special Features	Waterproof, high-temperature resistant, chemical resistant, UV resistant, dishwasher safe, no smell
Shelf Life	1-2 years (when stored properly above 41°F)
Product Dimensions	4.33 x 1.38 x 0.91 inches (110 x 35 x 25 mm)

TEMPERATURE RESISTANT

239°F TO -49°F



WATER
RESISTANT



CHEMICAL
RESISTANT



UV
RESISTANT



Image 5: The adhesive offers resistance to temperature extremes, water, chemicals, and UV light.



Shelf Life 1-2 years > 41°F
Store upright, cooled, dry

**Net Wt. 25 g
(0.88 oz.)**

WxHxD
110x35x25 mm

Image 6: Shelf life and product dimensions for WoldoClean Super Glue.

9. ADDITIONAL RESOURCES AND SUPPORT

For further detailed instructions and support, please refer to the official instruction manual PDF:

[Download Official Instruction Manual \(PDF\)](#)

You can also scan the QR code below for direct access to instructions:



Image 7: Scan this QR code for additional instructions.

For product inquiries or technical assistance, please contact WoldoClean customer support through their official channels.

