

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [DYNAMIC SAUNAS](#) /

› [DYNAMIC SAUNAS Maxxus MX-K306-01 Elite 3-Person Near Zero EMF \(Under 2 MG\) FAR Infrared Sauna User Manual](#)

DYNAMIC SAUNAS MX-K306-01-ZF 2023

DYNAMIC SAUNAS Maxxus MX-K306-01 Elite 3-Person FAR Infrared Sauna User Manual

Model: MX-K306-01-ZF 2023

INTRODUCTION

Welcome to the user manual for your DYNAMIC SAUNAS Maxxus MX-K306-01 Elite 3-Person FAR Infrared Sauna. This manual provides essential information for the safe and effective setup, operation, maintenance, and troubleshooting of your new product. Please read this manual thoroughly before assembly and use to ensure optimal performance and longevity of your product.



Image: The DYNAMIC SAUNAS Maxxus MX-K306-01 Elite 3-Person FAR Infrared Sauna, showcasing its Canadian Hemlock wood construction and glass door, situated in a modern living room environment.

IMPORTANT SAFETY INFORMATION

Adhering to these safety guidelines is crucial for your well-being and the proper functioning of the sauna. Failure to follow these instructions may result in injury or damage to the product.

- Consult with a physician before using the sauna, especially if you have pre-existing health conditions, are pregnant, or are taking medication.
- Do not use the sauna under the influence of alcohol, drugs, or medications that may impair judgment.
- Stay hydrated by drinking water before, during, and after sauna sessions.
- Limit sauna sessions to recommended durations to avoid overheating or dehydration.
- Keep children and pets away from the sauna during operation.
- Ensure proper ventilation in the room where the sauna is installed.

- Do not place flammable materials inside or near the sauna.
- The sauna operates with Near Zero EMF (Electromagnetic Fields) technology, with EMF levels under 2MG when sitting 2 to 3 inches from the heating panels.

SETUP AND INSTALLATION

Delivery and Unpacking

Your DYNAMIC SAUNAS Maxxus MX-K306-01 will be delivered curbside on a pallet by a freight carrier. Inspect the packaging for any signs of damage upon arrival. Report any significant damage to the carrier immediately.

Location Requirements


Choose a level, dry indoor location for your sauna. Ensure there is sufficient space around the sauna for assembly and maintenance. The sauna is constructed from natural reforested Canadian Hemlock wood.

Electrical Requirements

The sauna requires a dedicated 120V, 20 Amp outlet. This circuit must be on a non-CAFCI/GFCI breaker. It is essential to have a dedicated line for the sauna to ensure stable power supply and prevent tripping of other circuits.

3 Person Saunas
Require a 20 Amp
Outlet / 120V

Must be on a
dedicated line.



3 Person Saunas
Require a 120V
20 Amp
(Non-CAFCI/GFCI)
Breaker.



Please Note: Circuit Breakers do go bad over time. A circuit breaker is just a switch. And although it can be reset many times, it is possible for the connections inside to open up and effectively make the breaker bad. Once the connections are opened up, the electricity will not flow through and you'll have no power on that circuit - regardless of whether the switch is on or off.

Image: An illustration detailing the electrical requirements for the 3-person sauna, showing a standard 120V, 20 Amp outlet and a corresponding 20 Amp non-CAFCI/GFCI circuit breaker. A note emphasizes the need for a dedicated line.

Assembly (General Guidelines)

While specific assembly steps are detailed in the separate assembly guide provided with your sauna, the general process involves:

1. Unpacking all components and verifying against the parts list.
2. Assembling the base and floor panels.
3. Connecting the wall panels, ensuring all electrical connections for heaters and lighting are properly routed and secured.
4. Installing the roof panel and connecting the control panel wiring.
5. Mounting the door and installing interior components like benches and backrests.



Image: A clear front view of the DYNAMIC SAUNAS Maxxus MX-K306-01 sauna, highlighting its Canadian Hemlock wood finish and the glass door, ready for use.



Image: An angled perspective of the sauna with its door ajar, providing a glimpse into the interior and the quality of the wood craftsmanship.




Image: The interior of the sauna, showcasing the arrangement of the FAR Infrared Carbon heating panels and the wooden bench, designed for a 3-person capacity.

OPERATING INSTRUCTIONS

Control Panel

The sauna is equipped with an intuitive control panel for managing temperature and session duration. The control panel allows you to set your desired temperature and timer for your sauna session.



Image: A detailed view of the sauna's digital control panel, featuring displays for temperature and timer settings, along with power and heat indicators.

Temperature Settings

The sauna operates up to 140°F (60°C). The ideal operating temperature range for most users is between 118°F (48°C) to 135°F (57°C). Use the temperature controls on the panel to adjust the heat output.

Chromotherapy Lighting System

Your sauna includes an interior Chromotherapy Color Lighting System. This system allows you to select various light colors to enhance your sauna experience. Refer to the control panel instructions for changing light settings.



Image: A close-up of the square chromotherapy light panel installed on the ceiling of the sauna, designed to provide various color light therapy options.

Audio System

The sauna is equipped with an FM radio, Bluetooth connectivity, and an MP3 auxiliary connection with built-in speakers. You can connect your devices wirelessly via Bluetooth or using an auxiliary cable to enjoy music or podcasts during your session.

EMF Levels

The PureTech Near Zero EMF FAR Infrared Carbon heating panels are designed to emit very low electromagnetic fields. When sitting 2 to 3 inches from the heating panels, EMF levels are typically under 2MG, ensuring a safe and comfortable environment.

MAINTENANCE AND CARE

Regular maintenance will help preserve the appearance and functionality of your sauna.

- **Wood Cleaning:** Wipe down the interior and exterior wood surfaces with a clean, damp cloth. Avoid using harsh chemical cleaners, as they can damage the wood and leave residues. For stubborn spots, a very mild soap solution can be used, followed by thorough drying.
- **Glass Cleaning:** Clean the glass door and windows with a standard glass cleaner.
- **Heater Panels:** Do not spray water directly onto the heating panels. Keep them free from dust and debris.
- **Ventilation:** Ensure the sauna's ventilation openings are not blocked to allow for proper airflow.
- **Storage:** If the sauna will not be used for an extended period, ensure it is clean and dry before storing.

TROUBLESHOOTING

This section addresses common issues you might encounter with your sauna. For problems not listed here, please contact customer support.

Problem	Possible Cause	Solution
Sauna does not power on.	Power cord not fully plugged in. Circuit breaker tripped. Faulty outlet.	Ensure the power cord is securely plugged into the dedicated 120V, 20 Amp outlet. Check your home's electrical panel and reset the 20 Amp non-CAFCI/GFCI breaker if it has tripped. Refer to the electrical requirements image for breaker type. Test the outlet with another appliance to confirm it is functional.
Sauna not heating sufficiently.	Temperature setting too low. Heater panel connection issue. Room temperature too low.	Increase the temperature setting on the control panel. Verify all heater panel connections were properly made during assembly. Allow more time for the sauna to preheat, especially in colder environments.
Lights or audio system not working.	Loose wiring connection. Incorrect operation.	Check the wiring connections for the lighting and audio systems. Refer to the operation section for correct usage of the chromotherapy and audio features.

PRODUCT SPECIFICATIONS

Feature	Detail
Model Number	MX-K306-01-ZF 2023

Feature	Detail
Capacity	3 Person
Overall Dimensions (W x D x H)	64" x 44" x 75" (roof overhang: add 5.9")
Product Dimensions (Shipping)	25 x 72 x 68 inches
Item Weight	395 pounds
Wood Type	Natural Reforested Canadian Hemlock
Heating Elements	7 PureTech Near Zero EMF FAR Infrared Carbon Heating Panels
EMF Level	Under 2MG (when sitting 2-3 inches from panels)
Operating Temperature	Up to 140°F (Ideal: 118°F to 135°F)
Electrical Requirements	120V, 20 Amp Dedicated Circuit (Non-CAFCI/GFCI Breaker)
Lighting	Interior Chromotherapy Color Lighting System / Exterior Accent Lighting
Audio System	FM Radio with Bluetooth and MP3 Auxiliary Connection, Built-in Speakers
Manufacturer	Golden Designs Inc (NA)

WARRANTY AND SUPPORT

DYNAMIC SAUNAS products are manufactured with quality and durability in mind. For specific warranty details regarding your Maxxus MX-K306-01 sauna, please refer to the warranty card included with your purchase or visit the official DYNAMIC SAUNAS website.

For technical support, parts, or any inquiries not covered in this manual, please contact DYNAMIC SAUNAS customer service. Contact information can typically be found on the manufacturer's website or on your purchase documentation.

Note: No official product videos were found in the provided data for this product.

© 2023 DYNAMIC SAUNAS. All rights reserved.

Related Documents - MX-K306-01-ZF 2023

 Maxxus Infrared Sauna Instruction Manual Model MX-K206-01, MX-K306-01, MX-K406-01 2.3 MB, PDF, Print-Friendly  Owner's Manual HEMLOCK WOOD MODEL with CARBON HEATERS MX-K206-01, MX-K306-01, MX-K406-01 1.0 MB, PDF, Print-Friendly <small>Caution and warning read the Owner's Manual before using your sauna. This manual contains important information for the safe use of your sauna. Please keep the Owner's Manual for regular review and future reference. Follow your local codes and ordinances.</small>	<p><u>Maxxus Infrared Sauna Instruction Manual - Models MX-K206-01, MX-K306-01, MX-K406-01</u></p> <p>User manual for Maxxus Infrared Saunas, detailing assembly, operation, safety, and maintenance for Hemlock Wood models with Carbon Heaters (MX-K206-01, MX-K306-01, MX-K406-01). Learn about infrared heat benefits and proper usage.</p>
--	---

 Maxxus Infrared Sauna Instruction Manual MX-K206-01 / MX-K306-01 / MX-K406-01 / MX-M406-01 <small>FOR CARBON MODELS ONLY ON 120V MODELS FOR INFRARED MODELS ONLY ON 240V MODELS FOR INFRARED MODELS ONLY ON 120V MODELS FOR CARBON MODELS ONLY ON 240V MODELS FOR CARBON MODELS ONLY ON 120V MODELS FOR INFRARED MODELS ONLY ON 240V MODELS FOR CARBON MODELS ONLY ON 120V MODELS FOR INFRARED MODELS ONLY ON 240V MODELS FOR CARBON MODELS ONLY ON 120V MODELS FOR INFRARED MODELS ONLY ON 240V MODELS FOR CARBON MODELS ONLY ON 120V MODELS FOR INFRARED MODELS ONLY ON 240V MODELS</small> <small>Caution and thoroughly read this Owner's Manual before using your sauna. We recommend keeping this Owner's Manual for regular review and future reference.</small>	<p>Maxxus Infrared Sauna Instruction Manual and Operating Guide</p> <p>Comprehensive instruction manual for Maxxus Infrared Saunas, covering assembly, operation, safety, troubleshooting, and warranty for models MX-K206-01, MX-K306-01, MX-K406-01, and MX-M406-01. Learn about infrared technology, health benefits, and maintenance.</p>
 Maxxus Infrared Sauna Instruction Manual Models MX-K206-01, MX-K306-01, MX-K406-01, MX-M406-01 <small>FOR CARBON MODELS ONLY ON 120V MODELS FOR INFRARED MODELS ONLY ON 240V MODELS FOR INFRARED MODELS ONLY ON 120V MODELS FOR CARBON MODELS ONLY ON 240V MODELS FOR CARBON MODELS ONLY ON 120V MODELS FOR INFRARED MODELS ONLY ON 240V MODELS FOR CARBON MODELS ONLY ON 120V MODELS FOR INFRARED MODELS ONLY ON 240V MODELS FOR CARBON MODELS ONLY ON 120V MODELS FOR INFRARED MODELS ONLY ON 240V MODELS</small> <small>Caution and thoroughly read this Owner's Manual before using your sauna. We recommend keeping this Owner's Manual for regular review and future reference.</small>	<p>Maxxus Infrared Sauna Instruction Manual: Models MX-K206-01, MX-K306-01, MX-K406-01, MX-M406-01</p> <p>This comprehensive instruction manual provides detailed guidance for the Maxxus Infrared Sauna models MX-K206-01, MX-K306-01, MX-K406-01, and MX-M406-01. It covers essential information on assembly, operation, safety precautions, troubleshooting, and warranty details for these carbon model saunas.</p>
 Maxxus Infrared Sauna Instruction Manual Models MX-K206-01 / MX-K306-01 / MX-K406-01 / MX-M406-01 <small>FOR CARBON MODELS ONLY ON 120V MODELS FOR INFRARED MODELS ONLY ON 240V MODELS FOR INFRARED MODELS ONLY ON 120V MODELS FOR CARBON MODELS ONLY ON 240V MODELS FOR CARBON MODELS ONLY ON 120V MODELS FOR INFRARED MODELS ONLY ON 240V MODELS FOR CARBON MODELS ONLY ON 120V MODELS FOR INFRARED MODELS ONLY ON 240V MODELS FOR CARBON MODELS ONLY ON 120V MODELS FOR INFRARED MODELS ONLY ON 240V MODELS</small> <small>Caution and thoroughly read this Owner's Manual before using your sauna. We recommend keeping this Owner's Manual for regular review and future reference.</small>	<p>Maxxus Infrared Sauna Instruction Manual: MX-K206-01, MX-K306-01, MX-K406-01, MX-M406-01</p> <p>Comprehensive instruction manual for Maxxus Infrared Saunas, covering assembly, operation, safety, and maintenance for models MX-K206-01, MX-K306-01, MX-K406-01, and MX-M406-01. Learn about infrared technology, health benefits, and troubleshooting.</p>
 Maxxus Infrared Sauna Owner's Manual: Assembly, Operation, and Safety Guide Models MX-K206-01, MX-K306-01, MX-K406-01 <small>Owner's Manual CEDAR WOOD MODEL with CARBON HEATERS MX-K206-01 - 120VAC 15Amp Dedicated Circuit Required MX-K306-01 - 240VAC 15Amp Dedicated Circuit Required MX-K406-01 - 240VAC 15Amp Dedicated Circuit Required</small> <small>Caution and thoroughly read the Owner's Manual before using your sauna. We recommend keeping this Owner's Manual for regular review and future reference.</small>	<p>Maxxus Infrared Sauna Owner's Manual: Assembly, Operation, and Safety Guide</p> <p>Comprehensive owner's manual for Maxxus Infrared Saunas (Models MX-K206-01, MX-K306-01, MX-K406-01). Learn about infrared technology, assembly instructions, safe operation, maintenance, and troubleshooting for your cedar wood sauna.</p>
 Maxxus Infrared Sauna Instruction Manual MX-K206-01 / MX-K306-01 / MX-K406-01 / MX-M406-01 <small>FOR CARBON MODELS ONLY ON 120V MODELS FOR INFRARED MODELS ONLY ON 240V MODELS FOR INFRARED MODELS ONLY ON 120V MODELS FOR CARBON MODELS ONLY ON 240V MODELS FOR CARBON MODELS ONLY ON 120V MODELS FOR INFRARED MODELS ONLY ON 240V MODELS FOR CARBON MODELS ONLY ON 120V MODELS FOR INFRARED MODELS ONLY ON 240V MODELS FOR CARBON MODELS ONLY ON 120V MODELS FOR INFRARED MODELS ONLY ON 240V MODELS</small> <small>Caution and thoroughly read this Owner's Manual before using your sauna. We recommend keeping this Owner's Manual for regular review and future reference.</small>	<p>Maxxus Infrared Sauna Instruction Manual & Guide</p> <p>Comprehensive guide for Maxxus Infrared Saunas, covering assembly, operation, safety, troubleshooting, and warranty for models MX-K206-01, MX-K306-01, MX-K406-01, and MX-M406-01.</p>