

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Hudson Valley Lighting](#) /
- › [Hudson Valley Lighting Jonas 3060-BLNK LED Island Pendant Instruction Manual](#)

Hudson Valley Lighting 3060-BLNK

Hudson Valley Lighting Jonas LED Island Pendant Instruction Manual

MODEL: 3060-BLNK

1. Introduction

Thank you for purchasing the Hudson Valley Lighting Jonas LED Island Pendant. This manual provides detailed instructions for the safe installation, operation, and maintenance of your new lighting fixture. Please read all instructions carefully before beginning installation and retain this manual for future reference.

The Jonas pendant features a modern design with a Black Nickel finish, integrated LED lighting, and is suitable for damp locations. Its dimensions are 60 inches in length, 5.5 inches in width, and 10.5 inches in height.



Image 1.1: Hudson Valley Lighting Jonas LED Island Pendant. This image shows the full pendant light fixture with its sleek, linear design and Black Nickel finish.

2. Safety Information

WARNING: To avoid the risk of electric shock, always disconnect power at the main circuit breaker or fuse box before beginning installation or performing any maintenance. Ensure the power is off before touching any electrical components.

- All electrical connections must be in accordance with local codes, ordinances, or the National Electric Code (NEC). Consult a qualified electrician if you are unfamiliar with proper electrical wiring connections.
- This fixture is designed for 120-volt electrical systems.
- Do not install this fixture in areas exposed to direct water spray or submersion. It is rated for damp locations only.
- Handle the fixture with care. The shade material is glass, which can break if dropped or mishandled.
- **Proposition 65 Warning:** This product may contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. Wash hands after handling.

3. Package Contents

Carefully unpack your fixture and check that all parts are included. If any parts are missing or damaged, do not attempt to assemble or install the fixture. Contact customer service for assistance.

- Jonas LED Island Pendant Fixture
- Mounting Hardware (canopy, mounting plate, screws, wire nuts)
- Instruction Manual (this document)

- Remote Control (for operation)

4. Setup and Installation

Tools Required (not included): Phillips screwdriver, flathead screwdriver, wire strippers, electrical tape, safety glasses, ladder.

Assembly Required: Yes. Professional installation by a qualified electrician is recommended for safety and proper functionality.

1. **Turn off Power:** Locate the circuit breaker controlling the power to the installation location and turn it off. Verify power is off using a voltage tester.
2. **Prepare Mounting:** Attach the mounting plate to the junction box in the ceiling using the provided screws. Ensure the plate is securely fastened.
3. **Adjust Height:** Determine the desired hanging height for the pendant. The fixture has an adjustable suspension system. Adjust the length of the suspension rods or wires as needed before wiring.
4. **Wire Connections:** Connect the fixture's electrical wires to the corresponding wires from the junction box.
 - Connect the **black** fixture wire to the **black** (hot) supply wire.
 - Connect the **white** fixture wire to the **white** (neutral) supply wire.
 - Connect the **green or bare copper** fixture ground wire to the **green or bare copper** (ground) supply wire.

Secure all connections with wire nuts and wrap with electrical tape for added safety.

5. **Mount Fixture:** Carefully push the wired connections into the junction box. Align the fixture canopy with the mounting plate and secure it using the provided screws. Ensure no wires are pinched during this step.
6. **Restore Power:** Once the fixture is securely installed, restore power at the circuit breaker.



Image 4.1: Example of mounting hardware for a pendant light. This image illustrates typical components like the mounting plate and canopy used for ceiling installation.

5. Operating Instructions

The Hudson Valley Lighting Jonas LED Island Pendant is controlled via a remote control. Ensure the

remote control has working batteries (not included, typically AAA or CR2032 type) before use.

1. **Power On/Off:** Press the 'ON' button on the remote to turn the light on. Press the 'OFF' button to turn the light off.
2. **Dimming:** If your remote control includes dimming functions, use the '+' and '-' buttons to adjust the brightness level of the LED light.
3. **Pairing Remote (if necessary):** If the fixture does not respond to the remote, you may need to pair it. Refer to the specific remote control instructions for pairing procedures, which typically involve turning the fixture power off and on, then pressing a pairing button on the remote within a short timeframe.

6. Maintenance

Regular maintenance will help preserve the appearance and functionality of your Jonas LED Island Pendant.

- **Cleaning:** Disconnect power before cleaning. Use a soft, dry or slightly damp cloth to wipe the exterior surfaces. Do not use abrasive cleaners, solvents, or polishes as they may damage the finish or electrical components.
- **LED Light Source:** This fixture uses an integrated LED light source. The LEDs are designed for long life and are not user-replaceable. If the LED light source fails, the entire fixture may need to be replaced. Contact customer support for assistance.
- **Inspection:** Periodically check all connections and mounting hardware to ensure they remain secure.

7. Troubleshooting

If you experience issues with your fixture, refer to the following troubleshooting guide:

Problem	Possible Cause	Solution
Light does not turn on.	No power to the fixture.	Check circuit breaker or fuse. Ensure wall switch (if any) is on.
	Loose wire connections.	Turn off power at the breaker. Check all wire connections inside the canopy.
	Remote control batteries are dead or remote is not paired.	Replace remote batteries. Refer to Section 5 for remote pairing instructions.
Light flickers or dims unexpectedly.	Loose wire connections.	Turn off power at the breaker. Check all wire connections.
	Incompatible dimmer switch (if applicable).	Ensure a compatible LED dimmer switch is used. Consult a qualified electrician.

If the problem persists after attempting these solutions, contact a qualified electrician or Hudson Valley Lighting customer support.

8. Specifications

Feature	Detail
---------	--------

Feature	Detail
Brand	Hudson Valley Lighting
Model Name	Jonas
Model Number	3060-BLNK
Finish Color	Black Nickel
Material	Brass, Alloy Steel, Iron, Glass
Product Dimensions	60"L x 5.5"W x 10.5"H
Light Source Type	Integrated LED
Number of Light Sources	1
Wattage	26 Watts
Brightness	1122 Lumens
Color Temperature	3000 Kelvin (Warm White)
CRI	90
Voltage	120 Volts
Moisture Rating	Damp Rated
Installation Type	Semi Flush Mount
Control Method	Remote
Item Weight	11.9 Pounds
UPC	806134084103

9. Warranty and Support

This Hudson Valley Lighting fixture comes with a manufacturer's warranty. For specific details regarding warranty coverage and duration, please refer to the warranty information provided at the time of purchase or contact Hudson Valley Lighting directly.

For technical assistance, missing parts, or warranty claims, please contact Hudson Valley Lighting customer support. Have your model number (3060-BLNK) and proof of purchase ready when contacting support.

Hudson Valley Lighting Contact Information:

Please visit the official Hudson Valley Lighting website for the most current contact details, including phone numbers and support email addresses.