



Manuals.plus /

- › Goplus /
- › Goplus Rooftop Cargo Carrier User Manual

## Goplus SU-51853OR-GB

# Goplus Rooftop Cargo Carrier User Manual

Model: SU-51853OR-GB | Brand: Goplus

## 1. INTRODUCTION

Thank you for choosing the Goplus Rooftop Cargo Carrier. This manual provides essential information for the safe and effective use of your new cargo carrier. Please read it thoroughly before installation and operation to ensure proper handling and to maximize the product's lifespan. This carrier is designed to provide additional storage space for your vehicle, keeping your belongings secure and protected from the elements.



Image: The Goplus Rooftop Cargo Carrier, showcasing the main bag, anti-slip mat, straps, and storage bag.

## 2. PACKAGE CONTENTS

Please verify that all components listed below are present in your package:

- 1 x Goplus Rooftop Cargo Carrier Bag (21 Cubic Feet)
- 1 x Drawstring Storage Bag
- 1 x Anti-slip Mat
- 6 x Door Hooks
- 10 x Reinforced Straps (pre-attached or included separately)



## What You Will Get



1 x Drawstring Bag

1 x Anti-slip Mat

6 x Safety Hooks

Image: A visual representation of all items included in the package: the cargo carrier bag, drawstring storage bag, anti-slip mat, and six safety hooks.

### 3. FEATURES

- **100% Waterproof & Tearproof Material:** Constructed from triple-layer high-density 700D PVC material, ensuring complete protection against water, snow, dust, and sun. Features a 4.3-inch extended rain curtain and waterproof zippers for enhanced sealing.



## 100% Triple Waterproof Protection



3 Layers 700D  
Waterproof PVC



4.3" Extended  
Rain Curtain



Waterproof Zippers  
with Lock Holes

Image: Detailed view of the carrier's triple-layer 700D PVC material, extended rain curtain, and waterproof zippers with lock holes, highlighting its robust waterproof design.

- **Universal Vehicle Compatibility:** Designed to fit all vehicles, whether equipped with roof racks (side rails, cross bars, basket/tray) or without, using the included 6 door hooks and 10 reinforced straps.

# Fit Most Vehicles




Without Rack



Side Rails



Cross Bars



Basket/Tray



Pickup



Off Road Vehicle



SUV



Sedan



Hatchback



Minivan



Wagon



Image: An illustration demonstrating how the cargo carrier fits various vehicle types, including those with and without roof racks, such as pickups, SUVs, sedans, and minivans.

- **Generous Storage Capacity:** Offers 21 cubic feet of storage space, capable of holding items such as 4 sleeping bags, 4 medium suitcases, or 2 double tents, ideal for family travel.

# 21 Cubic Feet Large Storage Space



4 x Sleep Bags



4 x Medium Suitcases



2 x Double Tents



## Easy to Fold & Store



Image: An infographic illustrating the 21 cubic feet storage capacity, showing examples of items it can hold (sleeping bags, suitcases, tents), and its folded storage capability.

- **Enhanced Stability:** Features thick adjustable straps, durable buckles, and well-stitched 4-ply strap seams to ensure the carrier remains stable on various road conditions, including bumpy roads, steep hills, sudden turns, and high speeds.



Anti-slip Mat



Well-stitched 4-ply Strap Seams



10 Reinforced Adjustable Straps and Buckles



Hook and Loop Fasteners

## Remain Stable Regardless of Road Conditions



Bumpy Road



Steep Hill



Sudden Turn



High Speed



Image: Close-ups of the anti-slip mat, well-stitched 4-ply strap seams, 10 reinforced adjustable straps and buckles, and hook and loop fasteners, all designed for stability.

## 4. SETUP AND INSTALLATION

The Goplus Rooftop Cargo Carrier can be installed on vehicles with or without roof racks. Follow these steps carefully:

### 4.1. Preparation

1. Ensure your vehicle's roof is clean and dry.
2. Place the anti-slip mat centrally on your vehicle's roof where the cargo carrier will sit. This protects your roof and adds stability.
3. Unfold the cargo carrier bag and place it on top of the anti-slip mat.

### 4.2. Installation Without Roof Racks (Using Door Hooks)

1. Open your vehicle's doors.
2. Locate the 6 door hooks. Attach one end of a reinforced strap to a buckle on the cargo carrier.
3. Feed the strap through the door frame, ensuring it passes over the top of the door opening and under the weather stripping.
4. Attach the door hook to the metal frame inside the door opening. Ensure it is securely latched.
5. Close the door carefully, making sure the strap is not pinched or damaged.
6. Repeat for all 6 door hooks, distributing them evenly (e.g., 2 front, 2 middle, 2 rear).
7. Tighten all straps evenly until the carrier is snug and secure against the roof.



### Easy Installation without Rack



Image: A visual guide demonstrating the four steps for easy installation without a roof rack, showing how to attach the straps and door hooks.

### 4.3. Installation With Roof Racks (Side Rails, Cross Bars, Basket/Tray)

1. Place the anti-slip mat and cargo carrier on your vehicle's roof, centered over your existing roof rack.
2. Utilize the 10 reinforced straps. Feed the straps around your roof rack's side rails, cross bars, or basket/tray.

3. Thread the straps through the buckles on the cargo carrier and tighten them securely.
4. Ensure all straps are taut and the carrier is firmly attached to the roof rack, with no excessive movement.

## 5. OPERATING INSTRUCTIONS

### 5.1. Loading the Carrier

1. Unzip the carrier.
2. Distribute weight evenly inside the carrier. Place heavier items at the bottom and center.
3. Do not overload the carrier beyond its stated capacity (21 cubic feet) or your vehicle's roof load limit.
4. Ensure items are packed tightly to prevent shifting during transit.

### 5.2. Securing the Contents

1. Once loaded, carefully close and zip up the carrier. Ensure the extended rain curtain covers the zippers completely.
2. The zippers are designed with lock holes for added security (lock not included). Consider using a padlock for extra protection of your belongings.
3. Double-check all straps and buckles to ensure they are tight and secure before driving.

### 5.3. Driving with the Carrier

1. Drive cautiously, especially in windy conditions or at high speeds. The added height and weight can affect vehicle handling.
2. Avoid sudden braking or sharp turns.
3. Periodically check the straps and carrier's stability during long journeys. Re-tighten if necessary.

## 6. MAINTENANCE

Proper maintenance will extend the life of your Goplus Rooftop Cargo Carrier:

- **Cleaning:** Clean the carrier with mild soap and water. Do not use harsh chemicals or abrasive cleaners, as they may damage the PVC material.
- **Drying:** Always ensure the carrier is completely dry before folding and storing to prevent mold or mildew growth.
- **Inspection:** Regularly inspect the straps, buckles, zippers, and seams for any signs of wear, tear, or damage. Replace or repair components as needed.

## 7. TROUBLESHOOTING

- **Carrier feels unstable:** Ensure all straps are tightened evenly and securely. The anti-slip mat must be properly positioned. Re-check installation steps.
- **Water leakage:** Verify that the zippers are fully closed and the extended rain curtain completely covers them.

Ensure no tears or punctures in the PVC material.

- **Difficulty closing zippers:** Do not overfill the carrier. Ensure contents are not obstructing the zipper path.

## 8. SPECIFICATIONS

Specification	Detail
Material	700D PVC (Polyvinyl Chloride)
Capacity	21 Cubic Feet
Overall Dimensions (L x W x H)	52" x 39.5" x 17"
Net Weight	10 lbs
Color	Black and Orange
Water Resistance Level	Waterproof
Model Number	SU-51853OR-GB

## 9. STORAGE

When not in use, the Goplus Rooftop Cargo Carrier can be easily folded for compact storage:

1. Ensure the carrier is clean and completely dry.
2. Fold the carrier neatly into a compact size.
3. Place the folded carrier into the included drawstring storage bag.
4. Store in a cool, dry place away from direct sunlight and extreme temperatures.


## 21 Cubic Feet Large Storage Space



4 x Sleep Bags



4 x Medium Suitcases



2 x Double Tents



## Easy to Fold & Store



Image: An infographic illustrating the ease of folding and storing the cargo carrier into its compact drawstring bag.

## 10. SAFETY INFORMATION

- Always adhere to your vehicle's maximum roof load capacity as specified in your vehicle's owner's manual.
- Do not exceed the cargo carrier's maximum weight capacity of 10 lbs (empty weight) or 21 cubic feet volume.
- Ensure all straps are securely fastened and checked periodically during travel.
- Avoid placing sharp objects directly against the carrier's material without adequate padding.
- Be aware of increased vehicle height when entering low-clearance areas (e.g., garages, drive-thrus).
- Always drive at appropriate speeds and adjust for road and weather conditions when the carrier is in use.

## 11. WARRANTY AND SUPPORT

Goplus products are designed for durability and performance. For any questions regarding installation, operation,

maintenance, or if you encounter any issues with your Goplus Rooftop Cargo Carrier, please contact Goplus customer service. Refer to your purchase documentation for specific warranty details and contact information. For further assistance, please visit the official Goplus website or contact their customer support line.