

SISESOL 2 Drawer Lateral File Cabinet

SISESOL 2 Drawer Lateral File Cabinet with Lock Instruction Manual

Model: 2 Drawer Lateral File Cabinet

1. INTRODUCTION

Thank you for choosing the SISESOL 2 Drawer Lateral File Cabinet. This manual provides essential information for the safe and efficient assembly, operation, and maintenance of your new filing cabinet. Please read all instructions carefully before beginning assembly or use.

Safety Information

- Always assemble this product with at least two people to prevent injury.
- Be aware of the weight and potential pinch points when handling components.
- Always follow the assembly instructions and use appropriate safety gear.
- Ensure the cabinet is placed on a level surface to prevent tipping.
- Only open one drawer at a time to maintain stability and prevent tipping.

2. PRODUCT OVERVIEW

The SISESOL 2 Drawer Lateral File Cabinet is designed for secure and organized storage of documents in home or office environments. It features a durable all-metal construction with a lockable design.

Key Features:

- **Durable Construction:** All-metal design with electrostatic phosphorus-free epoxy spray coating for strength, corrosion, and rust resistance. The top surface can support up to 120 pounds.
- **Ample Storage:** Deep and spacious drawers with full extension and smooth, silent rails. Accommodates Letter, Legal, A4, and F4 size documents. Includes removable and adjustable hanging rods.
- **Anti-tilt Mechanism:** Interlocking system ensures only one drawer can be opened at a time to prevent tipping.

- **Security:** Equipped with one lock and two foldable keys to protect private documents and valuables.
- **Quiet Operation:** Ball bearing full-extension drawer slides ensure noise-free opening and closing.

Product Dimensions:

- Depth: 16 inches
- Width: 35.5 inches
- Height: 28.7 inches




Image: Detailed product dimensions and an indication of 30 minutes assembly time.

3. PARTS LIST

Before assembly, ensure all parts are present and undamaged. Refer to the included assembly instructions for a detailed list of components and hardware. The package typically includes:

- Cabinet panels (top, bottom, sides, back)
- Drawer components (front, back, sides, bottom)
- Drawer slides
- Adjustable hanging rods
- Lock and two keys
- Name tag holders

- Assembly hardware (screws, screwdriver)
- Gloves for assembly

4. SETUP AND ASSEMBLY

Assembly is required and typically takes 30-45 minutes for one person. It is recommended to have two people for easier and safer assembly. Follow the step-by-step instructions provided in the physical manual included with your product. An installation video is also available for visual guidance.

Assembly Video:

Your browser does not support the video tag.

Video: This video demonstrates the assembly process for the SISESOL Lateral File Cabinet. It shows how to connect the panels, install the drawer slides, and assemble the drawers, providing a visual guide to complement the written instructions.

General Assembly Steps:

1. Unpack all components and verify against the parts list.
2. Attach the side panels to the base and top panels using the provided screws.
3. Install the drawer slides into the cabinet frame.
4. Assemble the drawer boxes and attach the drawer fronts.
5. Insert the assembled drawers into the cabinet slides.
6. Install the adjustable hanging rods as needed.
7. Attach the name tag holders to the drawers.

5. OPERATING INSTRUCTIONS

Drawer Operation:

The drawers are designed for smooth, silent operation with full extension. To open a drawer, gently pull the integrated handle. To close, push the drawer firmly until it is fully seated. The ball bearing slides ensure effortless movement.

Locking Mechanism:

The cabinet features a central lock that secures both drawers simultaneously. Insert one of the provided keys into the lock on the top drawer and turn to lock or unlock. Ensure both drawers are fully closed before attempting to lock the cabinet.



Image: A man accessing files from the open bottom drawer of the SISESOL 2 Drawer Lateral File Cabinet, demonstrating its use in an office setting.

File Organization:

The drawers are equipped with adjustable hanging rods to accommodate various file sizes including Letter, Legal, A4, and F4. Position the rods to suit your document dimensions for optimal organization.



Image: The open drawer of the SISESOL 2 Drawer Lateral File Cabinet displaying different file sizes (A4, Letter, File Box) and the adjustable hanging bar mechanism.

Anti-tilt Mechanism:

The cabinet incorporates an anti-tilt interlock system. This safety feature prevents more than one drawer from being opened at a time, significantly reducing the risk of the cabinet tipping over. Always adhere to this safety measure.

ANTI-TIP INTERLOCK SYSTEM

Only allow **1** drawer to be opened at one time to prevent the cabinet from tipping over.





Image: A visual explanation of the anti-tip interlock system, showing that only one drawer can be opened at a time to prevent the cabinet from tipping.

6. MAINTENANCE

Cleaning:

- Wipe the cabinet surfaces with a soft, damp cloth.
- Avoid using abrasive cleaners or harsh chemicals, as these can damage the finish.
- Dry thoroughly after cleaning to prevent water spots.

Inspection:

- Periodically check all screws and fasteners to ensure they are tight. Retighten if necessary.
- Inspect drawer slides for any debris or signs of wear. Clean or lubricate if needed to maintain smooth operation.
- Ensure the locking mechanism functions correctly.

7. TROUBLESHOOTING

Drawers not opening/closing smoothly:

- Check for obstructions in the drawer slides.
- Ensure the cabinet is on a level surface. Uneven surfaces can affect drawer alignment.
- Verify that all assembly screws for the slides are securely tightened.

Lock not engaging/disengaging:

- Ensure both drawers are fully closed before attempting to lock. The anti-tilt mechanism prevents locking if a drawer is open.
- Check if the key is fully inserted and turned correctly.

Cabinet instability:

- Confirm the cabinet is on a flat, stable surface.
- Ensure all assembly screws are tightened.
- Adhere to the anti-tilt mechanism by opening only one drawer at a time.

If you encounter any persistent issues or require further assistance, please refer to the contact information in the Support section.

8. SPECIFICATIONS

Feature	Detail
Brand	SISESOL
Color	Black
Product Dimensions (D x W x H)	16"D x 35.5"W x 28.7"H
Material	Metal
Weight Limit (Top)	120 Pounds
Special Feature	Heavy Duty, Lockable, Anti-tilt Mechanism
Mounting Type	Floor Mount
Room Type	Home Office
Included Components	Drawers, Hanging Rod, Manual
Assembly Required	Yes
Item Weight	70 pounds

9. WARRANTY AND SUPPORT

For any questions, concerns, or issues regarding your SISESOL 2 Drawer Lateral File Cabinet, please contact SISESOL customer service. Information on warranty coverage and support can be found through the manufacturer's official channels or by contacting the seller directly.

As stated in the product features: "If you encounter any problems during installation, please see the video

or contact us and we will help you solve it."