VASAGLE ULBS038E22

VASAGLE ULBS038E22 5-Tier Entryway Shoe Rack Instruction Manual

Model: ULBS038E22

Brand: VASAGLE

Introduction

Thank you for choosing the VASAGLE ULBS038E22 5-Tier Entryway Shoe Rack. This manual provides essential information for the safe and efficient assembly, operation, and maintenance of your new shoe rack. Please read these instructions carefully before beginning assembly and retain them for future reference.

Specifications

Model Number	ULBS038E22
Color	Charcoal Grey, Metallic Silver
Material	Particleboard, Steel (Alloy Steel, Engineered Wood)
Product Dimensions (D x W x H)	11" x 29.5" x 36.6" (28 x 75 x 93 cm)
Product Weight	16.8 lb (7.6 kg)
Number of Shelves	5
Max. Static Load Capacity (Top Shelf)	60 lb (27 kg)

Max. Static Load Capacity (Each Mesh Shelf)	25 lb (11 kg)
Included Components	1 x Shoe Rack, 1 x Accessory Kit, 1 x Anti-Tip Kit, 1 x Instructions

Note: All dimensions are approximate and may vary slightly.



Figure 1: Product Dimensions and Shelf Spacing
This diagram illustrates the overall dimensions of the shoe rack and the consistent 8-inch spacing between the mesh shelves, designed to accommodate various shoe types.

Setup and Assembly

The VASAGLE ULBS038E22 shoe rack is designed for straightforward assembly. All necessary parts and clear instructions are included. Please ensure all components are present before beginning.

Assembly Steps:

1. **Unpack Components:** Carefully remove all parts from the packaging. Verify that all pieces listed in the accessory kit are present and undamaged.
2. **Assemble Side Frames:** Connect the vertical steel bars to form the side frames according to the provided diagram. Ensure all screws are tightened securely.
3. **Install Mesh Shelves:** Attach the mesh shelves to the side frames. Each shelf can be installed either flat or at an angle by utilizing the different screw holes on the side frames. This flexibility allows for customized storage and display of your footwear.
4. **Attach Top Surface:** Secure the particleboard top surface to the assembled frame.
5. **Install Anti-Tip Kit:** For safety, attach the included anti-tip kit to the wall and the shoe rack. This prevents accidental tipping, especially in households with children or pets.
6. **Adjust Feet:** Utilize the adjustable feet at the bottom of the rack to ensure stability on uneven floors.



Figure 2: Assembly Diagram
This diagram illustrates the individual components and their arrangement for proper assembly.

Operating Instructions

The VASAGLE ULBS038E22 shoe rack is designed for versatile storage and organization in your entryway, bedroom, or living room.

Key Features:

- **High Capacity:** This 5-tier rack can comfortably hold 16-20 pairs of shoes, depending on their size and style. The 8-inch spacing between mesh shelves accommodates various footwear, including heels and high-tops.

- **Adjustable Shelves:** The four mesh shelves can be positioned either flat or angled during assembly. This allows you to customize the display and storage method for your shoes.
- **Raised Shelf Edges:** Each mesh shelf features a raised edge designed to prevent shoes from scuffing or marking your walls.
- **Spacious Top Surface:** The top particleboard shelf offers a maximum static load capacity of 60 lb (27 kg), making it suitable for placing bags, decorative items, books, or other entryway essentials.
- **Durable Construction:** The combination of particleboard and steel ensures a solid and stable structure for long-lasting use.



Figure 3: Versatile Storage and Display
This image highlights the dual functionality of the shoe rack, offering space for both footwear and decorative items on its top surface.




Figure 4: Optimal Shelf Spacing

The generous 8-inch shelf spacing ensures that various shoe types, including high-tops and heels, can be stored comfortably without being crushed.



Figure 5: Raised Shelf Edges for Wall Protection

The design incorporates raised edges on each shelf to protect your walls from scuff marks and dirt from footwear.



Figure 6: Adjustable Shelves and Stable Design
This image demonstrates the two available screw positions for setting shelves flat or angled, along with the adjustable feet and anti-tip kit for enhanced stability.

Maintenance

To ensure the longevity and appearance of your VASAGLE shoe rack, follow these simple maintenance guidelines:

- **Cleaning:** Wipe the surfaces with a dry cloth to remove dust and dirt. Avoid using harsh chemicals or abrasive cleaners, which may damage the finish.
- **Spills:** In case of spills, wipe immediately with a dry or slightly damp cloth to prevent staining,

especially on the particleboard top.

- **Regular Checks:** Periodically check all screws and connections to ensure they remain tight. Re-tighten if necessary to maintain structural integrity.

Troubleshooting

Common Issues and Solutions:

- **Wobbling/Instability:**
  - Ensure all screws are fully tightened.
  - Adjust the leveling feet at the bottom of the rack to compensate for uneven floor surfaces.
  - Verify that the anti-tip kit is correctly installed and securely fastened to both the rack and the wall.
- **Difficulty during Assembly:**
  - Refer to the detailed assembly instructions and diagrams provided in the accessory kit.
  - Ensure all parts are correctly oriented before tightening screws. Do not overtighten until all components are loosely fitted.
- **Scratches or Marks on Walls:**
  - Ensure shoes are placed within the boundaries of the mesh shelves. The raised edges are designed to prevent contact with the wall.
  - If the rack is too close to the wall, consider slightly adjusting its position or using wall protectors.

Warranty and Support

Information regarding product warranty and direct customer support contacts is not available in the provided data. For any inquiries or assistance, please refer to the contact information provided at your point of purchase or visit the official VASAGLE website.

© 2025 VASAGLE. All rights reserved.