

[Manuals.plus](#) /

› [Lindby](#) /

› Lindby Lanira Dimmable LED Ceiling Light Instruction Manual

Lindby 9627823

Lindby Lanira Dimmable LED Ceiling Light Instruction Manual

1. INTRODUCTION

This manual provides detailed instructions for the safe installation, operation, and maintenance of your Lindby Lanira Dimmable LED Ceiling Light. Please read this manual thoroughly before installation and keep it for future reference.

Product Overview

The Lindby Lanira LED ceiling light features a round design with an oak wood housing. This light is designed to illuminate living rooms, dining rooms, kitchens, or hallways. It offers adjustable brightness and light color, controlled via an included remote control.



Image 1.1: The Lindby Lanira Dimmable LED Ceiling Light, showcasing its round design and oak wood finish.

Key Features

- **Energy-Efficient LED Lighting:** Utilizes modern LED technology for efficient illumination.
- **Remote Control Operation:** Conveniently adjust light settings with the included remote.
- **Integrated LED Module:** The light comes with a high-quality, integrated LED module for immediate use.
- **Versatile Design:** Suitable for various indoor environments including living rooms, dining rooms, kitchens, and hallways.

2. SAFETY INFORMATION

Please observe the following safety instructions to prevent injury or damage to the product:

- **Electrical Safety:** Installation must be performed by a qualified electrician or a person with appropriate electrical knowledge. Always switch off the main power supply before installation, maintenance, or cleaning.
- **Voltage:** Ensure the supply voltage matches the product's requirements (230V).

- **Indoor Use Only:** This product is designed for indoor use (IP20 protection class) and is not water-resistant.
- **Handling:** Handle the light fixture with care to avoid damage to the wood or electrical components.
- **Disposal:** Dispose of packaging materials and the product itself in an environmentally responsible manner, following local regulations.

For additional safety details, please refer to the official safety information document: [Safety Information \(PDF\)](#).

3. WHAT'S IN THE BOX

Upon unpacking, please ensure all components are present and undamaged:

- Lindby Lanira LED Ceiling Light fixture
- Integrated LED module
- Remote Control
- Mounting hardware (screws, wall plugs)
- Instruction Manual (this document)

4. SETUP AND INSTALLATION

Follow these steps for proper installation of your ceiling light.

Before You Begin

- **Turn off Power:** Always disconnect the main power supply at the circuit breaker before starting any electrical work.
- **Tools Required:** You will need a screwdriver, drill, wire strippers, and potentially a voltage tester.
- **Check Location:** Ensure the mounting surface is suitable and can support the weight of the fixture.

Mounting the Ceiling Light

1. **Prepare Mounting Surface:** Mark the drilling points on the ceiling according to the fixture's mounting bracket.
2. **Drill Holes:** Drill holes at the marked points and insert appropriate wall plugs.
3. **Attach Mounting Bracket:** Secure the mounting bracket to the ceiling using the provided screws.
4. **Electrical Connection:** Connect the household electrical wires to the light fixture's terminals. Ensure correct polarity (Live, Neutral, Earth). If unsure, consult a qualified electrician.
5. **Attach Fixture:** Carefully attach the light fixture to the mounting bracket, ensuring all wires are securely tucked away and not pinched.
6. **Restore Power:** Once the fixture is securely mounted and wired, restore power at the circuit breaker.



Image 4.1: Dimensions of the Lindby Lanira Ceiling Light (Diameter: 300mm, Height: 100mm).

5. OPERATING INSTRUCTIONS

The Lindby Lanira ceiling light is operated using the included remote control.

Using the Remote Control

Produktdatenblatt			
DELEGIERTE VERORDNUNG (EU) 2015/2015 DER KOMMISSION zur Energieverbrauchskennzeichnung von Lichtquellen			
Name oder Handelsmarke des Lieferanten: Philips			
Anschrift des Lieferanten: Philips, Hühner, GmbH, Robertstraße 1A-1B, 30037 Füllde, DE			
Modellnummer: L0002530			
Art der Lichtquelle:			
Vorverbaute Beleuchtungsbauart:	LED	Umgeblendet:	Nein
Art des Sockels der Lichtquelle (oder andere elektrische Schnittstelle):	na	gebündelt:	Nein
Netzspannung/Nicht direkt an die Netzspannung angeschlossen:	N/A	Vorverbaute Lichtquelle (GLS):	Nein
Farblich: ablesbare Lichtquelle:	Nein	Halle:	Ja
Lichtquelle mit hoher Leuchtdichte:	Nein		
Blendschutzklasse:	Nein	Dimmbar:	Ja
Produktparameter			
Parameter	Wert	Parameter	Wert
Allgemeine Produktparameter:			
Energieverbrauch im Ein-Zustand (P _{Ein} /1000 W), auf die nächstliegende ganze Zahl gerundet	18	Energieeffizienzkategorie:	E
Nutzleistung (P _{Nutz}) mit Angabe, ob sich der Wert auf den Lichtstrom in einer Kugel (360°), in einem breiten Kegel (120°) oder in einem schmalen Kegel (90°) bezieht	2.300 in Kugel (360°)	Ähnliche Farbtemperatur, gerundet auf die nächstgelegenen 100 K, oder: Spanne der einstellbaren Farbtemperaturen, gerundet auf die nächstgelegenen 100 K	3.000 oder 4.000 oder 5.000
Leistungsaufnahme im Ein-Zustand (P _{Ein}) in W	17,5	Leistungsaufnahme im Bereitschaftszustand (P _B) in W, auf die zweite Dezimalstelle gerundet	0,00
Leistungsaufnahme im vernetzten Bereitschaftsbetrieb (P _{BV})	–	Farbwiedergabeindex, auf die nächstgelegene ganze Zahl gerundet, oder: Spanne der einstellbaren CRI-Werte	80
Für GLS in W, auf die zweite Dezimalstelle gerundet			
Außere Abmessungen (Höhe, Breite, Tiefe)	300, 300, 5	Spektrale Strahlungsverteilung im Bereich 250 nm bis 800 nm bei Volllast	Siehe Bild auf letzter Seite
Beleuchtungsstromstromertrags- und Nicht-Beleuchtungsstromertrags (Mittelwert)	–	Farbwiedergabeindex (CRI) und (Ra)	6.100, 6.125
Angabe zu einer gleichwertigen Leistungsaufnahme ¹⁾	–	Lebensdauerfaktor	1,00
Parameter für LED- und OLED-Lichtquellen:			
Wert des R _a Farbwiedergabeindex	9	Lebensdauerfaktor	1,00
Lichtstromertrag (lm/W, nicht anisotrope)	0,96		
P _{Ein} (nicht anisotrope)	–		
P _{BV} (nicht anisotrope)	–		



Image 5.1: The remote control for the Lindby Lanira Ceiling Light.

- **Power On/Off:** Press the 'ON' button to turn the light on and 'OFF' to turn it off.
- **Brightness Adjustment (Dimming):** Use the 'LM+' and 'LM-' buttons to increase or decrease the light intensity.
- **Color Temperature Adjustment:** Use the 'CCT+' and 'CCT-' buttons to change the light color from warm white to daylight white.
- **Scene Modes (if available):** Some remotes may include preset scene buttons (e.g., 'Night Mode' indicated by a moon icon, or 'Daylight' indicated by a sun icon) for quick adjustments.



Image 5.2: The Lindby Lanira Ceiling Light displaying various light color temperatures, from warm to cool white.

6. MAINTENANCE

Proper maintenance ensures the longevity and optimal performance of your ceiling light.

Cleaning

- **Disconnect Power:** Always turn off the power supply before cleaning.
- **Dusting:** Gently dust the fixture with a soft, dry cloth.
- **Wiping:** For more thorough cleaning, use a slightly damp cloth with a mild, non-abrasive cleaner. Avoid harsh chemicals that could damage the wood finish or electrical components.
- **Drying:** Ensure the fixture is completely dry before restoring power.

LED Module

The Lindby Lanira ceiling light features an integrated LED module. This module is not user-replaceable. If the LED module fails, please contact customer support for assistance.

7. TROUBLESHOOTING

If you encounter issues with your Lindby Lanira ceiling light, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Light does not turn on.	No power supply. Loose wiring. Remote control battery depleted.	Check circuit breaker. Verify electrical connections (with power off). Replace remote control batteries.
Remote control not working.	Batteries depleted or incorrectly inserted. Obstruction between remote and light. Remote not paired (if applicable).	Replace batteries, ensure correct polarity. Remove any obstructions. Refer to remote control specific pairing instructions (if provided separately).
Light flickers or dims unexpectedly.	Unstable power supply. Loose connection. Faulty LED module.	Consult an electrician to check power supply. Check wiring connections (with power off). Contact customer support if issue persists.

If the problem persists after attempting these solutions, please contact Lindby customer support.

8. SPECIFICATIONS

Detailed technical specifications for the Lindby Lanira Dimmable LED Ceiling Light:

Feature	Detail
Brand	Lindby
Model Name	Lanira
Model Number	9627823
ASIN	B0BMLFTGMB
Material	Wood
Color	Light Wood, White (Odra)
Dimensions (L x W x H)	30L x 30l x 10H cm
Product Weight	1.42 Kilograms
Light Source Type	Integrated LED
Total Wattage	17.5 W
Luminous Flux	1150 lm (max)

Feature	Detail
Color Temperature	3000 Kelvin (Warm White) to Daylight White (Alternating colors)
Voltage	230 Volt
Protection Type	IP20
Protection Class	II
Control Method	Remote Control
Mounting Type	Ceiling Mount
Assembly Required	No
Country of Origin	China

Energy Efficiency




Image 8.1: EU Energy Label for the Lindby Lanira Ceiling Light. For more details, scan the QR code or visit: [EPREL Database](#).

Produktdatenblatt			
DELEGIERTE VERORDNUNG (EU) 2019/2015 DER KOMMISSION zur Energiewende des Beleuchtungszeichens (Lichtquellen)			
Name oder Handelsname des Lieferanten: Philips			
Anschrift des Lieferanten: Lumo_Holding_GmbH, Kufensstraße 14-16, 39037 Fuld, DE			
Modellnummer: 19001240			
Art der Lichtquelle:			
Vorverleichte Beleuchtungstechnik:	LED	Umgebungs- oder	NDLS
Art des Sockels der Lichtquelle (oder andere elektrische Schnittstelle):	n/a	geändert:	
Netzspannung/Nicht direkt an die Netzspannung angeschlossen:	NMALS	Vernetzte Lichtquelle (CLL)	Nein
Farblich abstimmbare Lichtquelle:	Nein	Halle:	-
Lichtquelle mit hoher Strahlstärke:	Nein		
Blendenschutz:	Nein	Dimmbar:	Ja
Produktparameter			
Parameter	Wert	Parameter	Wert
Allgemeine Produktparameter:			
Energieverbrauch im Ein-Zustand (Watt/1000 h), auf die nächstgelegene ganze Zahl gerundet	17	Energieeffizienzklassen	F
Netztromstrom (Watt) mit Angabe, ob sich der Wert auf den Lichtstrom in einer Kugel (360°), in einem breiten Kegel (300°), in einem schmalen Kegel (90°) bezieht.	2 000 in Kugel (360°)	Ähnliche Farbtemperatur, gemittelt auf die nächstgelegenen 100 K, oder Spanne der einstellbaren ähnlichen Farbtemperaturen, gemittelt auf die nächstgelegenen 100 K	3 000 oder 4 000 oder 5 500
Leistungsaufnahme im Ein-Zustand (P _{in}) in W	17,0	Leistungsaufnahme im Bereitschaftszustand (P _{by}) in W, auf die zweite Dezimalstelle gerundet	0,00
Leistungsaufnahme im vernetzten Bereitschaftsbetrieb (P _{by})	-	Farbwiedergabeindex, auf die nächstgelegene ganze Zahl gerundet, oder Spanne der einstellbaren CRI-Werte	80
Seite 1 von 1			
Für CLL in W, auf die zweite Dezimalstelle gerundet			
in Zahl gerundet, oder Spanne der einstellbaren CRI-Werte			
Äußere Abmessungen, ggf. ohne verpacktes Bauteil	Höhe: 3 Breite: 300 Tiefe: 300	Spektrale Strahlungsverteilung im Bereich 250 nm bis 800 nm (außerhalb)	Siehe Bild auf letzter Seite
Leistungsaufnahme im vernetzten Bereitschaftsbetrieb (P _{by})			

Seite (Millimeter)			
Angabe zu einer gleichzeitigen Leistungsaufnahme ²⁰	–	Falls ja, gleichwertige Leistungsaufnahme (W)	–
		Farbwertigkeit (x und y)	0,372 0,387
Parameter für LED- und OLED-Lichtquellen:			
Wert des R9-Farbwertigkeitsindex	3	Lebensdauerfaktor	1,00
Lichtstromerhalt	0,96		
* $l_{0,01}$ = sehr dunkelrot			
** $l_{0,01}$ = sehr hellrot			

Seite 3/4



Das Modell wurde auf dem Unionsmarkt in Verkehr gebracht, und zwar ab dem 01.01.2022.					
EPREL-Eintragsnummer 745062		https://eprel.ec.europa.eu/en/745062			
Lieferant: LUCOM HOLDING GMBH (Hersteller)		Webseite: www.lucosm.eu			
Kundendienst:					
Name: Lucosm Holding GmbH		Webseite:			
E-Mail-Adresse: engineering@lucosm.eu		Telefonnummer: +49 661 296 962-3225			
Anschrift:					
Kulmbachstraße 14-16					
96037 Fulda					
Deutschland					
Seite 4/4					

Image 8.2: Product Data Sheet providing detailed technical information.

9. WARRANTY AND SUPPORT

Lindby products are manufactured to high-quality standards. For warranty information, please refer to the terms and conditions provided at the point of purchase or contact your retailer.

Customer Support

If you have any questions, require technical assistance, or need to report a defect, please contact Lindby

customer support or visit the official Lindby store for more information:

[Visit the Lindby Store](#)