

[manuals.plus](#) /

- › [Feit Electric](#) /
- › [Feit Electric FL500 Tactical LED Flashlight User Manual](#)

Feit Electric FL500AAA

Feit Electric FL500 Tactical LED Flashlight User Manual

Model: FL500AAA

INTRODUCTION

This manual provides detailed instructions for the safe and effective use of your Feit Electric FL500 Tactical LED Flashlight. Designed for durability and versatility, this flashlight features adjustable focus, multiple light modes, and a robust construction suitable for various applications.



ITM. / ART. 661701

ULTRA BRIGHT

500 LUMEN LED TACTICAL FLASHLIGHTS LINTERNAS TÁCTICAS LED DE 500 LÚMENES

USES 3 AAA BATTERIES
12 BATTERIES INCLUDED
UTILIZA 3 BATERÍAS AAA
INCLUYE 12 BATERÍAS

WRIST BANDS INCLUDED
BANDAS DE MUÑECA INCLUIDAS

**2 BRIGHTNESS LEVELS
IN 1 FLASHLIGHT**
2 NIVELES DE BRILLO
EN 1 LINTERNA

HIGH/ALTO
500 LUMENS / LÚMENES

LOW/BAJO
170 LUMENS / LÚMENES



FL1 STANDARD

WATER
RESISTANT

1m

IMPACT
RESISTANT

7185cd

170m

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

2h 45min

2h 45min

500 LUMENS

170 LUMENS

1. Unscrew the tail cap of the flashlight by turning it counter-clockwise.
2. Insert three (3) AAA batteries into the battery compartment, ensuring correct polarity (+/-) as indicated inside the flashlight.
3. Screw the tail cap back on clockwise until securely tightened.

2. Attaching the Wristband

Thread the loop of the wristband through the small hole located on the tail cap of the flashlight. Secure the wristband by passing the larger end through the loop and pulling it tight. This helps prevent accidental drops.

OPERATING INSTRUCTIONS

1. Power On/Off and Mode Selection

Press the button on the tail cap to turn the flashlight on. Press the button again to cycle through the available light modes: High Beam (500 lumens) and Low Beam (170 lumens). Press the button a third time to turn the flashlight off.



Image: A person walking on a path through a dark forest, illuminated by the bright beam of a flashlight, demonstrating its effectiveness in low-light outdoor environments.

2. Adjustable Focus (Zoom Function)

The flashlight features a slide-to-focus mechanism. To adjust the beam from a wide floodlight to a narrow spotlight, simply slide the head of the flashlight forward or backward. This allows for versatile illumination depending on your needs.



Image: A diagram illustrating the flashlight's adjustable focus feature. It shows how sliding the flashlight head allows users to switch between a wide zoom (floodlight) and a narrow zoom (spotlight) beam.

3. Tactical Attack Bezel

The front of the flashlight is equipped with a scalloped striking bezel. This feature is designed for emergency situations, such as breaking glass. It also allows light to show when the flashlight is placed face down on a flat surface.



Image: A close-up view of the flashlight's head, highlighting the scalloped striking bezel and the durable hard anodized aircraft-grade aluminum material used in its construction.

MAINTENANCE

1. Cleaning

Wipe the flashlight body with a soft, damp cloth as needed. Avoid using abrasive cleaners or solvents, as these may damage the finish.

2. Battery Replacement

When the light output diminishes, replace all three AAA batteries with new ones. Refer to the "Battery Installation" section for instructions.

3. Water and Impact Resistance

The FL500 flashlight is designed to be water and impact resistant. While it can withstand splashes and minor drops, it is not intended for prolonged submersion in water or severe impacts. Ensure the tail cap is securely tightened to maintain water resistance.

TROUBLESHOOTING

- Flashlight does not turn on:
 - Check if batteries are inserted correctly with the correct polarity.
 - Ensure batteries are new and fully charged.
 - Verify the tail cap is fully tightened.
- Light output is dim:
 - Replace old batteries with new ones.
 - Ensure the lens is clean and free of obstructions.
- Beam does not adjust:
 - Ensure the flashlight head is free to slide. Check for any debris or damage preventing movement.

SPECIFICATIONS

Feature	Detail
Model Number	FL500AAA
Light Source Type	LED
Brightness (High)	500 Lumens
Brightness (Low)	170 Lumens
Run Time (Low Beam)	Up to 9 hours 45 minutes
Light Range (High Beam)	Up to 170 meters
Power Source	3 x AAA Batteries (included)
Material	Hard Anodized Aircraft-Grade Aluminum
Special Features	Adjustable Focus, Tactical Attack Bezel, Water Resistant, Impact Resistant
Product Dimensions	1.18"D x 1.18"W x 4.53"H

Feature	Detail
Weight	1.54 pounds (for 4-pack)
Color	Black



Image: A visual representation of the flashlight's dimensions, indicating a length of 4.6 inches and a head diameter of 1.3 inches.

ADDITIONAL INFORMATION

For further assistance or product inquiries, please visit the official Feit Electric website or contact their customer support. This flashlight is suitable for various activities including home use, walking, hiking, camping, and emergency situations.







Image: A person standing next to a glowing tent under a clear, starry night sky, using the flashlight to illuminate the vast outdoor environment, highlighting its utility for camping and outdoor activities.



© 2025 Feit Electric. All rights reserved.

Related Documents - FL500AAA

	<p>Feit Electric Rechargeable LED Shop Light with Motion Detection - Installation and Safety Guide</p> <p>Comprehensive guide for the Feit Electric 2 ft. Rechargeable LED Shop Light with Motion Detection (Model SHOP2/840/50/MOT/BAT), covering important safety instructions, specifications, parts, installation, and operation.</p>
	<p>Feit Electric CAM/DOOR/WIFI Smart Video Doorbell: Installation Guide & Safety Instructions</p> <p>This installation guide provides essential safety instructions, setup procedures, and troubleshooting tips for the Feit Electric CAM/DOOR/WIFI Smart Video Doorbell. Learn how to connect to your Feit Electric app and ensure proper installation for enhanced home security.</p>

 <p>Feit Electric SMART VIDEO DOORBELL IMPORTANT SAFETY INSTRUCTIONS AND INSTALLATION GUIDE</p> <p>READ BEFORE INSTALLATION. SAVE THESE INSTRUCTIONS.</p>	<p>Feit Electric Smart Video Doorbell Installation Guide</p> <p>Comprehensive installation guide and safety instructions for the Feit Electric Smart Video Doorbell (Model CAM/DOOR/WIFI/BATG2), covering setup, wiring, app configuration, and troubleshooting.</p>
 <p>Feit Electric 7.5 INCH DIMMABLE WHITE ROUND FLAT PANEL CEILING LIGHT WITH SELECTABLE COLOR</p> <p>USE AND CARE GUIDE</p> <p>READ BEFORE INSTALLATION. SAVE THESE INSTRUCTIONS.</p>	<p>FEIT Electric 7.5 Inch Dimmable LED Flat Panel Ceiling Light with Selectable Color - Use and Care Guide 74206/6WYCA</p> <p>Explore the FEIT Electric 7.5 Inch Dimmable White Round Flat Panel Ceiling Light (Model 74206/6WYCA). This guide provides essential use and care instructions, installation steps for junction box and recessed can mounting, and details on selecting color temperature.</p>
 <p>Feit Electric EXTRA BRIGHT 5,000 LUMENS MOTION ACTIVATED DUAL HEAD LED SECURITY FLOOD LIGHT</p> <p>IMPORTANT SAFETY INSTRUCTIONS AND INSTALLATION GUIDE</p> <p>READ BEFORE INSTALLATION. SAVE THESE INSTRUCTIONS.</p>	<p>Feit Electric S10.5DFL/5CCT/MM/BZ: 5000 Lumens Motion Activated Dual Head LED Security Flood Light Installation Guide</p> <p>Comprehensive installation guide and safety instructions for the Feit Electric S10.5DFL/5CCT/MM/BZ motion activated dual head LED security flood light. Learn about setup, operation, troubleshooting, and specifications.</p>
 <p>Feit Electric SYNC/REMOTE HANDHELD REMOTE CONTROL</p> <p>USE AND CARE GUIDE</p> <p>READ BEFORE INSTALLATION. SAVE THESE INSTRUCTIONS.</p>	<p>Feit Electric SYNC/REMOTE Handheld Remote Control Use and Care Guide</p> <p>Comprehensive use and care guide for the Feit Electric SYNC/REMOTE handheld remote control, covering installation, operation, pairing, and group management with the Smart Bridge.</p>



500 Lumens Tactical LED Flashlight

Features

- Adjustable sliding head allows for fast light beam focus
- Choose between 500 lumen and 170 lumen settings
- Water and impact resistant



Specifications

Item Number	Item Length (IN)	Technology	Portable
FL500AAA/MX	4.8	LED - SMD	NO
Hardware	Battery Operated	Cec Compliant	Energy Efficiency
NO	NO	Not Registered	NA
Pack Quantity	Smart	Energy Star	Ftu Label
4	No	No	No

Felt Electric Company

8901 Gregg Rd, P.O. Box 80660

1-800-543-Felt

www.felt.com

[pdf] Specifications Label

Specsheet Template Specification Sheet 500 Lumens Tactical LED Flashlight FL500AAA 4 MX

SpecSheet custom app feit storage files s |||

500 Lumens Tactical LED Flashlight Features Adjustable sliding head allows for fast light beam focus Choose between 500 lumen and 170 lumen settings Water and impact resistant Specifications Item Number **FL500AAA**/4/MX Hardwire NO Pack Quantity 4 Item Length IN 4.8 Battery Operated NO Smart No Te...
lang:af score:28 filesize: 353.8 K page_count: 1 document date: 2023-02-16