Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

VONFORN VF804

VONFORN VF804 Paint Sprayer Accessories Instruction Manual

Introduction

This manual provides instructions for the VONFORN VF804 Paint Sprayer Accessories. These accessories are designed specifically for the VONFORN VF803 paint sprayer. Please read these instructions carefully before use to ensure proper function and maintenance.

Product Components

The VONFORN VF804 accessory kit includes the following items:

- 1200ml Container
- Front Body (Black)
- 4 Copper Nozzles (1.0mm, 1.5mm, 2.0mm, 3.0mm)
- Pot Lid



Image Description: A visual representation of the VONFORN VF804 paint sprayer accessory kit, showing the 1200ml container, the black front body, four different sized copper nozzles (1.0mm, 1.5mm, 2.0mm, 3.0mm), and the pot lid.

Compatibility Information

These accessories are specifically designed as replacements and additional parts for theVONFORN VF803 paint sprayer. The threads of the container and nozzles are engineered to match the VF803 model precisely. Use with other paint sprayer models is not recommended and may result in improper fit or malfunction.

Setup Instructions

Attaching the Container

1. Ensure the main paint sprayer unit is clean and powered off.
2. Fill the 1200ml container with your desired paint or liquid, ensuring it is properly thinned according to your paint sprayer's main manual.

3. Carefully screw the filled container onto the base of the front body until it is securely fastened. Do not overtighten.

Selecting and Attaching a Nozzle

1. Choose the appropriate copper nozzle size (1.0mm, 1.5mm, 2.0mm, or 3.0mm) based on the viscosity of your material and desired spray pattern. Finer materials typically use smaller nozzles, while thicker materials require larger nozzles.
2. Insert the selected nozzle into the front body and secure it by twisting the retaining ring or cap (if applicable, referring to the main sprayer's design).

Assembling the Front Body

1. Once the container and nozzle are attached, connect the assembled front body to the main motor unit of your VONFORN VF803 paint sprayer. Ensure it clicks or screws into place firmly.

Operation Guidelines

These accessories function as integral parts of your VONFORN VF803 paint sprayer. For detailed operating instructions, including power-on procedures, spray pattern adjustments, and material application techniques, please refer to the complete instruction manual provided with your original VONFORN VF803 paint sprayer.

Nozzle Function

The included copper nozzles allow for varied spray patterns and material flow. Experiment with different nozzle sizes on a test surface to achieve the desired finish for your project.

Using Multiple Containers

The 1200ml container can be used as a replacement or an additional container. Having multiple containers allows for quick switching between different colors or materials (e.g., paint and primer) without needing to clean the container mid-project.

Cleaning and Maintenance

Important:
To prevent clogging and ensure the longevity of your paint sprayer and its accessories, it is critical to thoroughly clean all components immediately after each use.

Cleaning Procedure

1. Disconnect the front body and container from the main sprayer unit.
2. Empty any remaining paint or material from the 1200ml container.
3. Disassemble the nozzle from the front body.
4. Wash the container, pot lid, front body, and all nozzles with an appropriate cleaning solution (water for water-based paints, mineral spirits for oil-based paints) until all paint residue is removed.
5. Pay special attention to the nozzles and straw, ensuring they are completely free of dried paint, which can cause blockages. Use a small brush or cleaning needle if necessary.
6. Rinse all components thoroughly with clean water.
7. Allow all parts to dry completely before reassembly or storage.

Troubleshooting Common Issues

Clogged Nozzle or Sprayer

If the sprayer is not producing a consistent spray or no spray at all, a clog is likely.

- **Solution:** Immediately disassemble the front body, container, and nozzle. Thoroughly clean all components as described in the "Cleaning and Maintenance" section. Ensure no dried paint remains in the nozzle, straw, or internal passages of the front body.

Leaking from Container Connection

If paint leaks from where the container connects to the front body.

- **Solution:** Ensure the container is screwed on tightly but not overtightened. Check the container's threads and the front body's mating surface for any damage or debris that might prevent a proper seal.

Product Specifications

Feature	Detail
Brand	VONFORN
Tank Volume	1200 Milliliters
Material	Copper (Nozzles)
Model Name	VF804
Product Dimensions	5.9 x 5.9 x 9.4 inches
Item Weight	1.15 pounds
ASIN	B0BN1M841K
Item Model Number	VF804

Warranty and Customer Support

For specific warranty information regarding your VONFORN VF804 Paint Sprayer Accessories, please refer to the documentation included with your original VONFORN VF803 paint sprayer or contact VONFORN customer service directly.
For further assistance or inquiries, you may visit the officialVONFORN Store on Amazon.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for

conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0BN1M841K

More documents and user manuals: **https://manuals.plus/**