

[Manuals.plus](#) /

› [KADAX](#) /

› KADAX K5062 Vertical Folding Clothes Drying Rack Instruction Manual

## KADAX K5062

# KADAX K5062 Vertical Folding Clothes Drying Rack Instruction Manual

Model: K5062

## INTRODUCTION

Thank you for choosing the KADAX K5062 Vertical Folding Clothes Drying Rack. This manual provides essential information for the safe and efficient assembly, operation, and maintenance of your new drying rack. Please read these instructions carefully before use and retain them for future reference.

## IMPORTANT SAFETY INSTRUCTIONS


- Ensure all parts are securely assembled before loading clothes onto the rack.
- Do not exceed the maximum weight capacity of 12 kg (26.4 lbs). Overloading can cause damage or instability.
- Keep children and pets away from the drying rack during assembly and use to prevent accidents.
- Place the drying rack on a flat, stable surface to prevent tipping.
- Avoid placing the rack near heat sources or open flames.
- Do not use the drying rack for purposes other than drying clothes.
- When folding or unfolding, be mindful of pinch points.

## PACKAGE CONTENTS

Please check the package to ensure all components are present and undamaged:

- KADAX K5062 Vertical Folding Clothes Drying Rack frame (pre-assembled)
- Instruction Manual








Image: The KADAX K5062 Vertical Folding Clothes Drying Rack shown empty and fully extended, illustrating its three-tier design.

## SETUP INSTRUCTIONS

---

1. **Unpack:** Carefully remove the drying rack from its packaging.
2. **Unfold the Base:** Gently pull the two main leg frames apart until they form a stable 'X' shape at the bottom. Ensure the anti-slip plastic caps on the feet are firmly on the ground.
3. **Extend Tiers:** The drying rack features three levels. Carefully lift each tier upwards and outwards until it locks into place. You may hear a click or feel it secure.
4. **Secure Locking Mechanisms:** At the bottom of each tier, there are safety locks designed to prevent accidental folding. Ensure these are engaged to keep the rack stable during use.
5. **Final Check:** Before placing any laundry, gently shake the rack to confirm its stability.




Image: Detailed views of the drying rack's construction, highlighting the robust joints, blue anti-slip foot caps, and the blue safety locking mechanism that secures the tiers in place.

## OPERATING INSTRUCTIONS

The KADAX K5062 drying rack offers a total drying surface of 15 meters, distributed across three levels, providing ample space for various laundry items.

1. **Loading Laundry:** Distribute laundry evenly across the three tiers to maintain balance and allow for optimal air circulation. Hang shirts, sweaters, and other garments on the wide rungs.
2. **Utilizing Space:** The vertical design is ideal for smaller spaces, fitting into rooms, shower cabins, bathtubs, balconies, or terraces.
3. **Drying Efficiency:** The wide rungs promote better air circulation, which helps clothes dry faster.








Image: The KADAX K5062 drying rack in use, holding a yellow t-shirt and blue socks on the top tier, and a blue t-shirt on the middle tier, demonstrating its capacity.



Image: The KADAX K5062 drying rack positioned in a bathroom, with two towels draped over its rungs, illustrating its suitability for indoor use.

## MAINTENANCE

- **Cleaning:** Wipe the drying rack with a damp cloth and mild detergent. Avoid abrasive cleaners that could damage the powder-coated steel finish.
- **Drying:** Ensure the rack is completely dry before folding and storing to prevent rust or mildew.
- **Inspection:** Periodically check all joints and locking mechanisms for wear or damage.

## STORAGE

The KADAX K5062 drying rack is designed for compact storage:

1. **Empty the Rack:** Remove all laundry from the rack.
2. **Disengage Locks:** Release the safety locks on each tier.
3. **Fold Tiers:** Gently push each tier inwards and downwards until it collapses flat against the main frame.
4. **Fold Base:** Bring the two main leg frames together until the rack is fully folded.
5. **Dimensions when folded:** 5.5 cm (depth) x 61 cm (width) x 75.5 cm (height).



Image: The KADAX K5062 drying rack displayed in its compact, folded configuration, ready for storage.

## TROUBLESHOOTING

| Problem                             | Possible Cause                                  | Solution                                                                                    |
|-------------------------------------|-------------------------------------------------|---------------------------------------------------------------------------------------------|
| Rack is unstable or wobbly.         | Not fully unfolded; uneven surface; overloaded. | Ensure all tiers are locked in place. Place on a flat surface. Reduce load to within 12 kg. |
| Tiers do not stay extended.         | Safety locks not engaged.                       | Push tiers up and out until safety locks click into position.                               |
| Clothes are not drying efficiently. | Overcrowding; poor air circulation.             | Distribute clothes more sparsely. Ensure adequate space between items for air flow.         |

SPECIFICATIONS

|                               |                                                                               |
|-------------------------------|-------------------------------------------------------------------------------|
| Brand                         | KADAX                                                                         |
| Model                         | K5062                                                                         |
| Color                         | Grey                                                                          |
| Material                      | Powder-coated Alloy Steel                                                     |
| Product Dimensions (Extended) | 54.5 cm (Length) x 58.5 cm (Width) x 133.5 cm (Height)                        |
| Product Dimensions (Folded)   | 5.5 cm (Depth) x 61 cm (Width) x 75.5 cm (Height)                             |
| Item Weight                   | 2.3 kg (5.07 lbs)                                                             |
| Maximum Weight Capacity       | 12 kg (26.4 lbs)                                                              |
| Drying Surface Area           | 15 m²                                                                         |
| Special Features              | Raised handrail, Durable hanging loop, Child safety lock, Powder-coated steel |



**2,3 kg**





Image: A technical diagram illustrating the key dimensions of the KADAX K5062 drying rack when extended and folded, including its weight.

## WARRANTY AND SUPPORT

KADAX products are designed for durability and performance. For any questions, concerns, or warranty claims, please contact KADAX customer support through the retailer where the product was purchased or visit the official KADAX brand store online.

**Online Brand Store:** [KADAX Store on Amazon](#)