

[Manuals.plus](#) /

› [YHTAUTO](#) /

› YHTAUTO OE Factory Style Fender Flares Instruction Manual for Chevrolet Silverado (Model YHTFF00007)

YHTAUTO YHTFF00007

YHTAUTO OE Factory Style Fender Flares Instruction Manual

Model: YHTFF00007

INTRODUCTION

These YHTAUTO OE Factory Style Fender Flares are designed to provide a clean, integrated look while offering protection for your vehicle's wheel wells. Constructed from high-quality polypropylene, they are engineered for durability and resistance to environmental factors.

Compatibility: Designed for Chevrolet Silverado 1500 (2014-2018), Silverado 2500 HD (2015-2019), and Silverado 3500 HD (2015-2019). These flares fit Fleetside models only and are not compatible with Dually models.

COMPATIBILITY

Compatible with Chevrolet Models:

• 2014-2018	Silverado 1500
• 2015-2019	Silverado 2500 HD
• 2015-2019	Silverado 3500 HD

Note: Fits Fleetside Models Only. Excludes Dually Models

*The picture is for reference only.



Image: Compatibility chart showing applicable Chevrolet Silverado models and years.

SETUP AND INSTALLATION

The installation process requires careful attention. A hardware kit and a detailed manual are included. Professional installation is

recommended if you lack the necessary skills.

Required Tools (Not Included):

- Drill
- Screwdriver set
- Socket wrench set
- Protective eyewear
- Gloves

Installation Steps:

1. **Preparation:** Ensure the vehicle's wheel wells are clean and free of debris. Park the vehicle on a level surface and engage the parking brake.
2. **Remove Existing Components:** Carefully remove any existing fender flares or mud flaps from the vehicle. Exercise caution to avoid damaging the vehicle's paintwork. Refer to the included manual for specific removal instructions for your vehicle model.
3. **Align Fender Flare:** Align the new fender flare with the pre-drilled holes on the vehicle's fender. Ensure a proper fit before proceeding to secure it.
4. **Secure Fender Flare:** Secure the fender flare to the fender using the provided hardware. Tighten screws gradually and evenly to ensure a flush fit and prevent stress on the material. Do not overtighten.
5. **Repeat for all Flares:** Repeat the process for all four fender flares.



Image: Step 1 - Removing the old fender flare from the vehicle.



Image: Step 2 - Aligning the new fender flare with the vehicle's fender.

Important Note: Consider using additional weatherstripping (not included) to enhance the seal between the flare and the vehicle body, preventing debris accumulation and paint abrasion.

Your browser does not support the video tag.

Video: YHTAUTO Truck Fender Flares Wheel Cover Protector. This video provides an overview of the product and its features, including aspects relevant to installation and protection.

Your browser does not support the video tag.

Video: YHTAUTO Fender Flares Fit Silverado Sierra 2014-2018. This video demonstrates the fitment of the fender flares on compatible Silverado and Sierra models.

OPERATING AND FUNCTION

Once installed, the fender flares extend the coverage over your tires and wheel wells. This provides additional protection against road debris, mud, and other elements, helping to preserve the vehicle's paintwork and body from chips and scratches. The OE Factory Style design integrates seamlessly with your truck's appearance.

UPGRADED PROTECTION

FULL FENDER COVERAGE



Physical
Protection



Sealed
Protection



Weather
Resistant

Image: Fender flare providing physical protection against road debris.

PROTECT CAR'S PAINTWORK

Fender flares prevent rust, aging and
endure harsh environment




Image: Visual comparison showing how fender flares protect vehicle paintwork from rust and aging.

MAINTENANCE

To ensure the longevity and appearance of your YHTAUTO Fender Flares, follow these maintenance guidelines:

- **Cleaning:** Clean the fender flares regularly with mild automotive soap and water. Avoid abrasive cleaners, stiff brushes, or harsh chemicals that could damage the polypropylene material or its textured finish. Rinse thoroughly with clean water and dry with a soft, clean microfiber cloth to prevent water spots.
- **Inspection:** Periodically inspect the flares and all mounting hardware for any signs of loosening, damage, or wear. Tighten fasteners as needed to maintain a secure fit. Check for any cracks or significant scratches that might compromise the flare's integrity.
- **Environmental Exposure:** While designed for weather resistance, prolonged exposure to extreme conditions (e.g., intense UV radiation, road salts) can affect the material over time. Regular cleaning helps mitigate these effects.

EXTREME WEATHER RESISTANCE

☉ Withstand the Heat

☉ Endure Severe Cold



Image: Illustration of fender flare's resistance to extreme heat and cold.

TROUBLESHOOTING



If you encounter issues with your fender flares, consider the following:

- **Loose Fit or Gaps:** If the fender flares do not sit flush against the vehicle body, re-check the alignment and ensure all fasteners are tightened evenly. Uneven tightening can cause distortion. The use of additional weatherstripping (not included) can help fill minor gaps and improve the seal, preventing debris accumulation and paint abrasion.
- **Scratches:** The polypropylene material is durable but can scratch if mishandled. Handle flares gently during installation. Minor surface scratches can sometimes be minimized with specialized plastic polishes designed for textured surfaces. Deep scratches may require professional attention or replacement.
- **Missing Hardware:** Verify all components listed in the included hardware kit are present before beginning installation. If any parts are missing, contact YHTAUTO customer support immediately.

SPECIFICATIONS

Feature	Detail
Brand	YHTAUTO
Model Number	YHTFF00007
Material	Polypropylene
Color	Black
Exterior Finish	Textured Black
Item Weight	5.72 kg
Auto Part Position	Front (Set includes flares for all four wheel wells)
Number of Items	4
Included Components	Hardware Kit
Fit Type	Vehicle Specific Fit

EXTENDED TIRE AND WHEEL WELL COVERAGE



Front



Rear

Image: Detailed dimensions of the fender flares for front and rear sections.

PRODUCT DETAILS



Image: Close-up views of the fender flare material and construction details.

WARRANTY INFORMATION

YHTAUTO provides a **One Year Warranty** for this product. The warranty covers the cost of the product itself. It does not cover

installation costs or other related expenses such as labor, towing, additional repairs, or other fees. Please retain your proof of purchase for warranty claims.

CUSTOMER SUPPORT

For further assistance, technical support, or warranty claims, please contact YHTAUTO customer service through their official channels or the retailer where the product was purchased. When contacting support, please have your product model number (YHTFF00007) and proof of purchase readily available.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question