

BUNN 38700.0002

BUNN Axiom 15-3 Commercial Coffee Maker User Manual

Model: 38700.0002

INTRODUCTION

Thank you for choosing the BUNN Axiom 15-3 Automatic Commercial 12-Cup Coffee Maker. This robust and efficient machine is designed for high-volume environments, providing consistent, high-quality coffee. Its large 200 oz. (5.9 liters) tank ensures back-to-back brewing capacity, making it ideal for offices, break rooms, and other commercial settings. This manual provides essential information for the safe and effective operation, maintenance, and troubleshooting of your coffee maker.



Figure 1: BUNN Axiom 15-3 Commercial Coffee Maker with three glass carafes on warmers.

SAFETY INFORMATION

Please read all safety instructions carefully before operating the appliance. Failure to do so may result in injury or damage.

- **Electrical Safety:** Ensure the coffee maker is connected to a properly grounded electrical outlet with the correct voltage (120 Volts). Do not operate with a damaged cord or plug.
- **Hot Surfaces:** The brewing area, warmer plates, and hot water faucet become extremely hot during operation and remain hot for some time after use. Avoid direct contact. Use caution when handling carafes and funnels. The SplashGard funnel is designed to deflect hot liquids away from the hand.
- **Water Connection:** This unit is designed to be plumbed directly into a water line. Ensure all water connections are secure and leak-free before operation.
- **Supervision:** Do not leave the appliance unattended during operation.
- **Cleaning:** Always disconnect power before cleaning. Allow the unit to cool completely before cleaning.
- **Intended Use:** Use this appliance only for its intended purpose of brewing coffee and dispensing hot water.

SETUP

Proper installation is crucial for optimal performance and safety.

1. **Unpacking:** Carefully remove the coffee maker from its packaging. Inspect for any shipping damage.
2. **Placement:** Place the unit on a stable, level surface. Ensure adequate clearance around the unit for ventilation and access.
3. **Water Line Connection:** This model requires a direct plumbing connection to a cold water supply. Consult a qualified plumber for proper installation of the water line to the unit's inlet. Ensure the water pressure is within the recommended range for commercial coffee makers.
4. **Electrical Connection:** Plug the coffee maker into a dedicated 120 Volt grounded electrical outlet.
5. **Initial Rinse:** Before first use, perform an initial rinse cycle without coffee to flush out any manufacturing residues.
 - Place an empty carafe on the brew station.
 - Ensure the brew funnel is empty and properly seated.
 - Initiate a brew cycle (refer to the Operating section).
 - Discard the hot water from the carafe. Repeat this process 2-3 times.



Figure 2: Side view showing the power cord and general dimensions for placement.



Figure 3: Technical diagram with detailed dimensions for installation planning.

OPERATING INSTRUCTIONS

The BUNN Axiom 15-3 is designed for user-friendly operation.

Brewing Coffee

1. **Prepare Brew Funnel:** Insert a paper filter into the brew funnel. Add the desired amount of ground coffee to

the filter.

2. **Place Carafe:** Position an empty coffee carafe (sold separately) on the designated warmer plate beneath the brew funnel.
3. **Initiate Brew:** Ensure the unit displays "READY TO BREW" and the water temperature is optimal (e.g., 200°F). Press the **BREW** button on the control panel. The machine will automatically draw water and begin the brewing process.
4. **Monitor Brewing:** Brewing typically takes approximately 3 minutes per pot. The unit features pre-infusion and pulse brew for optimal coffee extraction.
5. **Warmer Operation:** The unit has three lower warmers to keep brewed coffee hot. Use the **FRONT** and **REAR** buttons on the control panel to activate or deactivate the warmers as needed. An energy-saver mode is available to reduce tank temperature during idle periods.

Hot Water Dispensing

For instant hot water for tea or other beverages:

- Place a cup or container under the hot water faucet.
- Press the **PUSH** button on the hot water dispenser to release hot water. Release the button to stop the flow.



Figure 4: Detail of a warmer plate, designed to keep coffee at optimal serving temperature.

MAINTENANCE

Regular cleaning and maintenance will extend the life of your coffee maker and ensure consistent coffee quality.

Daily Cleaning

- **Exterior:** Wipe down the exterior surfaces with a damp cloth. Do not use abrasive cleaners.
- **Brew Funnel:** Remove and wash the brew funnel and sprayhead (if removable) with warm, soapy water. Rinse thoroughly.
- **Carafes:** Wash carafes with warm, soapy water after each use.

Descaling (Monthly or as Needed)

Mineral deposits from water can build up over time, affecting performance. Descale regularly, especially in hard water areas.

1. Turn off and unplug the coffee maker. Allow it to cool completely.
2. Consult the BUNN descaling solution instructions or use a mixture of white vinegar and water (e.g., 1 part vinegar to 2 parts water).
3. Pour the descaling solution into the water tank (via the top opening).
4. Place an empty carafe under the brew funnel.
5. Plug in the unit and initiate a brew cycle. Allow the solution to run through.
6. After the cycle, let the unit sit for 15-30 minutes.
7. Run several cycles of fresh, clean water through the machine to thoroughly rinse out any descaling solution.

TROUBLESHOOTING

Refer to this section for common issues and their solutions.

Problem	Possible Cause	Solution
Coffee does not brew.	No power; water supply off; unit not ready.	Check power connection; ensure water supply valve is open; wait for "READY TO BREW" message.
Coffee is not hot enough.	Warmer not activated; mineral buildup.	Ensure warmers are on; descale the unit.
Slow brewing.	Mineral buildup; clogged sprayhead.	Descal the unit; clean or replace sprayhead.
Water leaks from unit.	Loose water line connection; internal component issue.	Check water line connections; contact qualified service personnel.

If problems persist after attempting these solutions, please contact BUNN customer support or a qualified service technician.

SPECIFICATIONS

Feature	Detail
---------	--------

Feature	Detail
Brand	BUNN
Model Name	Axiom15-3, 3L
Item Model Number	38700.0002
Color	Black/SST
Product Dimensions (D x W x H)	22.1"D x 16.3"W x 16.8"H
Special Feature	Plumbed into water line
Coffee Maker Type	Drip Coffee Machine
Filter Type	Paper
Operation Mode	Fully Automatic
Voltage	120 Volts
Coffee Input Type	Ground Coffee
Included Components	Funnel (Decanters not included)
Item Weight	31 pounds
Country of Origin	USA
Human Interface Input	Buttons and Digital Display

WARRANTY AND SUPPORT


For specific warranty details and technical support, please contact the manufacturer, BUNN, directly. Warranty terms typically cover defects in materials and workmanship for a specified period from the date of purchase. Keep your proof of purchase for warranty claims.

Manufacturer: EMG East, Inc. (direct order)

Please note that third-party protection plans may be available but are separate from the manufacturer's warranty.

ADDITIONAL RESOURCES

No official seller videos are available for this product. For further assistance, please refer to the official BUNN website or contact their customer service.



[\[pdf\]](#) Specifications Catalog

Spec sheet Axiom® BUNN Commercial Site 38700 0002 catalog bunn public docs

0000000000000010000026093 M03 51 000 |||


AXIOM-15-3 3 Lower Warmers Height: 16.8 Width: 16.3 Depth: 22.1 42.7cm 41.4cm

56.1cm Ad ... not included unless otherwise noted Server s sold separately Agency:

Specifications Product #: **38700.0002** Water Access: Plumbed Finish: Stainless

Funnel: Black Plastic Faucet: Upper Warmers: Thr...

lang:en score:25 filesize: 3.12 M page_count: 4 document date: 2025-03-14



[\[pdf\]](#) Specifications Catalog

catalog bunn public docs 0000000000000010000026093 M03 41 000 |||


AXIOM-15-3 3 Lower Warmers Height: 16.8 Width: 16.3 Depth: 22.1 42.7cm 41.4cm

56.1cm Ad ... not included unless otherwise noted Server s sold separately Agency:

Specifications Product #: **38700.0002** Water Access: Plumbed Finish: Stainless

Funnel: Black Plastic Faucet: Upper Warmers: Thr...

lang:en score:25 filesize: 3.12 M page_count: 4 document date: 2024-08-23



[\[pdf\]](#) Specifications Catalog

catalog bunn public docs 0000000000000010000026093 M03 43 000 |||


AXIOM-15-3 3 Lower Warmers Height: 16.8 Width: 16.3 Depth: 22.1 42.7cm 41.4cm

56.1cm Ad ... not included unless otherwise noted Server s sold separately Agency:

Specifications Product #: **38700.0002** Water Access: Plumbed Finish: Stainless

Funnel: Black Plastic Faucet: Upper Warmers: Thr...

lang:en score:25 filesize: 3.12 M page_count: 4 document date: 2024-08-28



[pdf] Specifications Catalog

catalog bunn public docs 0000000000000010000026093 M03 39 000 |||


AXIOM-15-3 3 Lower Warmers Height: 16.8 Width: 16.3 Depth: 22.1 42.7cm 41.4cm

56.1cm Ad ... not included unless otherwise noted Server s sold separately Agency:

Specifications Product #: **38700.0002** Water Access: Plumbed Finish: Stainless

Funnel: Black Plastic Faucet: Upper Warmers: Thr...

lang:en score:25 filesize: 3.12 M page_count: 4 document date: 2024-10-01



[pdf] Specifications

Bunn Spec Sheet 38700 0002BUNN AXIOM 15 3 3L RT PF — CoffeeAMBunn spec sheet 0002cdn

shopify s files 1 0069 6467 4613 t 2 assets bunn 0002 |||


AXIOM-15-3 3 Lower Warmers 16.8 x 21.4 x 16.5 42.7cm x 54.4cm x 41.9cm Adjusts

automatically ... lects hot liquids away from the hand Servers and airpots sold

separately Specifications Product #: **38700.0002** Water Access: Plumbed Finish:

Stainless Funnel: Black Plastic Faucet: Upper Agency: Warm...

lang:en score:24 filesize: 1.63 M page_count: 4 document date: 2016-01-29



[pdf] Specifications Catalog

38700 0002 catalog bunn public docs 0000000000000010000026093 M03 37 000 |||


AXIOM-15-3 3 Lower Warmers Height: 16.8 Width: 16.3 Depth: 22.1 42.7cm 41.4cm

56.1cm Ad ... not included unless otherwise noted Server s sold separately Agency:

Specifications Product #: **38700.0002** Water Access: Plumbed Finish: Stainless

Funnel: Black Plastic Faucet: Upper Warmers: Thr...

lang:en score:24 filesize: 3.12 M page_count: 4 document date: 2023-04-29



[\[pdf\]](#) Specifications Catalog

38700 0002 catalog bunn public docs 0000000000000010000026093 M03 41 000 |||


AXIOM-15-3 3 Lower Warmers Height: 16.8 Width: 16.3 Depth: 22.1 42.7cm 41.4cm

56.1cm Ad ... not included unless otherwise noted Server s sold separately Agency:

Specifications Product #: **38700.0002** Water Access: Plumbed Finish: Stainless

Funnel: Black Plastic Faucet: Upper Warmers: Thr...

lang:en **score:24** filesize: 3.12 M page_count: 4 document date: 2023-08-24



[\[pdf\]](#) Specifications Catalog

38700 0002 catalog bunn public docs 0000000000000010000026093 M03 42 000 |||


AXIOM-15-3 3 Lower Warmers Height: 16.8 Width: 16.3 Depth: 22.1 42.7cm 41.4cm

56.1cm Ad ... not included unless otherwise noted Server s sold separately Agency:

Specifications Product #: **38700.0002** Water Access: Plumbed Finish: Stainless

Funnel: Black Plastic Faucet: Upper Warmers: Thr...

lang:en **score:24** filesize: 3.12 M page_count: 4 document date: 2024-08-16



[\[pdf\]](#) Specifications Catalog

38700 0002 catalog bunn public docs 0000000000000010000026093 M03 43 000 |||


AXIOM-15-3 3 Lower Warmers Height: 16.8 Width: 16.3 Depth: 22.1 42.7cm 41.4cm

56.1cm Ad ... not included unless otherwise noted Server s sold separately Agency:

Specifications Product #: **38700.0002** Water Access: Plumbed Finish: Stainless

Funnel: Black Plastic Faucet: Upper Warmers: Thr...

lang:en **score:24** filesize: 3.12 M page_count: 4 document date: 2024-06-19



[pdf] Specifications Catalog

38700 0002 catalog bunn public docs 0000000000000010000026093 M03 13 000 22

AXIOM-15-3 3 Lower Warmers Height: 16.8 Width: 16.3 Depth: 22.1 42.7cm 41.4cm

56.1cm Ad ... not included unless otherwise noted Server s sold separately Agency:

Specifications Product #: **38700.0002** Water Access: Plumbed Finish: Stainless

Funnel: Black Plastic Faucet: Upper Warmers: Thr...

lang:en score:24 filesize: 1.96 M page_count: 4 document date: 2021-08-20



[pdf] User Manual Specifications Dimension Guide

AXIOM™ 12 Cup Automatic Coffee Brewer Please refer to the installation manual electrical 120 volt 15

amp models require 2 wires plus ground service rated 120V single phase 60 Hz 240 38700 0003

everythingkitchens media

Item# AXIOMTM 12 Cup Automatic Coffee Brewer Project Date Features AXIOM

Automatic Coffee Brewer ... ower/2 upper AXIOM-15-3 3 lower warmers AXIOM-35-3

3 lower warmers Product # 38700.0000 38700.0001 **38700.0002** 38700.0003 Volts

120 Amps Tank Heater Total Brewing Cu. Shipping Cord Watts Watts Capac...

lang:en score:23 filesize: 387.38 K page_count: 2 document date: 2009-10-28



[pdf] Specifications Catalog

AXIOM 15 3 Lower Warmers Wasserstrom For most current specifications and other info visit bunn

Created on 06 28 2017 16 8 x 21 4 5 Bunn387000002spec wasserstrom wcsstore

WasserstromCatalogAssetStore Attachment

AXIOM-15-3 3 Lower Warmers 16.8 x 21.4 x 16.5 42.7cm x 54.4cm x 41.9cm Adjusts

automatically ... lects hot liquids away from the hand Servers and airpots sold

separately Specifications Product #: **38700.0002** Water Access: Plumbed Finish:

Stainless Funnel: Black Plastic Faucet: Upper Agency: Warm...

lang:en score:23 filesize: 1.61 M page_count: 4 document date: 2017-07-16



[pdf] Borchure

Bunn bunn ada brochure webstaurantstore documents |||

ADA STANDARDS FOR ACCESSIBLE DESIGN What is ADA A comprehensive civil rights law enacted by the Dep ... 208 BLK 34600.0005 DUAL TF DBC,120/208V FLK 34600.0006 DUAL TF DBC,120/208 BLK FLK 34600.0007 **38700.0002** DUAL TF DBC,120/208V 3 PHASE 34600.0008 38700.0003 DUAL TF DBC,120/208V 3PH FLK 3460...

lang:en score:22 filesize: 1.15 M page_count: 4 document date: 2013-03-22

AXIOM-15-3 (3 Lower Warmers)

- Adjusts automatically to varying water pressure
- Automatic warmer shut-off
- For high line areas, BreakLOCK® technology calculates flow rate and adjusts line flow to maintain consistent hot drinks
- Electronic diagnostics and built-in tank drain make service easier
- Large 2000 cc tank provides back-to-back brewing capacity
- Ensure coffee quality with programming for brew level, cold brew level and brew temperature. Set easily from the front of the machine
- Coffee extraction controlled with programmable pre-infusion, pulse brew and digital temperature control
- Energy saving mode reduces tank temperature during idle periods
- Hot water faucet
- SplashGuard® funnel deflects hot liquids away from the hand

Agency:

Specifications
Product #: 38700.0002
Water Access: Plumbed
Faucet: Stainless
Faucet: Black Plastic
Faucet: Upper

Warmers: Three Lower

Additional Features
120V

Line	Appl.	Model	Code	Plug Type	Flow Rate (GPM)	Flow Rate (LPM)	Pressure (PSI)	# of Lines	# of Tanks
100	15	100	100	1500	1500	1500	1500	1	2

Plumbing Requirements

PSI	1/2"	Fitting Required	Water Flow Required (GPM)
20-80	1/2-3/4"	1/2" Male Flare Fitting	-

CAD Drawings

PSI	1/2"	Flow Rate (GPM)
20-80	1/2-3/4"	1500

BUNN reserves the right to change specifications and product design without notice. Each customer must use their own legal counsel. Created on: 10/28/2016

[pdf] Specifications Accessories

Attachments BunnAxiom12CupCoffeeBrewer3L Digital Assets Cloudfront net Jan 28 2016 · BUNN®

reserves the right to change specifications and product design without notice AXIOM 15 3 Lower

Warmers 38700 0002 Serving dijf55il5e0d1 cloudfront |||

English Metric Width 16.5 in. 41.9 cm Unit Height 16.8 in. 42.7 cm Depth 21.4 in. 54.4 cm Width ... sit bunn.com. Created on: 01/28/2016 Related Products

Accessories:AXIOM-15-3 3 Lower Warmers **38700.0002** FILTERS,REGULAR1M 500/2 50/CL Product #: 20115.0000 FUNNEL W/DECALS, BLACK PLASTIC Pro...

lang:en score:22 filesize: 722.24 K page_count: 4 document date: 0000-00-00



[pdf] Borchure

Bunn ada brochure bunn sites default files

ADA STANDARDS FOR ACCESSIBLE DESIGN What is ADA A comprehensive civil rights law enacted by the Dep ... 208 BLK 34600.0005 DUAL TF DBC,120/208V FLK 34600.0006 DUAL TF DBC,120/208 BLK FLK 34600.0007 **38700.0002** DUAL TF DBC,120/208V 3 PHASE 34600.0008 38700.0003 DUAL TF DBC,120/208V 3PH FLK 3460...

lang:en score:22 filesize: 1.22 M page_count: 4 document date: 2012-03-16

lang:en score:20 filesize: 1.61 M page count: 5 document date: 2017-10-10



[pdf] Specifications

021 387000002 static katomcdn |||

AXIOM-15-3 3 Lower Warmers 16.8 x 22.1 x 16.3 42.7cm x 56.1cm x 41.4cm Adjusts automatically ... nt Servers not included unless otherwise noted Server s sold separately Specifications Product #: **38700.0002** Water Access: Plumbed Finish: Stainless Funnel: Black Plastic Faucet: Upper Agency: Warm...

lang:en score:19 filesize: 1.6 M page_count: 4 document date: 2019-07-19



[pdf] Catalog

BREWED COFFEE 2018 Brewed Coffee Equipment Catalog Subset v3 Web resource bunn library |||

BREWED COFFEE EQUIPMENT Selecting Your BUNN Beverage Equipment by the cup, carafe, gallon or litre ... IOM 15-3 Lower Warmers AXIOM 15-3 Upper Warmers Servers sold separately Product # 38700.0000 **38700.0002** 38700.0003 38700.0008 38700.0009 38700.0023 DESCRIPTION Model Pourover Feature Finish...

lang:en score:18 filesize: 4.54 M page_count: 24 document date: 2018-06-01



[pdf] Catalog

BREWED COFFEE Brewed Coffee Equipment Catalog resource bunn library |||

BREWED COFFEE EQUIPMENT Selecting Your BUNN Beverage Equipment by the cup, carafe, gallon or liter ... PAPER FILTER CAPACITY ELECTRICAL BUNN # 8oz cups/hr 236mL cups/hr Volts 20115.0000 67 120 **38700.0002** AXIOM-15-3 No Stainless Three Lower Black Plastic 16.80 16.50 21.40 20115.0000 67 1...

lang:en score:17 filesize: 2.15 M page_count: 28 document date: 2019-03-14



[pdf] Catalog

brewed coffee equipment catalog subset bunn 80 sites default files product lit s

BREWED COFFEE EQUIPMENT Selecting Your BUNN Beverage Equipment by the cup, carafe, gallon or litre ... h x Depth Inches BUNN # 8oz cups/hr 236mL cups/hr Volts 18.90 8.50 21.40 20115.0000 67 120 **38700.0002** AXIOM-15-3 No Stainless Three Lower Black Plastic 16.80 16.50 21.40 20115.0000 67 1...

lang:en score:17 filesize: 3.76 M page_count: 24 document date: 2016-05-04



[\[pdf\]](#) Catalog

2021 Brewed Coffee E Index of assets web s Equipment Catalog Web resource bunn |||

BREWED COFFEE EQUIPMENT Selecting Your BUNN Beverage Equipment by the cup, carafe, gallon or litre ... OMP-DV-3 AXIOM 15-3 Lower Warmers AXIOM 15-3 Upper Warmers DESCRIPTION Product # 38700.0000 **38700.0002** Model Pourover Feature Finish AXIOM-15-3 No Stainless AXIOM-15-3 No Stainless W...

lang:en **score:17** filesize: 3.61 M page_count: 28 document date: 2021-06-15



[\[pdf\]](#) Catalog

2020 Brewed Coffee Equipment Catalog Subset resource bunn assets web s BREWED COFFEE |||

BREWED COFFEE EQUIPMENT 1 Selecting Your BUNN Beverage Equipment by the cup, carafe, gallon or lit ... e Lower Funnel Type Black Plastic Dimensions Height x Width x Depth Inches 18.90 8.50 21.40 **38700.0002** AXIOM-15-3 No Stainless Three Lower Black Plastic 16.80 16.50 21.40 38700.0008 AXIOM...

lang:en **score:17** filesize: 19.76 M page_count: 28 document date: 2020-09-23



[\[pdf\]](#) Catalog

2020 EQUIPMENT CATALOG LATAM Catalog resource bunn library |||

LATIN AMERICA CATALOG 2020 EQUIPMENT CATALOG QUICK SERVE RESTAURANT COFFEE FULL SERVICE COFFEE ... 01 21.59 54.36 PAPER FILTER CAPACITY ELECTRICAL BUNN # 236mL cups/hr Volts 20115.0000 67 120 **38700.0002** AXIOM-15-3 NO STAINLESS THREE LOWER BLACK PLASTIC 42.67 41.91 54.36 20115.0000 67 12...

lang:i-klngon **score:15** filesize: 10.52 M page_count: 104 document date: 2020-03-11



[BUNN 2018 Mexico Edition Equipment Catalog](#)

Discover the comprehensive 2018 Mexico Edition Equipment Catalog from BUNN, showcasing a wide array of commercial beverage equipment, including coffee brewers, espresso machines, grinders, dispensers, and accessories designed for quality and efficiency.

lang:en **score:15** filesize: 15.36 M page_count: 96 document date: 2018-04-10



[\[pdf\] Catalog](#)

MEXICO CATALOG 2019 mexico catalog hyperlinks 1 29 19 web resource bunn library |||

BEST RESULT IN THE CUP™ MEXICO CATALOG M E X 1 QUICK SERVE RESTAURANT FULL SERVICE HEALTHCARE ... 01 21.59 54.36 PAPER FILTER CAPACITY ELECTRICAL BUNN # 236mL cups/hr Volts 20115.0000 67 120 **38700.0002** AXIOM-15-3 NO STAINLESS THREE LOWER BLACK PLASTIC 42.67 41.91 54.36 20115.0000 67 12...

lang:i-klnglon **score:14** filesize: 9.18 M page_count: 100 document date: 2019-01-29



[\[pdf\] Catalog](#)

2021 US Catalog 2 11 21 resource bunn library EQUIPMENT CATALOG BUNN 03 06 — Intuitive 4 3

touchscreen with user interface provides an enhanced experience when operating and programming the brewers The powerful duo of a |||

UNITED STATES CATALOG 2021 EQUIPMENT CATALOG 1/1 2019 Bunn-O-Matic Corporation QUICK SERVE RE ... OMP-DV-3 AXIOM 15-3 Lower Warmers AXIOM 15-3 Upper Warmers DESCRIPTION Product # 38700.0000 **38700.0002** Model Pourover Feature Finish AXIOM-15-3 No Stainless AXIOM-15-3 No Stainless W...

lang:i-klnglon **score:14** filesize: 13.32 M page_count: 112 document date: 2021-02-11



[\[pdf\]](#) Catalog

LATIN AMERICA CATALOG 2019 latam catalog hyperlinks1 29 19 web resource bunn library |||
 BEST RESULT IN THE CUPTM LATIN AMERICA CATALOG L A T 1 QUICK SERVE
 RESTAURANT COFFEE INFUSION SERI ... 01 21.59 54.36 PAPER FILTER
 CAPACITY ELECTRICAL BUNN # 236mL cups/hr Volts 20115.0000 67 120
38700.0002 AXIOM-15-3 NO STAINLESS THREE LOWER BLACK PLASTIC 42.67
 41.91 54.36 20115.0000 67 12...
 lang:i-klngon **score:14** filesize: 6.48 M page_count: 100 document date: 2019-07-02



[\[pdf\]](#) Catalog

100062579 Catalog townandcountryhardware ASSETS DOCUMENTS ITEMS EN |||
 1 QUALITY SINCE 1840TM Bunn-O-Matic Corporation can trace its foundation to
 1840 when Jacob Bunn o ... PAPER FILTER CAPACITY ELECTRICAL BUNN # 8oz
 cups/hr 236mL cups/hr Volts 20115.0000 67 120 **38700.0002** AXIOM-15-3 No
 Stainless Three Lower Black Plastic 16.80 16.50 21.40 20115.0000 67 1...
 lang:en **score:10** filesize: 16.72 M page_count: 96 document date: 2018-04-04