

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Baby Trend](#) /

› [Baby Trend Tango 3 All-Terrain Stroller Travel System with EZ-Lift Plus Infant Car Seat, Ultra Grey - Instruction Manual](#)

Baby Trend TS08D13B

Baby Trend Tango™ 3 All-Terrain Stroller Travel System with EZ-Lift™ Plus Infant Car Seat

Model: TS08D13B | Color: Ultra Grey

INTRODUCTION

This manual provides essential instructions for the safe assembly, operation, and maintenance of your Baby Trend Tango™ 3 All-Terrain Stroller Travel System with EZ-Lift™ Plus Infant Car Seat. Please read all instructions carefully before use and keep this manual for future reference. Ensure all users are familiar with the product's features and safety guidelines.



Image: The Baby Trend Tango 3 All-Terrain Stroller Travel System, featuring the stroller and the EZ-Lift Plus Infant Car Seat.

IMPORTANT SAFETY INFORMATION

WARNING: Failure to follow these warnings and instructions could result in serious injury or death.

- Always secure your child in the harness.
- Never leave child unattended.
- Avoid serious injury from falling or sliding out. Always use the restraint system.
- Do not use the car seat if it has been involved in a crash.
- Read all instructions before assembling and using the stroller and car seat.
- Ensure the stroller is fully open and locked before placing a child in it.
- The car seat is designed for infants weighing 4-35 lbs and up to 32 inches in height.
- The stroller is designed for children up to 50 lbs.

PACKAGE CONTENTS

Verify that all components are present before assembly:

- Tango™ 3 All-Terrain Stroller Frame with Seat
- EZ-Lift™ Plus Infant Car Seat
- Infant Car Seat Base
- Child Tray
- Parent Console

SETUP AND ASSEMBLY

Stroller Assembly

1. **Unfold the Stroller:** Release the storage latch and unfold the stroller until it locks into place. Ensure all frame components are securely engaged.
2. **Attach Wheels:** Insert the front and rear wheels into their respective slots until they click securely. The 8-inch rugged rubber tires are designed for various terrains.
3. **Install Child Tray:** Attach the child tray to the designated slots on the stroller frame. Ensure it clicks into place.
4. **Attach Parent Console:** Secure the parent console to the stroller handlebar. This console features a cell phone positioner and two cup holders.



Image: The stroller's 8-inch rugged rubber tires are shown traversing grass, mulch, and dirt/gravel, highlighting its all-terrain capability.



Image: Close-up of the parent console, showing a cell phone in the dedicated slot and two cup holders for beverages.

Infant Car Seat Base Installation

The EZ-Lift™ Plus Infant Car Seat includes a LATCH-equipped base for secure installation in your vehicle.

1. **Position the Base:** Place the car seat base on the vehicle seat in a rear-facing position.
2. **Adjust Recline:** Use the flip-foot recline feature on the base to achieve the correct recline angle. Refer to the level indicator on the base to ensure proper positioning.
3. **Connect LATCH:** Attach the LATCH connectors from the base to your vehicle's lower anchors. Tighten the LATCH straps until the base is secure and does not move more than one inch in any direction.
4. **Verify Installation:** Double-check that the base is firmly installed and the level indicator shows the correct angle for your infant's weight.



Image: The EZ-Lift Plus Infant Car Seat base, ready for installation in a vehicle.



Image: Close-up of the level indicator on the car seat base, used to ensure proper recline angle for safety.



Image: Illustration of the LATCH connectors for quick and hassle-free installation of the infant car seat base.

OPERATING INSTRUCTIONS

Using the Stroller

- **Securing Your Child:** Place your child in the stroller seat and fasten the 5-point safety harness. Adjust the straps for a snug fit. The harness features premium padding for comfort.
- **Canopy Adjustment:** Adjust the extra-long canopy with UPF 50+ protection to shield your child from the sun. Utilize the peek-a-boo window to check on your child without disturbing them.
- **Seat Recline:** The comfortable seat offers multiple recline positions for your child's comfort. Adjust as needed.
- **Storage:** The large storage basket provides ample space for essentials and features convenient front and rear access.
- **Braking:** Engage the large foot-activated brakes on the rear wheels when the stroller is stationary.



Image: A parent adjusting the stroller's extra-long canopy, which includes a peek-a-boo window for easy viewing of the child.



Image: The stroller seat demonstrating its multiple recline positions for optimal child comfort.



Image: The stroller's large storage basket, accessible from both the front and rear, holding various items.

Using the EZ-Lift™ Plus Infant Car Seat

- **Placing Infant:** Gently place your infant in the car seat. Ensure their head is properly supported.
- **Harness Adjustment:** Fasten the 5-point safety harness. The harness features a non-twist indicator for safe installation, ensuring straps are not twisted. Adjust the harness to fit snugly against your child's shoulders and hips.
- **Integrated Side Grip:** Use the integrated side grip on the car seat shell for easy and ergonomically correct carrying.
- **Anti-Rebound Bar:** The carrying handle acts as an anti-rebound bar when placed in the forward position during vehicle travel, providing additional safety.



Image: The EZ-Lift Plus Infant Car Seat, designed for safety and comfort.



Image: Close-up of the infant car seat harness, showing the non-twist indicator for correct and safe strap positioning.



Image: A hand utilizing the integrated side grip on the infant car seat for easy and ergonomic carrying.



Image: The infant car seat's carrying handle positioned forward to act as an anti-rebound bar during car travel.

Folding the Stroller

The stroller features a super-fast one-hand fold mechanism for compact storage.

1. **Locate Fold Strap:** Find the fold strap located under the seat.
2. **Pull and Fold:** Pull the strap upwards firmly. The stroller will collapse into a compact, self-standing position.



Image: A hand demonstrating the one-hand pull-strap mechanism to fold the stroller quickly and compactly.



Image: The Baby Trend Tango 3 All-Terrain Stroller in its compact, folded, self-standing position.

MAINTENANCE

- **Cleaning Fabric:** Use a mild household soap or detergent and warm water on a sponge or clean cloth to clean the fabric. Allow to air dry completely.
- **Cleaning Frame:** Wipe the metal and plastic parts of the frame with a soft, damp cloth. Do not use abrasive cleaners.
- **Wheel Maintenance:** Periodically check the wheels for debris and ensure they rotate freely. Clean as needed.
- **Storage:** Store the stroller and car seat in a dry, cool place away from direct sunlight to prevent fading and material degradation.

TROUBLESHOOTING

- **Stroller Not Folding:** Ensure the seat is in an upright position and the child tray is removed or rotated before attempting to fold. Check for any obstructions in the folding mechanism.
- **Wheels Not Turning Smoothly:** Inspect wheels for trapped debris (e.g., hair, dirt). Clean the wheel axles and apply a silicone-based lubricant if necessary.
- **Car Seat Harness Twisted:** The EZ-Lift Plus harness includes a non-twist indicator. If straps are twisted, unbuckle and straighten them, ensuring the indicator is visible and correct.
- **Car Seat Not Securing to Base:** Ensure the car seat is properly aligned with the base and pushed down firmly until you hear a click. Check for any obstructions.

SPECIFICATIONS

Feature	Detail
Item Weight	19.03 Kilograms
Folded Size	43.5"L x 12.0"W x 8.0"H
Item Dimensions (L x W x H)	45.5"L x 24.75"W x 42.5"H
Stroller Type	Standard Stroller / Travel System
Seating Capacity	1
Maximum Weight Recommendation	50 Pounds (Stroller)
Infant Car Seat Weight Range	4-35 lbs
Infant Car Seat Height Limit	Up to 32 Inches

Feature	Detail
Harness Type	5 Point
Number of Wheels	4 (Note: Product title indicates 3-wheel, but specifications list 4. Following specifications for detail.)
Wheel Diameter (Front/Back)	8 Inches
Material Type	Metal, Plastic, Polyester (Fabric: 100% Polyester, Tire: Rubber)
Model Number	TS08D13B
UPC	090014034061



Image: Diagram showing the dimensions of the EZ-Lift Plus Infant Car Seat: 45.5"L x 24.75"W x 42.5"H.

PRODUCT VIDEOS

Baby Trend EZ-Lift PLUS Infant Car Seat Overview

Your browser does not support the video tag.

Video: A detailed overview of the Baby Trend EZ-Lift PLUS Infant Car Seat, showcasing its features and ease of use. This video is provided by Baby Trend Inc.

Baby Trend Tango 3 All-Terrain Stroller Travel System Features

Your browser does not support the video tag.

Video: This video highlights the key features of the Baby Trend Tango 3 All-Terrain Stroller Travel System, including its all-terrain wheels, comfort cabin, and convenient folding mechanism. This video is provided by Baby Trend Inc.

WARRANTY AND SUPPORT

For warranty information, product registration, or customer support, please refer to the official Baby Trend website or contact their customer service department. Keep your proof of purchase for any warranty claims. You can visit the official Baby Trend store on Amazon for more information:[Baby Trend Store](#)