Lamicall BP09-US-B

Lamicall Motorcycle Phone Mount Holder BP09-US-B Instruction Manual

Model: BP09-US-B | Brand: Lamicall

Introduction

The Lamicall Motorcycle Phone Mount Holder (Model BP09-US-B) is designed to securely hold your smartphone on various handlebars, including those of motorcycles, bicycles, electric scooters, strollers, shopping carts, indoor bikes, and treadmills. Its robust design ensures your device remains stable and accessible during your rides. Key features include a quick 1-second lock and release mechanism, a camera-friendly design, and 360-degree rotation for optimal viewing.



Image: The Lamicall Motorcycle Phone Mount Holder securely attached to a motorcycle handlebar, displaying a smartphone.

What's in the Box

Upon opening the package, you will find the following components:

- Lamicall Phone Clip (main holder unit)
- Handlebar Clamp with Ball Joint
- User Manual

Your browser does not support the video tag.

Video: An official Lamicall video demonstrating the unboxing and initial setup of the phone mount, highlighting the 1-second lock and release feature.

Setup and Installation

Follow these steps to install your Lamicall Phone Mount Holder:

1. **Attach the Phone Clip to the Handlebar Clamp:** Loosen the knob on the handlebar clamp. Insert the ball joint of the clamp into the socket on the back of the phone clip. Tighten the knob to secure the connection.
2. **Install the Handlebar Clamp:** Press the button on the handlebar clamp to open it. Position the clamp around your desired handlebar location. The clamp is suitable for handlebar diameters between 0.59 - 1.57 inches (15 - 40mm).
3. **Secure the Clamp:** Once positioned, release the button and tighten the screw on the clamp to firmly grip the handlebar. Ensure it is tight enough to prevent movement during your ride.




Image: Step 1 - Pressing the button to open the handlebar clamp for installation.



Image: Step 2 - Adjusting the clamp to fit the handlebar diameter.




Image: Step 3 - Tightening the screw to firmly secure the mount on the handlebar.

Operating Instructions

The Lamicall Phone Mount is designed for ease of use and secure phone handling:

- **1-Second Lock & Release:** To insert your phone, turn the knob counterclockwise to enlarge the phone clip's width. Place your phone into the clip, then turn the knob clockwise to grip your phone. Finally, push the safety lock upwards to firmly secure your phone. To release, push the safety lock downwards and turn the knob counterclockwise.
- **360° Rotation:** The mount features a 360-degree rotating ball joint, allowing you to adjust your phone to horizontal or vertical viewing angles as needed during your ride.
- **Camera Friendly Design:** The half-enclosure design ensures your phone's camera remains unobstructed, allowing for photo and video recording while cycling.
- **Secure Grip:** All-around rubber pads on the phone clip protect your phone from scratches and prevent slipping. The high-quality handlebar clip holds the bar tightly, keeping your phone safe and steady even on bumpy roads.



Image: Demonstrating the 1-second lock and release feature for quick phone mounting.



Image: The adjustable width feature of the phone mount to accommodate different phone sizes.




Image: The mount's design ensures the phone's camera is not blocked, allowing for recording.

Compatibility

This motorcycle phone holder is compatible with a wide range of smartphones, fitting devices with widths between 2.3 and 3.54 inches (60-90mm). The maximum thickness the phone clip can hold is 0.59 inches (15mm).

Compatible phone models include, but are not limited to:

- **iPhone:** iPhone 17, iPhone Air, iPhone 17 Pro, iPhone 17 Pro Max, iPhone 16, iPhone 16 Plus, iPhone 16 Pro, iPhone 16 Pro Max, 15/ 14/ 13/ 12/ 11 Pro Max, Pro, Mini, iPhone 16/ 15/ 14 Plus, iPhone Xs Max, Xs, XR, X, iPhone SE, 8 Plus, 8, 7 Plus, 7, 6S Plus, 6S, SE, 6.
- **Samsung Galaxy:** S25 Ultra, S24 Ultra, S23 Ultra, S23+, S23, S22, S21, S20, S10e, S10+, S10, S9+, S9, S8+, S8, S7 Edge, M20, J3 Pro, J3, E5, Core Max, C9 Pro, C8, C7 Pro, C7, C5 Pro, C5, A9s, A9 Star, A9, A8s, A8, A70, A7, A6s, A60, A50, A40S, A10, On7.
- **LG:** G8, G7, V60, V50 ThinQ, V40 ThinQ, V30, V20, G6, G8s ThinQ, W10, V30s+, G4 One, V30s, Q60, W30, Stylo 4, X Power, Q6+, K40, Q7, X300, Stylo 3, K8, Q7 Plus, X2, Aristo, Q7α, Q8, G5, V30 Plus, G5 SE, Stylus 2 Plus, Q6, Q6α, X Venture, X400, K10, G6+, X Screen.

- **Google Pixel:** 7, 6, 5, 4, 3 XL, 2 XL, 3a, 3a XL, 3 Lite.
- **Other:** ZTE Axon 7 mini P9 P8, HTC One M9, M8, M7, Nexus 6, 6P, 5, 4, BlackBerry, and more.

Specifications

Feature	Detail
Brand	Lamicall
Model	BP09-US-B
Item Weight	6.3 ounces
Package Dimensions	6.5 x 4.09 x 2.4 inches
Mounting Type	Handlebar
Compatible Devices	Smartphones (4.7-7" wide, max 0.59" thickness)
Special Features	1s Lock & Release, Easy Installation, No Block Camera, One-Hand Operation, Wide Compatibility

Maintenance

To ensure the longevity and optimal performance of your Lamicall Phone Mount Holder, follow these simple maintenance guidelines:

- **Cleaning:** Wipe the mount regularly with a soft, damp cloth to remove dust and grime. Avoid using harsh chemicals or abrasive cleaners, as these can damage the materials.
- **Inspection:** Periodically check all screws and connections to ensure they are tight and secure. If any part feels loose, tighten it gently.
- **Rubber Pads:** Inspect the rubber pads on the phone clip for any signs of wear or damage. These pads are crucial for protecting your phone and maintaining a secure grip. Replace the mount if the pads are significantly worn.
- **Storage:** When not in use for extended periods, store the mount in a cool, dry place away from direct sunlight to prevent material degradation.

Troubleshooting

If you encounter any issues with your Lamicall Phone Mount Holder, consider the following troubleshooting tips:

- **Mount is Loose on Handlebar:** Ensure the handlebar clamp screw is fully tightened. Verify that the handlebar diameter is within the compatible range (0.59 - 1.57 inches).
- **Phone is Not Secure in Clip:** Make sure the width adjustment knob is turned clockwise to firmly grip the phone. Confirm that the safety lock is pushed upwards. Check that your phone's width and thickness are within the specified compatibility range.
- **Phone Camera is Blocked:** The mount features a half-enclosure design to prevent camera obstruction. If your camera is blocked, ensure your phone is centered correctly within the clip.
- **Difficulty Adjusting Angle:** Loosen the ball joint knob slightly to adjust the viewing angle, then re-tighten it to secure the position.

If problems persist, please contact Lamicall customer support for further assistance.

Warranty and Support

Lamicall products typically come with a manufacturer's warranty covering defects in materials and workmanship. For specific warranty details, including coverage period and terms, please refer to the warranty card included with your product or visit the official Lamicall website.

For customer support, technical assistance, or to inquire about replacement parts, please contact LamicallDirect, the seller, through their official channels. Keep your purchase receipt or order number handy for faster service.

Seller: LamicallDirect

For more information, visit the Lamicall Store.

© 2023 Lamicall. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question