nania 8056660335

NANIA ISOFIX RACER Car Seat Instruction Manual

Model: 8056660335

Introduction

Thank you for choosing the NANIA ISOFIX RACER Car Seat. This manual provides essential information for the correct installation, use, and maintenance of your car seat. Please read it thoroughly before first use and keep it for future reference. This car seat is designed for children weighing 9 to 36 kg (Group 1/2/3) and is approved according to ECE R44/04 standards. It is manufactured and tested in France, ensuring high quality and safety.

Safety Information

Your child's safety is paramount. Always adhere to the following safety guidelines:

- Ensure the car seat is correctly installed using the ISOFIX anchors and, if applicable, the vehicle's seat belt.
- The car seat must only be installed forward-facing in the rear of the vehicle.
- Always secure your child with the 5-point harness for children weighing 9 to 18 kg. For children above 18 kg, use the vehicle's 3-point seat belt in conjunction with the car seat.
- Never leave your child unattended in the car seat.
- Do not modify the car seat in any way. Any modifications can compromise its safety.
- In case of an accident, even a minor one, the car seat should be replaced as its structural integrity may be compromised.
- Ensure the headrest is adjusted to the correct height for your child, providing optimal head and neck protection.
- The car seat offers good side impact protection.

Product Overview

The NANIA ISOFIX RACER Car Seat is designed to grow with your child, offering safety and comfort from 9 to 36 kg.



Figure 1: Overview of the NANIA ISOFIX RACER Car Seat highlighting its adjustable headrest (4 positions), ISOFIX attachment points, Top Tether compatibility, and side protection features. This design ensures adaptability and enhanced safety for growing children.

Key features include:

- **ISOFIX System:** For secure and easy installation in compatible vehicles.
- **5-Point Harness:** For children from 9 to 18 kg, ensuring a snug and safe fit.
- **Adjustable Headrest:** Adapts to the child's morphology, providing optimal head and neck support.
- **Side Impact Protection:** Enhanced safety in the event of a side collision.
- **Removable and Washable Cover:** For easy maintenance and hygiene.

Setup and Installation

Proper installation is crucial for the safety of your child. Follow these steps carefully:

1. **Prepare the Car Seat:** Ensure the car seat is in its upright position. Locate the ISOFIX connectors at the base of the car seat.
2. **Extend ISOFIX Connectors:** Pull the red lever at the front of the car seat to extend the ISOFIX bars. You may need to press the red buttons on the ISOFIX connectors to release any protective covers.
3. **Locate Vehicle ISOFIX Anchors:** Identify the ISOFIX anchor points in your vehicle's rear seat. These are typically marked with an ISOFIX symbol.
4. **Attach Car Seat:** Align the car seat's ISOFIX connectors with the vehicle's anchor points and push firmly until you hear an audible "click" on both sides. This indicates a secure connection. Check the indicators on the ISOFIX connectors; they should turn green.
5. **Push Car Seat Firmly:** Push the car seat firmly against the vehicle's seat back to ensure a tight fit.
6. **Top Tether (if applicable):** If your vehicle and car seat support a Top Tether, attach the Top Tether strap to the designated anchor point in your vehicle and tighten it according to your vehicle's manual.
7. **Final Check:** Gently pull on the car seat to ensure it is securely installed and does not move excessively.



Figure 2: Side view of the NANIA ISOFIX RACER Car Seat, illustrating the extended ISOFIX connectors ready for installation. Proper engagement of these connectors with the vehicle's anchor points is essential for a secure fit.

Operating Instructions

The NANIA ISOFIX RACER Car Seat adapts to your child's growth.



Figure 3: Usage guidelines for the NANIA ISOFIX RACER Car Seat, demonstrating the appropriate configuration for different weight groups. From 9-18 kg, the child uses the integrated 5-point harness. For 15-25 kg and 22-36 kg, the child is secured using the vehicle's 3-point seat belt, with the car seat acting as a booster.

For Children 9-18 kg (Group 1):

- Use the integrated 5-point harness system.
- Adjust the shoulder straps to be at or just above your child's shoulders.
- Ensure the harness is snug, with no slack, but not too tight to cause discomfort.
- Adjust the headrest so that it is at the correct height for your child's head.

For Children 15-36 kg (Group 2/3):

- Remove the 5-point harness system (refer to the specific instructions for harness removal, usually found in a detailed manual).

- Secure your child using the vehicle's 3-point seat belt.
- Ensure the lap belt is low across the hips, touching the tops of the thighs.
- The shoulder belt should cross the center of the child's shoulder and chest, not touching the neck or falling off the shoulder.
- Adjust the headrest to ensure the vehicle's seat belt is correctly positioned over the child's shoulder.

Headrest Adjustment:

The headrest is adjustable in multiple positions to accommodate your child's height. To adjust, locate the adjustment lever (usually at the back or top of the headrest) and raise or lower the headrest until it is at the appropriate height for your child.

Maintenance

Regular maintenance ensures the longevity and hygiene of your car seat.

- **Cleaning the Cover:** The cushion cover is removable and washable by hand. Use mild soap and cold water. Do not machine wash, tumble dry, or iron, as this may damage the fabric or fire-retardant properties.
- **Cleaning the Frame:** Wipe the plastic and metal parts of the car seat frame with a damp cloth and mild soap. Do not use abrasive cleaners or solvents.
- **Harness Care:** Inspect the harness straps regularly for any signs of wear or damage. Clean the harness straps with a damp cloth. Do not immerse the buckle in water.
- **Storage:** When not in use, store the car seat in a cool, dry place away from direct sunlight.

Troubleshooting

If you encounter any issues with your NANIA ISOFIX RACER Car Seat, refer to the following common solutions:

Problem	Possible Cause	Solution
Car seat feels loose after installation.	ISOFIX connectors not fully engaged or not pushed firmly against the vehicle seat.	Ensure both ISOFIX connectors click into place and indicators turn green. Push the car seat firmly towards the vehicle's seat back. Check Top Tether if applicable.
Harness is difficult to tighten or loosen.	Harness straps may be twisted or buckle mechanism is obstructed.	Untwist any harness straps. Ensure no clothing or debris is blocking the buckle. Refer to the detailed manual for harness adjustment.
Headrest does not adjust smoothly.	Mechanism may be stiff or obstructed.	Ensure no fabric or debris is caught in the adjustment mechanism. Apply gentle, even pressure when adjusting.
Cannot remove protective covers from ISOFIX bars.	Incorrect method of removal.	Pull the red lever at the front to extend the bars, then press the red clicks/buttons along the bars to release the covers.

If the problem persists, please contact NANIA customer support or your retailer.

Specifications

Feature	Detail
Product Name	NANIA ISOFIX RACER Car Seat
Model Number	8056660335
Approval Standard	ECE R44/04
Weight Group	Group 1/2/3 (9-36 kg)
Minimum Recommended Weight	9 kg
Maximum Supported Weight	36 kg
Installation Type	ISOFIX (Forward-facing only)
Dimensions (L x W x H)	43 x 47 x 67 cm
Item Weight	5.86 kg
Color	Black
Manufacturer	Teamtex
Country of Manufacture	France



Figure 4: Dimensional drawing of the NANIA ISOFIX RACER Car Seat, showing its length (43 cm), width (47 cm), and height (67 cm), along with its weight (6 kg). These measurements are crucial for verifying compatibility with your vehicle.

Warranty and Support

For warranty information, please refer to the documentation provided at the time of purchase or contact your retailer. NANIA products are manufactured with high standards, and any manufacturing defects are typically covered under a standard warranty period.

For technical support, spare parts, or further assistance, please contact the manufacturer, Teamtex, or your local NANIA distributor. Contact details can usually be found on the product packaging or the official NANIA website.

Important: Always use original NANIA spare parts and accessories to ensure the continued safety and performance of your car seat.

© 2024 NANIA. All rights reserved.
Manufactured by Teamtex, France.