

Candy FIDCP X200

Candy Idea FIDCP X200 Static Oven User Manual

Model: FIDCP X200 | Brand: Candy

1. INTRODUCTION

Welcome to the user manual for your new Candy Idea FIDCP X200 Static Oven. This appliance is designed to provide efficient and reliable cooking performance for your home. With a generous 70-liter capacity, mechanical controls, and an innovative Aquactiva cleaning system, this oven offers simplicity and functionality. Please read this manual carefully before using the oven to ensure safe operation, optimal performance, and proper maintenance. This manual contains important information regarding installation, operation, cleaning, and troubleshooting. Keep it in a safe place for future reference.

2. SAFETY INFORMATION

Your safety and the safety of others are paramount. This section outlines important safety precautions to follow when using your oven.

- **Electrical Safety:** Ensure the oven is properly grounded. Do not use extension cords. Disconnect power before servicing.
- **Hot Surfaces:** The oven interior and exterior surfaces can become very hot during operation. Always use oven mitts when handling hot items or touching hot surfaces. Keep children and pets away from the oven during use.
- **Ventilation:** Ensure adequate ventilation around the oven as per installation instructions. Do not block ventilation openings.
- **Cleaning:** Always allow the oven to cool completely before cleaning. Use only recommended cleaning agents and methods.
- **Supervision:** Never leave the oven unattended while in use, especially when cooking with oil or fat.
- **Proper Use:** Use the oven only for its intended purpose of cooking food. Do not use it for heating rooms or drying clothes.
- **Door Safety:** The oven features a double glass door with radial cooling to prevent the exterior from overheating. However, exercise caution when opening the door as hot steam may escape.

3. PRODUCT OVERVIEW

The Candy Idea FIDCP X200 oven features a sleek stainless steel and black design, with intuitive mechanical controls for ease of use.



Figure 3.1: Front view of the Candy Idea FIDCP X200 Static Oven. This image shows the oven's exterior, highlighting the stainless steel control panel with two mechanical knobs and the black glass door. The interior features a rack and a tray.

Components and Controls:

- **Control Panel:** Located at the top, featuring two mechanical knobs.
- **Function Selector Knob:** Used to select one of the four cooking functions.
- **Temperature Selector Knob:** Used to set the desired cooking temperature.
- **Oven Cavity:** 70-liter capacity, designed for various cooking needs.
- **Oven Door:** Double glass construction with a stainless steel handle, designed for safety and heat retention.
- **Accessories:** Includes 1 baking tray and 1 wire rack.



Figure 3.2: The oven's design emphasizes easy and intuitive cooking, featuring simple mechanical controls.

4. INSTALLATION

Proper installation is crucial for the safe and efficient operation of your oven. It is recommended that installation be performed by a qualified technician.

Dimensions and Integration:

- **Oven Dimensions (H x W x D):** 59.5 cm x 59.5 cm x 56.8 cm
- **Integration Niche Dimensions (H x W x D):** 59 cm x 56 cm x 56 cm
- **Weight:** Approximately 24.2 kg




Figure 4.1: Detailed technical diagram illustrating the oven's dimensions and the required integration niche measurements for proper installation. Consult the cooktop manufacturer's installation guide for adequate clearances.

Electrical Connection:

The oven operates on an electrical power supply with a wattage of 2400 watts. Ensure the electrical installation meets local regulations and the oven's power requirements. The oven comes with an electrical cable.

5. OPERATING INSTRUCTIONS

Your Candy oven is designed for simple and quick configuration.

First Use:

- Before first use, remove all packaging materials and accessories from the oven cavity.
- Clean the interior of the oven with a damp cloth.
- Heat the empty oven at maximum temperature for approximately 30 minutes to burn off any manufacturing residues. Ensure the room is well-ventilated during this process.

Setting Cooking Functions and Temperature:

1. **Select Function:** Use the left mechanical knob (Function Selector) to choose one of the four available cooking functions. These typically include:
 - Conventional (Top and Bottom Heat)
 - Grill
 - Bottom Heat
 - Light (for illumination without heat)
2. **Set Temperature:** Use the right mechanical knob (Temperature Selector) to set the desired cooking temperature. The temperature range is typically from 50°C to 250°C.
3. **Preheating:** For best results, preheat the oven to the desired temperature before placing food inside. The oven indicator light will turn off when the set temperature is reached.
4. **Cooking:** Place food in the oven using the provided tray or rack. Monitor cooking progress through the oven door.
5. **Ending Cooking:** Once cooking is complete, turn both knobs to the "OFF" position.

6. CLEANING AND MAINTENANCE

Regular cleaning and maintenance will ensure the longevity and optimal performance of your Candy oven.

Aquactiva Cleaning System:

The Aquactiva system uses steam action to easily remove grease deposits from the oven cavity.

1. Ensure the oven is cool.
2. Pour 300 ml of distilled water into the bottom of the oven cavity.
3. Set the oven to the Aquactiva function (if available, otherwise use a low heat setting like 90°C) and heat for 30 minutes.
4. Once the cycle is complete, allow the oven to cool down completely.

5. Wipe away any remaining residue with a damp cloth or sponge.



Figure 6.1: Key features of the Candy oven, including its 70-liter capacity, Aquactiva cleaning system, and durable construction.

General Cleaning:

- **Exterior:** Clean the exterior surfaces with a soft, damp cloth and mild detergent. Avoid abrasive cleaners.
- **Door Glass:** Clean the inner and outer glass panels with a glass cleaner or warm soapy water.
- **Accessories:** The baking tray and wire rack can be washed with warm soapy water or in a dishwasher.



Figure 6.2: The oven is constructed with high-quality, strong, and resistant materials to ensure greater durability.

7. TROUBLESHOOTING

Before contacting customer service, please refer to the following common issues and their potential solutions.

Problem	Possible Cause	Solution
Oven does not heat up.	No power supply; Function/temperature knobs not set correctly.	Check power connection and circuit breaker. Ensure both knobs are set to a cooking function and temperature.
Oven light does not work.	Light bulb is faulty.	Replace the oven light bulb (ensure oven is cool and disconnected from power).
Food not cooking evenly.	Incorrect temperature/function; Overcrowding the oven; Improper rack position.	Verify settings. Avoid overcrowding. Use the recommended rack position for your dish.
Excessive smoke during cooking.	Food spills or grease residue inside the oven.	Clean the oven thoroughly, especially after cooking greasy foods.


8. SPECIFICATIONS

Feature	Detail
Brand	Candy
Model Number	FIDCP X200
Type	Static Electric Oven
Capacity	70 Liters
Wattage	2400 Watts
Product Dimensions (H x W x D)	59.5 cm x 59.5 cm x 56.8 cm
Integration Niche Dimensions (H x W x D)	59 cm x 56 cm x 56 cm
Weight	24.2 kg
Control Type	Mechanical Knobs
Number of Functions	4
Cleaning System	Aquactiva (Steam)
Door Type	Double Glass with Radial Cooling

Ficha de producto de conformidad con el Reglamento Delegado (UE) N° 65/2014 y 66/2014	
Identificador del modelo	FIDCP X200
Nombre del proveedor o marca comercial	Candy
Método de instalación	Encastable
Product Line	Hornos
Peso neto (kg)	24,2
Índice de eficiencia energética, EEE Cav 1	86,2
Índice de eficiencia energética, EEE Cav 2	
Clase de eficiencia energética - cavidad 1	A
Clase de eficiencia energética - cavidad 2	A
Consumo energético convencional (kWh) - cavidad 1	0,80
Consumo energético en modo tradicional (kWh) - cavidad 2	0,80
Consumo energético en circulación forzada (kWh) - cavidad 1	0,80
Consumo energético en circulación forzada (kWh) - cavidad 2	0,80
Material de horno	1
Fuente de energía	Eléctrica
Modelo estándar - cavidad 1	
Volumen (D) - cavidad 1	70
Volumen (D) - cavidad 2	

[pdf]

EU Product Fiche AT HORNO CANDY FIDCP X200 CONVENCIONAL 4F A 70L AQUACTIVA comercialprieto WebRoot Store Shops ComercialPrieto 65D8 9DFA
Ficha de producto de conformidad con el Reglamento Delegado UE N 65/2014 y 66/2014 Identificador del modelo **FIDCP X200** Norr
Hornos Peso neto kg : 24,2 ndice de eficiencia energtica, EEI Cav 1:....
lang:es score:36 filesize: 75.74 K page_count: 2 document date: 2024-02-22



[pdf] Label

EU Energy LabelAT HORNO CANDY FIDCP X200 CONVENCIONAL 4F A 70L AQUACTIVAEU Labelcomercialprieto WebRoot Store Shops ComercialPrieto 65D8 9DFA
Candy **FIDCP X200** 0.80 70 ...
lang:es score:34 filesize: 144.58 K page_count: 1 document date: 2024-05-28

Ficha de producto de conformidad con el Reglamento Delegado (UE) N° 65/2014 y 66/2014	
Identificador del modelo	FIDCP X200
Nombre del proveedor o marca comercial	Candy
Método de instalación	Encastable
Product Line	Hornos
Peso neto (kg)	24,2
Índice de eficiencia energética, EEE Cav 1	86,2
Índice de eficiencia energética, EEE Cav 2	
Clase de eficiencia energética - cavidad 1	A
Clase de eficiencia energética - cavidad 2	
Consumo energético convencional (kWh) - cavidad 1	0,80
Consumo energético en modo tradicional (kWh) - cavidad 2	
Consumo energético en circulación forzada (kWh) - cavidad 1	
Consumo energético en circulación forzada (kWh) - cavidad 2	
Material de horno	1
Fuente de energía	Eléctrica
Modelo estándar - cavidad 1	
Volumen (D) - cavidad 1	70
Volumen (D) - cavidad 2	

[pdf]

Identificador del modelo FIDCP X200 Iecsat 7 часов назад — Nombre proveedor o marca comercial Candy M Built in Free standing Encastable Product Line Hon
Ficha de producto de conformidad con el Reglamento Delegado UE N 65/2014 y 66/2014 Identificador del modelo **FIDCP X200** Norr
Hornos Peso neto kg : 24,2 ndice de eficiencia energtica, EEI Cav 1:....
lang:es score:34 filesize: 75.71 K page_count: 2 document date: 2025-03-18

	
CARACTERÍSTICAS TÉCNICAS	
Identificador del modelo / Código	FIDCP X200
Características	Características
Código de producto	6551002
Código EAN	8058502000000
Tipo de horno	Convencional
Consumo energético	0,80 kWh
Sistema de limpieza integrable	AquaClean
Capacidad (litros) - cavidad 1	70
CARACTERÍSTICAS TÉCNICAS	
Construcción	Integrable
Apertura	Apertura
Tecnología	Tecnología
Tipo de limpieza	Tipo de limpieza
Revestimiento interior	Revestimiento interior
Grado de horno	Grado de horno
Garantía	Garantía
Refugio	Refugio
Accesorios incluidos	Accesorios incluidos
PROGRAMAS Y FUNCIONES	
Tipo de horno de acero	Tipo de horno de acero

[pdf]

Ficha técnica Candy Idea FIDCP X200 70 L A Acero inoxidable Kipmion Tecnología mmo 109237369 1678049288 9078 641870 objects icecat biz |||
Hornos **FIDCP X200** Nombre del producto / Cdigo Comercial Cdigo de producto Cdigo EAN Tipo de horno Consumo energtico Siste
Tipo de regulador Rustepollos motorizado Guas del horno Bandeja Rejillas Accesorios ...
lang:es score:33 filesize: 64.99 K page_count: 2 document date: 2023-03-05




[pdf]

leaflet AT HORNO CANDY FIDCP X200 CONVENCIONAL 4F A 70L AQUACTIVA comercialprieto WebRoot Store Shops ComercialPrieto 65D8 9DFA 352E E984 Hornos **FIDCP X200** Reciclabilidad del producto Material reciclado en el producto Tierra extraa en el producto, contiene al menos m Posibilidad de reutilizar el embalaje Nombre del producto Cdigo de producto... lang:es score:32 filesize: 65 K page_count: 3 document date: 2024-02-22




[pdf] User Manual

MANUAL DE INSTRUCCIONES FIDCPX200 Horno Candy Convencional eTendencias Electrodomésticos etendencias productos descargar 010101IA011AB2178i Hornos **FIDCP X200** Nombre del producto / Cdigo Comercial Cdigo de producto Cdigo EAN Tipo de horno Consumo energtico Siste Tipo de regulador Rustepollos motorizado Guas del horno Bandeja Rejillas Accesorios ... lang:es score:32 filesize: 64.43 K page_count: 2 document date: 2023-05-25




Informacijski list proizvoda Cloudfront netCandy Identifikacijska oznaka modela FIDCP X200 Broj prostora za pečenje 1 Prostor Indeks energetske učinkovitosti 95 III Informacijski list proizvoda Delegirana uredba EU 65/2014 Ime ili zastitni znak dobavljača Identif ... da s ventilacijom Izvor topline Za kWh - kWh Elektricna energija 70 litara EPREL registration number: 1268393... lang:it score:30 filesize: 54.58 K page_count: 1 document date: 2024-05-28



[pdf]

manual AT HORNO CANDY FIDCP X200 CONVENCIONAL 4F A 70L AQUACTIVA comercialprieto WebRoot Store Shops ComercialPrieto 65D8 9DFA 352E E98 User Instructions OVENS EN 2 Mode d'emploi FOURS FR 14 Istruzioni per l'uso Forni IT 26 Bedienungsanleitung OFEN DE 18 Instrucciones de uso Fornos ES 30 Handleiding Forno NL 62 Instruções para o utilizador Fornos PT 74 Instrukcje użytkownika PIEKARNIKI PL 86 Candy HOOVER GROUP Via Comolli... lang:en score:23 filesize: 1.54 M page_count: 101 document date: 2022-06-16



[pdf] Specifications Declaration of Conformity

PN TYPE CHG EU DoC Caterina Sala Technopolis FIDCP X625 L 33703582 Candy X200 33703583 FIDC N615 1 33703586 N602IT 33704077 X605IT 33704078 bWfZdGVyHJv63R8MJM3ODgzfGFwcGxpY2F0aW9uL3BkZnRhRFJpTDJneFlpODBOekxxTmnd09UZ3pNaIEzT0M5R1NVUkRVQ0JZTmJmVRDNXdAR1l8MWI attachment true TechnopolisPN PraktikerFIDCP FMCIDC FIDC X502 33704022 X605 CA 33704050 FMCIDC N602 B602ITFIDCP X625LDOC 624919api trues3 p CONFORMITY No. CBIOV240016 rev. D Product Description: Brand: Model: Type: Part number: Made in: Manufacturer Name: Address: Website: Built-in electric EU DECLARATION OF CONFORMITY No. CBIOV240016 rev. D Product Description: Brand: Model: Type: Part n ... del FCM855B f X625 L **FIDCP X200** FIDC N615/1 FCM825NRL FCM925NRL FCM955NRL FCM825NR FCM825XRL OCI X602 FIDC B625 L FIDC lang:en score:23 filesize: 232.31 K page_count: 5 document date: 2024-10-02


Ficha de producto de conformidad con el Reglamento Delegado (UE) N° 65/2014 y 66/2014	
Identificador del modelo	FIDCP X200
Nombre del proveedor o marca comercial	Candy
Alt./Anch./Prof. (mm)	Escudadora
Protección LPIV	Norma
Peso neto (kg)	24,2
Índice de eficiencia energética, EEE (Clase 1)	A
Índice de eficiencia energética, EEE (Clase 2)	A
Clase de eficiencia energética - cantidad 1	A
Clase de eficiencia energética - cantidad 2	A
Energía consumida convencional (kWh) - cantidad 1	0,00
Consumo energético en modo tradicional (kWh) - cantidad 2	0,00
Consumo energético en circulación forzada (kWh) - cantidad 1	0,00
Consumo energético en circulación forzada (kWh) - cantidad 2	0,00
Indicador de ruido	1
Peso de montaje	desdoblado
Indicador de ruido - cantidad 1	1
Volumen (D) - cantidad 1	70
Volumen (D) - cantidad 2	

[pdf]

00104740804168 5 sgfm elcorteingles es SGFM dctm MEDIA03 202209 15 |||

Ficha de producto de conformidad con el Reglamento Delegado UE N 65/2014 y 66/2014 Identificador del modelo **FIDCP X200** Norr Hornos Peso neto kg : 24,2 ndice de eficiencia energtica, EEI Cav 1:...

lang:es score:22 filesize: 75.74 K page_count: 2 document date: 2022-07-13



[pdf]

00104740804168 6 sgfm elcorteingles es SGFM dctm MEDIA03 202209 15 |||

CANDY **FIDCP X200** 0.80 70 L 0.00 ...


lang:es score:21 filesize: 199.52 K page_count: 1 document date: 2022-07-13



[pdf]

Инструкция CANDY FIDCP X200 Электрический духовой шкаф купить в интернет магазине Премьер Техно Цена фото характеристики доставка 875u64nh RU 2 KZ 15 UA 27 CANDY HOOVER GROUP Via Comolli 16 Brugherio Italy 3 8 10 11 11 12 12 13 36 RU 2 . . . , 10-15 15-20 .


lang:i-klingson score:18 filesize: 644.19 K page_count: 38 document date: 2022-09-12



[pdf]

new110268 FICHA TECNICA MBARBERA Ficha técnicaHorno convencional CANDY FIDCP X200 70 litros Conforamaf8e38247ea25bf2b086f843663c915f73569c ...

lang:i-klingson score:15 filesize: 143.97 K page_count: 2 document date: 2023-01-24



[pdf] Catalog

Catalogo New Candy BI 74Mb cms candy home documents d global catalogo new bi 74mb |||

Coccin Fro Lavado CATLOGO INTEGRACIN 2025 Aqu est el catlogo 2025 de Candy para Electrodomsticos ... x 652 mm -Peso Bru GRILL A ENERGY CLASS CLASE ENERGTICA 33703583 - **FIDCP X200** -Capacidad: 70 L -Clase en...

lang:es score:15 filesize: 70.89 M page_count: 308 document date: 2024-10-24