

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [LENCENT](#) /

› [LENCENT Universal Travel Adapter Instruction Manual](#)

LENCENT 636DT

LENCENT Universal Travel Adapter Instruction Manual

Model: 636DT | Brand: LENCENT

INTRODUCTION

This manual provides essential information for the safe and efficient use of your LENCENT Universal Travel Adapter. Please read it thoroughly before operation to ensure proper functionality and safety.



Image: Front view of the LENCENT Universal Travel Adapter, highlighting its compact design and multiple charging ports including USB-A and USB-C, alongside the universal AC socket.

KEY FEATURES

- **Wide World Travel Compatibility:** Portable and lightweight design (7.7x5.4x5.3cm, 160g) with interchangeable UK, US, EU, and AUS plugs, compatible with over 200 countries.
- **45W PD USB-C Fast Charging:** Delivers optimized charge, capable of fully charging a laptop in 2 hours or an iPhone 14 from 0-40% in 30 minutes via the single USB-C1 port (45W Max).
- **Universal Compatibility:** Supports PD 3.0, QC4+, and PPS for flawless charging speeds across various USB-powered devices including smartphones, tablets, laptops, and wearables.
- **Cutting-edge GaN III Technology:** Ensures a smaller form factor without compromising power, offering better low-temperature fast charging.
- **Multiple Safety Protection:** Equipped with integrated double 10A fuse for overload protection and a safety valve to prevent injury from live parts.
- **AUTO-ID Technology:** Intelligently identifies connected devices to deliver optimum and safe charging current.

Super Fast Charging



65% Charge Phone to
in 30 minutes

45W



Image: The LENCENT adapter connected to a smartphone, illustrating its 45W super fast charging capability, reaching 65% charge in 30 minutes.

SETUP

The LENCENT Universal Travel Adapter features retractable pins for various global plug standards.

Selecting the Correct Plug Type

To deploy the desired plug, slide the corresponding lever on the side of the adapter.

- **EU Plug (Type C):** For use in Europe, including France, Germany, Italy, Greece, Austria, Korea, and more.
- **UK Plug (Type G):** For use in the United Kingdom, England, Hong Kong, Ireland, Dubai, Abu Dhabi, and more.
- **US Plug (Type A):** For use in America, Canada, Japan, Mexico, Thailand, China, and more.
- **AUS Plug (Type I):** For use in Australia, New Zealand, China, Argentina, Burma, Tuvalu, and more.


International Travel Adapter



EU Plug (Type C)




and more.....



UK Plug (Type G)




and more.....



US Plug (Type A)



and more.....



AUS Plug (Type I)



and more.....

Image: A visual guide demonstrating the different international plug types (EU, UK, US, AUS) that can be deployed from the LENCENT Universal Travel Adapter.

To retract a plug, press the release button on the side of the adapter and push the pins back into the unit.

OPERATING INSTRUCTIONS

Charging Devices

Once the correct plug type is deployed and inserted into a wall outlet, you can connect your devices.

- **AC Socket:** The universal AC socket on the front accepts plugs from various countries, allowing you to power devices like laptops, electric toothbrushes, cameras, and power banks.
- **USB Ports:** The adapter features multiple USB-A and USB-C ports for charging smartphones, tablets, smartwatches, earphones, and other USB-powered gadgets.

Universal Travel Adapter



Image: The LENCENT Universal Travel Adapter in use, plugged into a wall socket and charging a smartphone, demonstrating its practical application in a travel setting.

Simultaneous Charging

The adapter is designed to charge multiple devices concurrently. The AUTO-ID technology ensures optimal current delivery to each connected device for fast and safe charging.

Your browser does not support the video tag.

Video: An official LENCENT video demonstrating the 45W universal travel adapter's ability to charge multiple USB devices simultaneously, showcasing its various ports.




Image: The compact size of the LENCENT Universal Travel Adapter is highlighted with its dimensions (3.02 x 1.97 x 2.11 inches), surrounded by common electronic devices it can charge.

SAFETY INFORMATION

IMPORTANT: This adapter is NOT a voltage converter. It cannot convert voltage.

Before using this product, ensure your device is compatible with the local voltage of your destination. This is especially crucial for high-power devices such as hair dryers, electric shavers, and hair straighteners.

The adapter is equipped with an integrated double 10A fuse for overload protection and a safety valve to protect users from injury.

Multiple Safety Protection



Note: This adapter does not convert voltage. (100-250V, 2500W MAX)

Image: Close-up of the LENCENT adapter highlighting its dual 10A fuses and safety features designed for overload protection.

SPECIFICATIONS

Feature	Detail
Product Dimensions	3.02 x 1.97 x 2.11 inches
Item Weight	5.6 ounces (160 Grams)
Model Number	636DT
Input Voltage	100-240 Volts
Max Power Output	45W (USB-C1 Max)
Manufacturer	LENCENT Technology Co.,Ltd.
Country of Origin	China

MAINTENANCE

To ensure the longevity and optimal performance of your LENCENT Universal Travel Adapter, follow these simple maintenance guidelines:

- Keep the adapter clean and free from dust and debris. Use a soft, dry cloth for cleaning.
- Avoid exposing the adapter to extreme temperatures, humidity, or direct sunlight.
- Do not attempt to disassemble or repair the adapter yourself. Refer to qualified service personnel for any issues.
- Store the adapter in its protective pouch or a safe place when not in use, especially during travel, to prevent damage to the pins and ports.

Perfect for Traveling



Airport lounge



Business trip and office



Image: The LENCENT adapter shown in different travel environments, emphasizing its portability and convenience for various uses.

TROUBLESHOOTING

Device Not Charging

- **Check Power Outlet:** Ensure the wall outlet is active and providing power.
- **Verify Plug Type:** Confirm that the correct regional plug type is fully extended and securely inserted into the wall outlet.
- **Inspect Cables:** Ensure your charging cables are not damaged and are properly connected to both the adapter

and your device.

- **Device Compatibility:** Double-check that your device's voltage requirements match the local voltage. Remember, this adapter does not convert voltage.
- **Overload Protection:** If the adapter stops working, the internal fuse might have tripped due to an overload. Replace the 10A fuse if necessary (refer to the fuse replacement instructions, typically located near the fuse compartment).

Slow Charging

- **Cable Quality:** Use high-quality charging cables that support fast charging standards (e.g., PD, QC) for optimal performance.
- **Port Usage:** Ensure you are using the appropriate USB-C port for fast charging (e.g., USB-C1 for 45W Max output).
- **Multiple Devices:** Charging many devices simultaneously may distribute power, potentially reducing individual charging speeds.

For further assistance, please contact LENCENT customer support.

WARRANTY AND SUPPORT

LENCENT products are designed for reliability and performance. For information regarding warranty coverage, product registration, or technical support, please visit the official LENCENT website or contact their customer service directly.

LENCENT Store: [Visit the LENCENT Store on Amazon](#)