

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [DIYIV](#) /
- › [DIYIV Twin XL Classic Metal Platform Bed Frame Instruction Manual](#)

DIYIV Twin-XL

DIYIV Twin XL Classic Metal Platform Bed Frame Instruction Manual

Model: Twin-XL | Brand: DIYIV

INTRODUCTION

This manual provides comprehensive instructions for the assembly, operation, and maintenance of your DIYIV Twin XL Classic Metal Platform Bed Frame. Designed for stability and durability, this bed frame offers excellent mattress support without the need for a box spring, and includes convenient under-bed storage space. Its classic design features round corners, a smooth finish, and protective footpads for enhanced safety and floor protection.

SAFETY INFORMATION

Caution:

- This bed frame can support up to 2000 pounds.
- Improper assembly may lead to instability or collapse, causing injury or damage.
- Always ensure all components are securely fastened and the frame is level before use.
- This bed frame has protective footpads to prevent damage to floors, but take care to avoid pinch points or sharp edges during assembly and use.

COMPONENTS LIST

Before beginning assembly, ensure all parts and hardware are present and accounted for. Refer to the included detailed instructions for specific part identification and quantities.

- Headboard Section (1 pc)
- Footboard Section (1 pc)
- Side Rails (2 pcs)
- Center Support Bar(s) with Legs
- Metal Slats (multiple pieces for mattress support)
- Assembly Hardware (screws, washers, nuts, Allen key, wrench)

- Protective Footpads (pre-attached or included)



Image: Included assembly hardware and tools.

SETUP AND ASSEMBLY

Assembly is designed to be straightforward with detailed instructions and all necessary tools included. It is recommended to have two people for easier assembly.

- 1. Unpack and Identify Parts:** Carefully unpack all components and lay them out on a clean, soft surface to prevent scratches. Match each part to the corresponding labels in the instruction manual.
- 2. Assemble Headboard and Footboard:**
 - Connect the vertical bars of the headboard and footboard sections using the provided screws and tools. Ensure all connections are secure but do not fully tighten until all parts are aligned.
 - Attach the legs to the headboard and footboard sections, securing them with the appropriate hardware.
- 3. Attach Side Rails:**

- Unfold the side support bars.
- Connect the side rails to the assembled headboard and footboard. Ensure the connections are firm.
- Secure the side rails using the designated screws and tighten them.

4. Install Center Support and Slats:

- Place the center support bar(s) with their legs into the designated slots or connectors along the middle of the frame.
- Insert the metal slats across the frame, ensuring they fit securely into the side rail attachments. These slats provide direct mattress support.

5. **Final Tightening:** Once all components are in place and aligned, fully tighten all screws and bolts using the provided tools. Double-check all connections to ensure the frame is stable and secure.



Image: Fully assembled bed frame.

USAGE AND STORAGE

This platform bed frame is designed to support your mattress directly, eliminating the need for a box spring. Its

robust steel slat support system ensures stability and comfort.

Under-Bed Storage

The frame provides approximately 12.7 inches of clearance from the ground, offering ample space for under-bed storage. This is ideal for storing seasonal clothing, extra bedding, or other personal items in storage bins or containers, helping to keep your room tidy and organized.



Image: Under-bed storage space.

MAINTENANCE

To maintain the cleanliness and appearance of your bed frame, wipe it down with a damp cloth as needed. Avoid using harsh chemicals or abrasive cleaners, which could damage the powder-coated finish.

TROUBLESHOOTING

- **Squeaking Noises:** If the bed frame produces squeaking noises, re-tighten all screws and bolts. Ensure all

connections are snug. Sometimes, applying a small amount of lubricant (like silicone spray) to metal-on-metal contact points can also help.

- **Mattress Sliding:** If your mattress tends to slide on the frame, consider placing a non-slip mat or rubber grippers between the mattress and the metal slats.
- **Instability/Wobbling:** Check that the bed frame is placed on a level surface. Verify that all support legs are making firm contact with the floor and that all assembly hardware is fully tightened.

SPECIFICATIONS

Feature	Detail
Model Number	Twin-XL
Size	Twin XL
Product Dimensions	80"L x 38"W x 14"H
Max Weight Capacity	2000 lbs
Material	Alloy Steel
Color	Black
Finish Type	Powder Coated
Under-bed Clearance	12.7 inches
Assembly Required	Yes (Instructions and tools included)
Special Feature	No Box Spring Needed



Image: Key dimensions and features of the Twin XL bed frame.

WARRANTY AND SUPPORT

While specific warranty details are not provided in this manual, DIIYIV is committed to customer satisfaction. If you encounter any issues with your product, including damage during delivery or assembly, please contact DIIYIV customer service for assistance. They aim to provide the best shopping experience and support for any product problems.

For further inquiries or support, please refer to the contact information provided with your purchase or visit the official DIIYIV store online.