Manuals+

Q & A | Deep Search | Upload

manuals.plus /

- > Retevis /
- > Retevis RB626 RB637 6-Way Multi-Unit Charger Instruction Manual

Retevis RB626 RB637

Retevis RB626 RB637 6-Way Multi-Unit Charger Instruction Manual

1. Introduction

This manual provides detailed instructions for the safe and efficient use of your Retevis RB626 RB637 6-Way Multi-Unit Charger. Please read this manual thoroughly before operating the device and retain it for future reference.

2. SAFETY INFORMATION

The Retevis 6-Way Multi-Unit Charger is designed with multiple safety features to ensure reliable operation. Adhere to the following guidelines:

- Ensure the charger is connected to a power source that matches the specified input voltage.
- Do not expose the charger to water or excessive moisture.
- Avoid disassembling or modifying the charger. Repairs should only be performed by authorized personnel.
- The charger includes overload protection and short-circuit protection. If an issue occurs, disconnect the power immediately.
- Keep the charger away from heat sources and direct sunlight.
- This charger is intended for use with compatible Retevis RB626 and RB637 walkie-talkies or their respective batteries.

3. PACKAGE CONTENTS

Verify that all items are present in your package:

- Retevis RB626 RB637 6-Way Multi-Unit Charger
- Power Adapter (Wall Adapter or Car Adapter, depending on model/package)

4. PRODUCT OVERVIEW

The Retevis 6-Way Multi-Unit Charger features six individual charging slots, indicator lights, a side control switch, and two USB output ports.



Figure 4.1: Top view of the Retevis 6-Way Multi-Unit Charger, showing six charging slots and indicator lights. This image displays the overall layout of the charger.



Figure 4.2: Side view of the charger highlighting the power switch. This switch controls the charging process for all slots.



Figure 4.3: Close-up view of the six indicator lights, which display the charging status for each individual walkie-talkie or battery.



Figure 4.4: Front view of the charger, illustrating the two USB output ports. These ports can be used to charge other USB-powered devices.

5. SETUP

- 1. Unpack: Carefully remove the charger and all accessories from the packaging.
- 2. **Connect Power:** Insert the power adapter cable into the DC input port on the side of the charger.
- 3. **Plug In:** Connect the power adapter to a suitable electrical outlet. If using a car adapter (sold separately or included with specific models), plug it into your vehicle's 12V power socket.



Figure 5.1: The charger connected to a standard wall power adapter. This is the typical setup for indoor use.



Figure 5.2: The charger connected to a car power adapter. This option allows for charging on the go.

6. OPERATING INSTRUCTIONS

- 1. **Power On:** Ensure the charger is connected to a power source. Flip the side key switch to the 'ON' position to activate the charging function.
- 2. **Insert Devices:** Place your compatible Retevis RB626 or RB637 walkie-talkies (or their batteries) into the charging slots. Ensure they are seated correctly.
- 3. **Monitor Charging:** The six indicator lights correspond to each charging slot. These lights will illuminate to show the charging status of each device or battery. Refer to the indicator light guide below for details.
- 4. **USB Charging:** The two USB output ports on the front of the charger can be used to charge other USB-powered devices simultaneously. Connect your device's USB cable to these ports.
- 5. **Charging Completion:** Once a device or battery is fully charged, its corresponding indicator light will change status (e.g., from red to green, or turn off, depending on the specific model's light behavior).
- 6. **Power Off:** After charging, you may flip the side key switch to the 'OFF' position and disconnect the charger from the power source.

Indicator Light Guide

Indicator Light Status	Meaning
Solid Red	Charging in progress
Solid Green	Charging complete
Flashing Red	Charging error (e.g., bad battery, temperature issue)
No Light	No device inserted or charger is off

7. MAINTENANCE

- Cleaning: Disconnect the charger from the power source before cleaning. Use a soft, dry cloth to wipe the surface of the charger. Do not use liquid cleaners or solvents.
- Storage: When not in use, store the charger in a cool, dry place away from direct sunlight and extreme temperatures.
- **Inspection:** Periodically inspect the power adapter cable for any signs of damage. If damaged, discontinue use and replace with an authorized Retevis adapter.

8. TROUBLESHOOTING

If you encounter issues with your charger, refer to the following common problems and solutions:

· Charger not powering on:

- Ensure the power adapter is securely connected to both the charger and the power outlet.
- Check if the side key switch is in the 'ON' position.
- Verify the power outlet is functional.

• Device not charging:

- $\circ~$ Ensure the walkie-talkie or battery is correctly seated in the charging slot.
- $\circ~$ Check the indicator light for the specific slot. If it's flashing red, there might be a battery error.
- Try charging a different device or battery in the same slot to isolate the issue.

• USB ports not charging:

- Ensure the charger is powered on.
- Verify the USB cable is functional and correctly connected to both the charger and your device.

9. SPECIFICATIONS

Feature	Detail
Brand	Retevis
Model Number	RB626 / RB637
Color	Black
Input Voltage	12V – 2A (as per product label)
Per Pocket Output	8.4V – 0.5A Max (as per product label)
USB Output	5V – 1A (as per product label)
Number of Charging Slots	6
Number of USB Ports	2 (Output)
Dimensions (L x W x H)	25 cm x 20 cm x 6 cm (approx. 9.8 x 7.9 x 2.4 inches)
Item Weight	1157 grams (approx. 2.55 lbs)
Compatible Devices	Retevis RB626, Retevis RB637 walkie-talkies and their batteries; other USB-powered devices via USB output ports.



Figure 9.1: Bottom label of the charger displaying model number, input/output specifications, and certifications.




Figure 9.2: The charger with walkie-talkies inserted, demonstrating its compact design and approximate dimensions (25cm length, 20cm width, 6cm height).

10. WARRANTY AND SUPPORT

Specific warranty details are not provided within this manual. For warranty information, technical support, or service

inquiries, please refer to the official Retevis website or contact your authorized Retevis dealer. Keep your purchase receipt as proof of purchase.

© 2023 Retevis. All rights reserved.

Related Documents - RB626 RB637



Retevis EWN002 User Manual: Bone Conduction Headset Guide

Comprehensive user manual for the Retevis EWN002 bone conduction headset. Learn about Bluetooth pairing, walkie-talkie integration, charging, features, and safety guidelines for optimal use.



Retevis RT628 Kids Walkie Talkie User's Guide

User's guide for the Retevis RT628 Kids Walkie Talkie, covering setup, operation, features, safety information, and specifications. Includes instructions for installation, volume control, channel setting, special features like VOX and call tones, and safety precautions.



Retevis RT628 Kids Walkie Talkies FAQ: Compatibility, Communication, and Battery Installation

Frequently asked questions about the Retevis RT628 kids walkie talkies, covering compatibility with other FRS radios, how to establish communication, avoiding unwanted voices, and battery installation.



Manuel d'Utilisateur Retevis RT-388 : Guide Complet

Découvrez le manuel d'utilisation du talkie-walkie Retevis RT-388. Apprenez à utiliser toutes les fonctionnalités, des réglages de base aux spécifications techniques, pour une communication claire et fiable.



Retevis RT628 Kids Walkie Talkie User's Guide - Features, Operation, and Safety

Comprehensive user guide for the Retevis RT628 Kids Walkie Talkie, covering setup, operation, features, specifications, and safety information. Learn how to use your RT628 for clear communication.



Retevis RB26 Two Way Radio User's Manual

Comprehensive user's manual for the Retevis RB26 Two Way Radio, covering setup, operation, technical specifications, safety guidelines, and warranty information.