

LEMBERI APFP-2F

LEMBERI 60 inch Electric Fireplace Instruction Manual

Model: APFP-2F

1. IMPORTANT SAFETY INFORMATION

Please read and understand this entire owner's manual, including all safety information, before plugging in or using this product. Failure to do so could result in fire, electric shock, or serious personal injury.

- Always unplug the fireplace when not in use.
- Do not operate any fireplace with a damaged cord or plug, or if the heater has malfunctioned, been dropped, or damaged in any manner.
- Do not use outdoors. This fireplace is intended for indoor use only.
- Do not run cord under carpeting. Do not cover cord with throw rugs, runners, or similar coverings. Arrange cord away from traffic area and where it will not be tripped over.
- To prevent a possible fire, do not block air intakes or exhaust in any manner. Do not use on soft surfaces, like a bed, where openings may become blocked.
- Always plug fireplaces directly into a wall outlet/receptacle. Never use with an extension cord or relocatable power tap (outlet/power strip).
- This fireplace is hot when in use. To avoid burns, do not let bare skin touch hot surfaces. Keep combustible materials, such as furniture, pillows, bedding, papers, clothes, and curtains at least 3 feet (0.9 m) from the front of the fireplace.
- Extreme caution is necessary when any fireplace is used by or near children or invalids and whenever the fireplace is left operating and unattended.

2. PRODUCT OVERVIEW

The LEMBERI 60 inch Electric Fireplace offers both recessed and wall-mounted installation options, providing a versatile heating and aesthetic solution for your living space. It features adjustable flame colors, flame bed colors, flame speeds, and brightness levels, along with two heat settings (750W/1500W) and a timer function.



Image 2.1: The LEMBERI 60 inch Electric Fireplace, showcasing its sleek design, flame effect, and included remote control and decorative crystals.

Key Features:

- **Attractive Flame:** 12 flame colors, 12 flame bed colors, 5 flame speed modes, and 5 flame brightness levels for customizable ambiance.
- **Energy Savings and Space Saving:** 750 Watts & 1500 Watts heating modes. Flame display can operate independently without heat. Slim 3.2 inch thickness.
- **Stylish Decor:** Suitable for recessed, semi-recessed, or wall-mounted installation.
- **Safety & Comfort:** ETL Certificate Approved with auto-heat kill safety to prevent overheating. Maintains natural humidity.

3. SETUP AND INSTALLATION

The LEMBERI Electric Fireplace is designed for flexible installation, allowing it to be recessed into a wall or mounted directly on the surface. Refer to the detailed dimension diagram for precise measurements required for recessed installation.

UNIQUE THREE-HOLE DESIGN

Upgraded LEMBERI fireplace stronger airflow, even heat distribution and faster heating.



Image 3.1: Detailed dimensions for the 60-inch fireplace, including measurements for both the unit and the required wall opening for recessed installation.

Installation Steps (General Guidelines):

1. **Unpacking:** Carefully remove all components from the packaging. Retain packaging for future storage or shipping.
2. **Location Selection:** Choose a suitable location away from drapes, furniture, and high-traffic areas. Ensure the surface is stable and can support the fireplace's weight.
3. **Power Requirements:** Ensure a dedicated 120V, 60Hz, 15 Amp circuit is available. Do not use an extension cord.
4. **Mounting/Recessing:** Follow the specific instructions provided in the separate installation guide for either wall-mounting or recessed installation. Ensure proper ventilation clearances are maintained.
5. **Decorative Media:** Place the provided decorative crystals onto the flame bed.
6. **Power Connection:** Plug the fireplace into a grounded 3-prong outlet.

4. OPERATING INSTRUCTIONS

The LEMBERI Electric Fireplace can be operated using the touch screen control panel located on the unit or

the included remote control. Both methods provide access to all functions.



Image 4.1: The fireplace's touch screen control panel and the remote control, highlighting various function buttons.

Control Panel & Remote Functions:

- **Power ON/OFF:** Activates or deactivates the fireplace.
- **Heater (750W/1500W):** Toggles between low heat (750W), high heat (1500W), or no heat (flame only).
- **Flame Color:** Cycles through 12 different flame color options.
- **Flame Bed Color:** Cycles through 12 different flame bed color options.
- **Flame Speed:** Adjusts the speed of the flame effect (5 levels).
- **Dimmer (Brightness):** Adjusts the brightness of the flame effect (5 levels).
- **Timer (1H-8H):** Sets an automatic shut-off timer for 1 to 8 hours.




Image 4.2: Visual representation of the 12 distinct flame color options available.




Image 4.3: Illustration of the 5 adjustable flame brightness levels, from dim to bright.



Image 4.4: Depiction of the 5 flame speed settings, from slowest to fastest.

5. MAINTENANCE

Regular maintenance ensures the longevity and optimal performance of your LEMBERI Electric Fireplace. Always unplug the unit before performing any maintenance.

- **Cleaning:** Use a soft, damp cloth to clean the exterior surfaces. Do not use abrasive cleaners or sprays.

- **Glass Panel:** Clean the glass panel with a soft cloth and a glass cleaner. Do not scratch the glass.
- **Air Vents:** Periodically vacuum the air intake and exhaust vents to prevent dust buildup, which can affect heating efficiency.
- **Storage:** If storing the fireplace for an extended period, unplug it and store it in a dry, dust-free location.

6. TROUBLESHOOTING

If you experience issues with your LEMBERI Electric Fireplace, consult the following common troubleshooting steps:

- **No Power:** Check if the power cord is securely plugged into a grounded outlet. Verify the circuit breaker is not tripped. Ensure the main power switch on the unit is ON.
- **No Heat:** Confirm the heater function is activated. Check if the thermostat setting is higher than the ambient room temperature. Ensure air vents are not blocked.
- **Flame Effect Not Working:** Check if the flame effect is turned on via the control panel or remote. Ensure the unit has power.
- **Remote Control Not Working:** Replace the batteries in the remote control. Ensure there are no obstructions between the remote and the fireplace sensor.
- **Unit Shuts Off Automatically:** The auto-heat kill safety feature may have activated due to overheating. Unplug the unit, wait 10-15 minutes for it to cool down, and clear any obstructions from the vents before plugging it back in.

If problems persist after following these steps, please contact customer support.

7. SPECIFICATIONS

Specification	Detail
Brand	LEMBERI
Model Name	APFP-2F
Size	60 inch
Power Source	Electric
Product Dimensions	1"D x 1"W x 1"H (Note: This appears to be a placeholder, refer to Image 3.1 for actual dimensions)
Material	Alloy Steel
Installation Type	Wall Mount, Recessed
Heat Output	750W / 1500W (5120 BTU per Hour per Foot per Degree Fahrenheit)
Special Features	Adjustable Flame, Dimmer, Flame Effect, Multicolor Flame, Timer
Color	Black
Item Weight	50 Pounds
Included Components	Remote Control

8. WARRANTY AND SUPPORT

Warranty Information:

This LEMBERI Electric Fireplace comes with a **Limited Warranty**. Please refer to the warranty card included with your product for specific terms, conditions, and duration of coverage.

Customer Support:

For any questions, technical assistance, or warranty claims, please contact LEMBERI customer support. Contact information can typically be found on the product packaging, the LEMBERI website, or through your retailer.

You may also visit the [LEMBERI Store on Amazon](#) for additional product information and support resources.