

Cecotec 08121

Cecotec Conga Ash 5000 EasyGo Ash Vacuum Cleaner Instruction Manual

1. INTRODUCTION

The Cecotec Conga Ash 5000 EasyGo is a robust ash vacuum cleaner designed for efficient cleaning of extreme dirt. It features a powerful 1200W UltraPower motor, delivering 18 kPa of suction power, and is equipped with a 20-liter stainless steel tank. Its EasyGo design, complete with wheels and a convenient carrying handle, ensures effortless transport and maneuverability. This manual provides essential information for the safe and effective operation, maintenance, and troubleshooting of your ash vacuum cleaner.

2. SAFETY INSTRUCTIONS

Please read all safety instructions carefully before using the appliance. Failure to follow these instructions may result in electric shock, fire, or serious injury.

- Ensure the power supply voltage matches the rating label on the appliance.
- Do not use the vacuum cleaner to pick up hot ashes, burning embers, or any flammable or combustible materials. Ashes must be completely cold before vacuuming.
- Do not vacuum liquids, as this appliance is designed for dry ash and debris.
- Always unplug the appliance from the power outlet before cleaning, performing maintenance, or when not in use.
- Keep the appliance away from water and do not immerse it in any liquid.
- Do not allow children to operate the vacuum cleaner without supervision.
- Inspect the power cord and plug for any damage before each use. Do not use if damaged.
- Ensure all filters are correctly installed before operation.
- Do not block the air vents during operation.

3. PACKAGE CONTENTS

Verify that all components are present and in good condition upon unpacking:

- 1 x Cecotec Conga Ash 5000 EasyGo Ash Vacuum Cleaner Unit
 - 1 x Metal Suction Hose
 - 1 x Metal Nozzle
 - 1 x Extension Tube
 - 1 x Power Cable
 - 1 x User Manual
-

4. PRODUCT OVERVIEW

Familiarize yourself with the main parts of your Cecotec Conga Ash 5000 EasyGo ash vacuum cleaner.



This image displays the Cecotec Conga Ash 5000 EasyGo ash vacuum cleaner with its main components: the vacuum unit, the flexible metal suction hose, and various nozzles including a flat nozzle and a curved nozzle. The unit features a top handle and wheels for portability.

The vacuum unit houses the motor, the 20-liter stainless steel tank, and the filtration system. The flexible metal suction hose connects to the unit and allows for reaching various areas. Different nozzles can be

attached to the end of the hose for specific cleaning tasks.

5. SETUP

Follow these steps to set up your ash vacuum cleaner for first use:

1. **Unpack:** Carefully remove all components from the packaging.
2. **Assemble Hose:** Connect the metal suction hose to the inlet port on the vacuum cleaner unit. Ensure it is securely fastened.
3. **Attach Nozzle:** Attach the desired metal nozzle or extension tube to the free end of the metal suction hose.
4. **Position:** Place the vacuum cleaner on a stable, level surface. The EasyGo wheels allow for easy positioning.



Llévatelo donde quieras.

Ruedas para un fácil transporte,
incluso con el depósito lleno.

Take it wherever you want. Wheels for easy transport, even with a full tank.

5. **Power Connection:** Plug the power cable into a suitable electrical outlet. Ensure the cable is not tangled or obstructing walkways.

6. OPERATING INSTRUCTIONS

The Cecotec Conga Ash 5000 EasyGo is designed for powerful and efficient cleaning of various types of dry debris.

6.1. Power and Suction

The vacuum cleaner operates with a 1200W UltraPower motor, providing strong suction for demanding cleaning tasks.




1200 W. Extreme power for effortless vacuuming.

It delivers 18 kPa of suction power, ensuring thorough cleaning even for fine particles.

18 kPa de poder de succión.

Gran poder de succión para
una limpieza profunda.



18 kPa suction power. Great suction power for deep cleaning.

6.2. Recommended Use

This appliance is suitable for vacuuming extreme dirt, including:

- Cooled ashes from fireplaces, pellet stoves, and barbecues.
- General dirt and debris.
- Broken glass.
- Construction site residues.
- Leaves and sawdust.
- Car interiors.



Extreme Suction.

Diseño de gran resistencia que permite aspirar todo tipo de suciedad.

Extreme Suction. Highly resistant design that allows vacuuming all types of dirt.

The robust metallic tube is reinforced and heat-resistant, allowing it to handle various types of debris without damage.

6.3. Operation

1. Ensure the vacuum cleaner is properly assembled and plugged into a power outlet.
2. Turn on the appliance using the power switch.
3. Direct the nozzle towards the debris you wish to vacuum. The 38mm diameter nozzle is designed for efficient collection.



38 mm.

Boquilla de gran diámetro
para aspirar más en cada pasada.

38 mm. Large diameter nozzle to vacuum more in each pass.

4. Move the nozzle slowly over the surface to ensure complete suction.
5. After use, turn off the appliance and unplug it from the power outlet.

7. MAINTENANCE

Regular maintenance ensures optimal performance and extends the lifespan of your ash vacuum cleaner.

7.1. Emptying the Tank

The InoxDeposit tank has a maximum capacity of 20 liters. Empty it regularly to maintain suction power.

20L



Aspira más en cada pasada.

Depósito de 20 L de acero inoxidable que resiste altas temperaturas y suciedad extrema.

20L. Vacuums more in each pass. 20L stainless steel tank that resists high temperatures and extreme dirt.

1. Ensure the vacuum cleaner is turned off and unplugged.
2. Release the latches securing the motor head to the tank.
3. Carefully lift the motor head and set it aside.
4. Empty the contents of the stainless steel tank into an appropriate waste container.
5. Clean the inside of the tank with a dry cloth if necessary.
6. Reattach the motor head and secure the latches.

7.2. Filter Cleaning

The metallic grid filter is crucial for maintaining suction power and preventing fine particles from entering the motor. Clean the filter regularly.

Gran capacidad de depósito.

Sistema de redirección del aire
para limpiar el filtro sin esfuerzo.



Large tank capacity. Air redirection system to clean the filter effortlessly.

1. Ensure the vacuum cleaner is turned off and unplugged.
2. Access the filter compartment, usually located under the motor head.
3. Remove the metallic filter.
4. Gently tap the filter to dislodge accumulated dust and ash. You can also use a soft brush or compressed air to clean it thoroughly. Do not wash the filter with water unless specified by the manufacturer, as it is a dry filter.
5. Reinstall the clean filter, ensuring it is properly seated.

7.3. Cleaning the Hose and Nozzles

Periodically check the metal suction hose and nozzles for blockages. Clear any obstructions to maintain optimal airflow.

8. TROUBLESHOOTING

If you encounter issues with your ash vacuum cleaner, refer to the following common problems and

solutions:

Problem	Possible Cause	Solution
No power	Appliance not plugged in; Power outlet faulty; Power switch off.	Ensure plug is securely in outlet; Test outlet with another device; Turn power switch to ON.
Low suction power	Tank is full; Filter is clogged; Hose or nozzle is blocked.	Empty the tank; Clean or replace the filter; Clear any blockages from the hose or nozzle.
Unusual noise	Foreign object in hose/nozzle; Motor issue.	Check and remove any foreign objects; If noise persists, contact customer support.

9. SPECIFICATIONS

- **Brand:** Cecotec
- **Model Number:** 08121
- **Color:** Black
- **Product Dimensions (L x W x H):** 30.5 x 30 x 40 cm
- **Capacity:** 20 Liters
- **Power:** 1200 Watts
- **Voltage:** 1200 Volts (Note: This voltage value is unusually high for a household appliance and may be a data entry error. Please refer to the product label for accurate voltage requirements.)
- **Suction Power:** 18 kPa
- **Special Features:** UltraPower Technology, Extreme Suction, resistant tube, InoxDeposit, metallic grid filter, EasyGo
- **Item Weight:** 207 Grams (Note: This weight appears unusually low for a vacuum cleaner of this size and may be a data entry error.)
- **Filter Type:** Metallic filter
- **Surface Recommendation:** Different surfaces
- **Power Source:** Electric cable
- **Cable Length:** 6 meters



Amplio radio de acción.

Gran radio de acción con cable de 6 m.








Wide operating radius. Large operating radius with a 6m cable.


- **Nozzle Diameter:** 38 mm

10. WARRANTY AND SUPPORT

Cecotec offers a commitment to product longevity, with spare parts availability for 10 years from the date of purchase.

For warranty claims, technical support, or inquiries regarding spare parts, please contact Cecotec customer service through their official website or the contact information provided with your purchase documentation. Please retain your proof of purchase for warranty validation.

	<p>Cecotec Conga Robot Vacuum Cleaners: Ultra-Powerful & Smart Cleaning Solutions</p> <p>Explore the advanced range of Cecotec Conga robot vacuum cleaners, featuring ultra-powerful suction, intelligent navigation, and versatile 4-in-1 cleaning capabilities for a spotless home.</p>
	<p>Cecotec Conga 3890 Ultra Robot Vacuum Manual</p> <p>Comprehensive user manual for the Cecotec Conga 3890 Ultra robot vacuum, covering safety instructions, installation, operation, maintenance, and troubleshooting.</p>
	<p>Cecotec Conga Robot Vacuum Cleaner Range and Features</p> <p>Explore the advanced features and diverse models of Cecotec Conga robot vacuum cleaners, including AI navigation, powerful suction, and multi-functional cleaning capabilities for a spotless home.</p>
	<p>Cecotec Conga 1090/1099 Robotstøvsuger Brugermanual</p> <p>Denne brugermanual giver detaljeret vejledning til opsætning, betjening, vedligeholdelse og fejlfinding af Cecotec Conga 1090 og 1099 robotstøvsugere, og sikrer optimal ydeevne og levetid for produktet.</p>
	<p>Conga 6090 Robotstøvsuger Brugermanual</p> <p>Udforsk den komplette brugermanual for Cecotecs Conga 6090 robotstøvsuger. Lær om installation, betjening, vedligeholdelse og fejlfinding for din Cecotec robotstøvsuger.</p>

	<p>Cecotec Conga 1790 Titanium Robot Vacuum Manual</p> <p>Comprehensive user manual for the Cecotec Conga 1790 Titanium robot vacuum, covering safety instructions, operation, cleaning, maintenance, troubleshooting, and technical specifications.</p>
--	--

Documents - Cecotec – 08121



[\[pdf\]](#) User Manual Instructions Troubleshooting Guide Specifications Warranty

Descargar manual Conga Ash 5000 EasyGo Aspirador de cenizas Cecotec conga ash easygo user pt
cdn cecotec cloud media files |||

CONGA ASH 5000 EASYGO Aspirador de cenizas/Ash vacuum cleaner Manual de instrucciones Instruction ma ... o en la aspiradora. colocado correctamente. 6.

ESPECIFICACIONES TCNICAS Referencia del producto: **08121** Producto: Aspirador de cenizas Conga Ash 5000 EasyGo Voltaje y frecuencia: 220-240 V - 50/60 ...

lang:it **score:31** filesize: 1.83 M page_count: 76 document date: 2023-09-06



[\[pdf\]](#)

C T ES Agosto 23 CECOTEC cdn cecotec cloud s3 amazonaws media IFA2023 |||

CATLOGO GENERAL IFA 2023 Introduccin de la compaa CECOTEC es una compaa joven y disruptiva que, en ... de cenizas Manguera extensible Tubo metlico Cabezal del tubo metlico GARANTA: 3 aos , 8435484**081214** caja 18435484**081211** mster

08121 ASPIRACIN Y LIMPIEZA Junio 23 Conga Ash 6000 EasyGo XL...

lang:es **score:8** filesize: 88.75 M page_count: 2028 document date: 2023-09-01