

FelixKing 918H-C

FelixKing Ergonomic Office Chair Model 918H-C Instruction Manual

Brand: FelixKing | Model: 918H-C

INTRODUCTION

Welcome to your new FelixKing Ergonomic Office Chair. This manual provides essential information for assembly, operation, and maintenance to ensure a comfortable and productive experience.

Key Features

- **Adjustable Lumbar Support:** Moves up and down to fit various body heights, promoting healthy posture.
- **High Weight Capacity:** Sturdy frame and solid base support up to 300 lbs.
- **Breathable Mesh Back & Soft Seat Cushion:** Designed for extended comfort with airflow and high-resilience cushioning.
- **Fully Adjustable Design:** Features a 3.9-inch height lift, 30° tilting headrest, 90–120° recline range, and 90° flip-up armrests.
- **Durable & Quiet:** Reinforced three-stage gas lift, explosion-proof seat plate, and silent PU casters for stability and floor protection.
- **Quick Setup:** Easy assembly in approximately 15 minutes with included tools.

IMPORTANT SAFETY INFORMATION

- **Maximum Weight Capacity:** This chair has a maximum weight capacity of 300 lbs. Do not exceed this limit.
- **Adjustable Features:** Always follow the instructions for safe use of all adjustable components.
- **Assembly:** Read and follow all assembly instructions carefully to ensure safe and proper use.

ASSEMBLY GUIDE

Follow these steps to assemble your FelixKing office chair. All necessary tools are included in the package.

Step 1: Attach Casters to Foot Stool

Insert the 5 caster wheels into the legs of the foot stool (chair base). Ensure each caster is firmly inserted into the innermost part of the leg to prevent it from falling out during use.



Image description: A person inserting a caster wheel into the leg of the chair's base.

Step 2: Insert Air Rod

Insert the air rod (gas lift cylinder) into the central hole of the foot stool. Ensure it is straight and firmly pressed into place.



Image description: A person inserting the gas lift cylinder into the center of the assembled chair base.

Step 3: Attach Armrests to Backrest

Using the provided M6x30mm screws and Hexagon Wrench, fix both armrests to the back of the backrest. Tighten all 4 screws firmly, then cover them with the decoration caps.



Video description: A step-by-step video guide demonstrating how to attach the armrests to the chair's backrest and secure them with screws.

Step 4: Attach Base Plate to Seat Cushion

Fix the base plate to the bottom of the seat cushion using the M6x18mm screws and Hexagon Wrench. Ensure the "FRONT" letter printed on the base plate faces the front of the seat cushion. Tighten firmly.



Video description: A step-by-step video guide demonstrating how to attach the base plate to the seat cushion, highlighting the "FRONT" orientation.

Step 5: Connect Seat Assembly to Air Rod

Carefully place the assembled seat cushion (with base plate) onto the air rod, aligning the hole in the base plate with the top of the air rod. Press down firmly with your body weight to ensure a secure connection. If the air rod doesn't insert firmly, it's likely to fall down when the chair raises up.



Video description: A step-by-step video guide demonstrating how to connect the seat assembly to the gas lift cylinder on the chair base.

Step 6: Attach Headrest

Align the headrest with the screw holes on the top of the backrest and tighten the two M6x20mm screws. Cover the screws with decoration caps.



Video description: A step-by-step video guide demonstrating how to attach the headrest to the top of the chair's backrest.

OPERATING YOUR CHAIR

Height Adjustment

To adjust the chair height, pull the lever located under the seat upwards while applying or releasing your weight. The chair can be adjusted by 3.9 inches (10 cm).



Image description: A person demonstrating the height adjustment lever located under the seat.

Recline Function

To recline the backrest, pull the lever located under the seat outwards. Lean back to your desired angle (90-120 degrees) and push the lever back in to lock the position.



ADAPTABLE LUMBAR SUPPORT

Protect Your Spine And Lower Back

Image description: Diagram showing the chair reclining between 90 and 120 degrees, with an inset of the tension device and height adjustment.

Lumbar Support Adjustment

The lumbar support can be adjusted vertically by 2 inches (5 cm) to match your natural back curve. Gently push or pull

the lumbar support up or down to find your optimal position.



Image description: Close-up of the adjustable lumbar support mechanism on the chair's backrest, showing vertical adjustment.

Armrest Adjustment

The armrests feature a 90° flip-up design. Lift them up to move them out of the way or lower them for support.

90° ADJUSTABLE FLIP-UP ARMRESTS

Compact & Stylish



Image description: The chair with its armrests flipped up, demonstrating the 90-degree adjustment.

Headrest Adjustment

The headrest can be adjusted for both height (2 inches up/down) and angle (30° rotation) to provide optimal neck support.

RECLINE FUNCTION



Image description: Close-up of the headrest showing its 30-degree rotation and 2-inch vertical adjustment.

Swivel Function

The chair features a 360° swivel base for effortless movement across your workspace.

Your browser does not support the video tag.

Video description: A video demonstrating the chair's 360-degree swivel function and other adjustable features.

CARE AND MAINTENANCE

- **Cleaning:** To clean your chair, simply wipe it clean with a damp cloth. Avoid harsh chemicals.
- **Regular Checks:** Regularly check all screws and connections to ensure they remain tight. Re-tighten if necessary to maintain stability and safety.

TROUBLESHOOTING

- **Unstable/Wobbly Chair:** If the chair feels unstable or wobbly, check all assembly screws and ensure they are tightened firmly.
- **Gas Lift Malfunction:** If the gas lift is not functioning correctly, ensure the air rod is fully inserted into the base plate as per assembly instructions.
- **Other Issues:** For any other issues, please refer to the warranty and support section for contact information.

PRODUCT SPECIFICATIONS

Feature	Detail
Brand	FelixKing
Model Name	918H-C
Color	Light Blue
Product Dimensions	10.63"D x 19.69"W x 20.87"H
Maximum Weight Recommendation	300 Pounds
Material	Polypropylene, Foam, Mesh
Special Features	Adjustable Headrest, Adjustable Height, Adjustable Lumbar, Arm Rest, Ergonomic, Tilting
Back Style	Mesh Back
Furniture Base Movement	Swivel
Assembly	Easy Assembly With Included Tools

Image description: A diagram illustrating the dimensions and key features of the FelixKing office chair, including its 300 lbs weight capacity.

WARRANTY AND CUSTOMER SUPPORT

FelixKing provides a 1-year warranty for this product, ensuring quality and customer satisfaction.

For customer service, technical support, or warranty claims, please contact FelixKing directly through one of the following methods:

- **Amazon Account:** Log in to your Amazon account, navigate to "Your Orders," find your FelixKing chair order, and click "Contact Seller."
- **Email:** service@felixking7.com
- **Phone:** +1 (269) 397-4226



How to Contact Us

- Login Amazon Account
- Choose Your Orders
- Find the Orders
- Click Contact Seller



service@felixking7.com



+1(269)397-4226

Image description: A graphic detailing various ways to contact FelixKing customer support, including Amazon, email, and phone.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question