Hapadif MH100

Hapadif Motorized Blinds Instruction Manual (Model MH100)

1. Introduction

This manual provides detailed instructions for the installation, operation, and maintenance of your Hapadif Motorized Blinds, Model MH100. Please read this manual thoroughly before installation and use to ensure proper function and longevity of your product.

2. Product Features

- **No-Drill Installation:** Designed for easy, tool-free inside mount installation using an adhesive extension block.
- **Blackout Fabric:** Features a three-layer blackout textured fabric for effective UV and privacy protection.
- **Motorized Operation:** Convenient remote control operation.
- **Smart Home Integration:** Compatible with Alexa and Google Assistant via an optional smart bridge (hub) for APP control and voice commands.
- **Valance Included:** A stylish valance is provided to minimize light gaps at the top.

3. Setup and Installation

3.1 Package Contents

The package includes:

- Motorized Shade x1
- Remote Control x1
- Cover x1
- Installation Bracket x2
- Expansion Screw x6 (for optional drilled installation)
- Screw x6 (for optional drilled installation)

3.2 Installation Method (No-Drill, Inside Mount)

The Hapadif Motorized Blinds are designed for a simple no-drill inside mount installation. Ensure your window frame depth is greater than 1.5 inches. If drilling is preferred, a frame depth greater than 2.5 inches is recommended.

1. **Prepare the Blinds:** Locate the no-drill device on the left side of the blind's headrail.
2. **Attach Extension Block:** Attach the adhesive extension block to the groove of the upper rail on the right side. Ensure only one block is used.
3. **Insert into Window Frame:** Push the no-drill device side into the left side of the window frame.
4. **Tighten the Device:** Tighten the no-drill device until you hear a click and it is securely stopped.
5. **Mount the Valance:** Mount the decorative valance cover onto the shades to conceal the headrail and block light from the top gap.



Figure 1: No-Drill Installation Steps

This image illustrates the four-step process for no-drill installation. Step 1 shows inserting the left side, Step 2 shows attaching the extension block to the right, Step 3 shows tightening the device, and Step 4 shows mounting the valance.



Figure 2: Product Components

This image displays key components: a practical valance for light blocking, a stable bottom rod, the high-quality blackout fabric, and the no-drill/tool-free installation device.



Figure 3: Installing the No-Drill Device

This image shows a person pushing the no-drill device into the window frame, demonstrating the ease of installation.

Your browser does not support the video tag.

Video 1: How to Perform No-Drill Installation

This video demonstrates the step-by-step process of installing the Hapadif Motorized Blinds using the no-drill method.

3.3 Measuring for Installation

Accurate measurements are crucial for proper fit. Refer to the diagram below:




Figure 4: Inside Mount vs. Outside Mount Measurements

This diagram provides guidelines for measuring your window for both inside mount and outside mount installations. For inside mount, window frame depth must be greater than 1.5 inches (or 2.5 inches for drilling), order width is window width minus 0.25 inches, and order height is 72 inches (adjustable 0-72 inches). For outside mount, order width is the largest window width plus at least 4 inches, and order height is 72 inches (adjustable 0-72 inches).

4. Operating Instructions

4.1 Remote Control Operation

Your motorized blinds come with a remote control for easy operation. The remote allows you to raise, lower, and stop the blinds at any desired position.

Your browser does not support the video tag.

Video 2: Remote Control Operation

This video demonstrates how to use the remote control to operate the motorized roller shades, including raising and lowering them.

Your browser does not support the video tag.

Video 3: Setting Upper and Lower Limits with Remote

This video provides instructions on how to set the desired upper and lower travel limits for your blinds using the remote control.




Figure 5: Motor and Connectivity Options

This image details the AX290 remote motor (AA batteries included), its low energy consumption, low noise (<35dB), and stable operation (100,000 running tests). It also shows the optional Smart Bridge (hub) for APP/voice control and notes that the remote is pre-paired with the motor.

4.2 Smart Home Integration (Optional)

For APP control and voice commands (Alexa, Google Assistant), an optional smart bridge (hub) is required. This hub connects your blinds to your smart home system, allowing for advanced features like scheduling and scene creation.




Figure 6: Nature Smart Shades Integration

This image highlights the integration of Hapadif smart shades with smart home ecosystems, creating a comfortable home environment.




Figure 7: Voice Control with Smart Assistants

This image demonstrates controlling the blinds with voice commands using Google Assistant or Alexa, such as "Open the shades."

Your browser does not support the video tag.

Video 4: Connecting Blinds with a Smart Bridge

This video provides a detailed guide on how to connect your Hapadif blinds to a smart bridge (hub) for APP and voice control.

4.3 Scheduling and Scenes

With the smart bridge and compatible app, you can set schedules for your blinds to open and close automatically. This allows for personalized routines, such as waking up to natural sunlight or ensuring privacy in the evening.




Figure 8: Automated Sunrise/Sunset Operation

This image illustrates the benefit of setting schedules for your blinds, allowing them to open and close automatically with sunrise and sunset, saving time and enhancing convenience.

5. Maintenance

5.1 Battery Replacement

The blinds are powered by batteries located in a compartment at the top of the headrail. When the batteries are low, simply remove them and replace them with new ones. Battery life is approximately 600 operations (about half a year).



Figure 9: Battery Compartment and Remote

This image shows the internal battery compartment within the headrail of the motorized blind, along with the remote

control.

6. Troubleshooting

If you encounter any issues with your Hapadif Motorized Blinds, please consider the following common troubleshooting steps:

- **Blinds Not Responding:** Check the remote control batteries and replace if necessary. Ensure the remote is within range and pointed towards the blinds.
- **Motor Malfunction/Jams:** If the motor jams or stutters, ensure there are no obstructions in the blind's path. If the issue persists, contact customer support.
- **App/Smart Bridge Connectivity:** Ensure your smart bridge (hub) is properly connected to power and your 2.4GHz Wi-Fi network. Verify Bluetooth is enabled on your phone during setup. If the smart bridge does not appear in the app, unplug and replug it, then try again.
- **Installation Stability:** For no-drill installation, ensure the adhesive extension block is correctly placed and the device is tightened until a click is heard. If stability is a concern, consider using the provided mounting screws for a drilled installation.
- **Remote Control Pairing:** If the remote is not controlling the blinds, it may need to be re-paired. Refer to the smart home integration video for remote matching instructions.

7. Specifications

Brand	Hapadif
Model Number	MH100
Material	Fabric
Product Dimensions	72"L x 34"W
Color	White
Opacity	Blackout
Operation Mode	Automatic
Control Type	Remote
Lining Description	Three-layer blackout textured fabric
Mounting Type	Inside Mount; Outside Mount
Item Weight	4.69 pounds

8. Warranty and Support

Hapadif provides a **2-year warranty** for motors and controllers. If the fabric or any components are damaged upon receipt, please take a photo and send it to us within 60 days for a replacement. For further assistance or warranty claims, please contact Hapadif customer service.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question