Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

VASAGLE LSC089B50

VASAGLE LSC089B50 Storage Cabinet Instruction Manual

Model: LSC089B50

Introduction

Thank you for choosing the VASAGLE LSC089B50 Storage Cabinet. This manual provides essential information for safe assembly, operation, and maintenance of your new cabinet. Please read these instructions carefully before beginning assembly and retain them for future reference.

Safety Information

Important Safety Warnings:

- Children should not climb on or play with the storage cabinet for safety reasons.
- To prevent tipping, always attach the cabinet to the wall using the included anti-tip kit.
- Ensure all screws and fasteners are securely tightened before use. Periodically check and re-tighten as necessary.
- Do not exceed the maximum weight capacities specified in the 'Specifications' section.
- Place the cabinet on a level surface to ensure stability.



Figure 1: Illustration of the anti-tip kit installation for enhanced stability. The kit helps secure the cabinet to the wall, preventing accidental tipping.

Package Contents

Before assembly, please verify that all components listed below are present and undamaged. If any parts are missing or damaged, please contact customer support.

- 1 x VASAGLE LSC089B50 Storage Cabinet
- 1 x Assembly Kit (includes all necessary screws and tools)

- 1 x Anti-tip Kit
- 1 x Instruction Manual

SPECIFICATIONS

Model Number	LSC089B50
Dimensions (D x W x H)	30 x 70 x 80 cm (11.8 x 27.6 x 31.5 inches)
Weight	17.6 kg (38.8 lbs)
Material	Particleboard, Steel
Color	Camel Brown + Ink Black
Max. Static Load Capacity (Top Surface)	60 kg (132 lbs)
Max. Static Load Capacity (Middle Shelf)	20 kg (44 lbs)
Number of Shelves	5 (including top and bottom fixed shelves, plus 2 adjustable shelves)
Door Style	Sliding Door
Assembly Required	Yes



Figure 2: Detailed dimensions and maximum load capacities for the cabinet's top surface and internal shelves.



Figure 3: Top surface dimensions, highlighting the 100 cm width and 33 cm depth, with a maximum load capacity of 90 kg.

Setup and Assembly

The VASAGLE LSC089B50 cabinet requires assembly. Follow the detailed instructions provided in the included manual. All parts are labeled, and an accessory bag with extra screws is provided for convenience.

General Assembly Tips:

- Clear a spacious area for assembly.
- Identify all parts and hardware before starting.
- Follow the step-by-step diagrams in the separate assembly manual.
- Do not overtighten screws during initial assembly; tighten fully once the structure is stable.
- Ensure the cabinet is placed on a level surface after assembly. Use the adjustable feet to stabilize if necessary.



Figure 4: Adjustable feet allow for leveling the cabinet on uneven floors, ensuring stability.

Operating Instructions

Sliding Door Operation:

The cabinet features a smooth-gliding sliding door. To open or close, gently push the door horizontally along its track. Ensure the track is free from obstructions for optimal movement.




Figure 5: The sliding door mechanism allows for flexible access to the cabinet's compartments. Slide the doors left or right to reveal desired sections.

Adjustable Shelves:

The internal shelves are adjustable to accommodate items of various heights. To adjust a shelf:

1. Remove all items from the shelf.
2. Carefully lift the shelf and remove the shelf pins from their current holes.
3. Reinsert the shelf pins into the desired height holes. Ensure all four pins are securely in place and at the same level.
4. Place the shelf back onto the pins, ensuring it is stable before placing items on it.



Figure 6: The adjustable shelf offers three height options (1, 2, 3) to customize storage space according to your needs.

Maintenance

To ensure the longevity and appearance of your VASAGLE LSC089B50 cabinet, follow these maintenance guidelines:

- **Cleaning:** Wipe the surfaces with a dry, soft cloth. For stubborn marks, a slightly damp cloth can be used, followed immediately by a dry cloth. Avoid abrasive cleaners or harsh chemicals.
- **Hardware Check:** Periodically check all screws and fasteners to ensure they remain tight. Re-tighten if necessary to maintain structural integrity.
- **Avoid Moisture:** Protect the cabinet from excessive moisture and direct sunlight to prevent warping or discoloration.
- **Load Distribution:** Distribute weight evenly across shelves and the top surface to prevent stress on the structure.

Troubleshooting

If you encounter any issues with your VASAGLE LSC089B50 cabinet, refer to the following common solutions:

- **Cabinet Wobbles:** Ensure the cabinet is on a level surface. Adjust the leveling feet at the bottom of the cabinet until it is stable.
- **Sliding Door Sticks:** Check the sliding track for any debris or obstructions. Clean the track if necessary. Ensure the door is properly seated in its grooves.
- **Parts Missing/Damaged:** If you discover missing or damaged parts during assembly, do not proceed. Contact customer support immediately for assistance.
- **Difficulty Assembling:** Review the assembly manual carefully. Ensure all parts are oriented correctly and screws are not overtightened prematurely.

Warranty Information

Specific warranty details for the VASAGLE LSC089B50 Storage Cabinet may vary by region and retailer. Please refer to your purchase documentation or contact the retailer directly for information regarding warranty coverage and terms.

Customer Support

For further assistance, questions, or to report missing/damaged parts, please contact VASAGLE customer support or the retailer from whom you purchased the product. Have your model number (LSC089B50) and purchase date ready for quicker service.
You can often find support contact information on the VASAGLE official website or through your purchase platform.

© 2024 VASAGLE. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0BQTWKNFD

More documents and user manuals: **https://manuals.plus/**