

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [IKK](#) /

› [IKK Black Crystal Pendant Light \(Model PAZJU-2022122803\) Instruction Manual](#)

IKK PAZJU-2022122803

IKK Black Crystal Pendant Light Instruction Manual

Model: PAZJU-2022122803

1. INTRODUCTION

Thank you for purchasing the IKK Black Crystal Pendant Light. This manual provides essential information for the safe installation, operation, and maintenance of your new lighting fixture. Please read these instructions thoroughly before beginning installation and retain them for future reference.

2. SAFETY INFORMATION

- **Electrical Safety:** Always turn off the power at the main circuit breaker before installing, cleaning, or servicing this fixture. Consult a qualified electrician if you are unsure about electrical wiring.
- **Installation:** Ensure the mounting surface can support the weight of the fixture. All wiring connections must comply with local electrical codes.
- **Bulb Requirements:** Use only E12 base bulbs, maximum 40 watts. Do not exceed the recommended wattage.
- **Handling Glass:** The fixture includes delicate glass components. Handle with care to prevent breakage. Wear gloves during assembly to avoid fingerprints and potential cuts.
- **Indoor Use Only:** This fixture is designed for indoor use in dry locations. Do not expose to moisture or direct water.

3. PACKAGE CONTENTS

Verify that all components are present and undamaged before proceeding with installation.

- Pendant Light Fixture (with black metal frame and canopy)
- Water Ripple Glass Panels (with extra spare glass panels)
- Mounting Hardware (screws, wire nuts, mounting bracket)
- User Manual
- Gloves (for handling glass)




Figure 3.1: Overview of included components and dimensions. The image displays the pendant light, indicating its adjustable height from 1 to 59 inches, a 7-inch width, and 12-inch height. It also shows the 4.7-inch diameter canopy, E12 bulb requirement (bulbs not included), and extra spare glass panels.

4. SPECIFICATIONS

Brand	IKK
Model Number	PAZJU-2022122803
Dimensions (Fixture)	L7" x W7" x H12" (11.4"L x 8"W x 6.3"H product dimensions)
Adjustable Hanging Height	1" to 59"
Canopy Size	Dia 4.7" x H 1.1"
Weight	7.5 Pounds (approx. 7 LB)

Material	Glass, Metal
Bulb Base	E12
Max Wattage	40 Watts per bulb
Input Voltage	110V
Dimmable	Yes (with compatible dimmer switch and dimmable bulbs, not included)
Installation Type	Semi Flush Mount, suitable for sloped, vaulted, or flat ceilings
Light Source Type	LED/CFL/Incandescent/Vintage Filament compatible

5. SETUP AND INSTALLATION

Installation typically takes approximately 30 minutes. It is recommended to have assistance during the installation process.

1. Prepare for Installation:

- Turn off power at the circuit breaker.
- Unpack all components and inspect for damage.
- Wear gloves when handling glass panels.

2. Mounting the Bracket:

- Attach the mounting bracket to the junction box in the ceiling using the provided screws. Ensure it is securely fastened.

3. Adjusting Hanging Height:

- Determine the desired hanging length for the pendant light. Adjust the cable length as needed.

4. Wiring Connections:

- Connect the fixture's wires to the corresponding household wires (typically black to black, white to white, and ground to ground) using wire nuts.
- Carefully tuck all wires into the junction box.

5. Securing the Canopy:

- Push the canopy up against the ceiling, covering the junction box and mounting bracket.
- Secure the canopy with the provided screws or nuts.

6. Attaching Glass Panels:

- Carefully attach the water ripple glass panels to the fixture frame. Follow the specific instructions in the included manual for proper alignment and securing.

7. Installing the Bulb:

- Screw in one E12 base bulb (not included) into the socket. Do not overtighten.

8. Final Check:

- Ensure all connections are secure and the fixture is stable.
- Restore power at the circuit breaker.



Figure 5.1: The IKK Black Crystal Pendant Light installed above a kitchen island, showcasing its design and placement.



**KITCHEN ISLAND + DINING ROOM
BUNDLE & SAVE**
COMPLETE YOUR STYLING IN ONE CLICK!

Figure 5.2: Multiple pendant lights illuminating a kitchen island, demonstrating how they can be used in a series.

6. OPERATING INSTRUCTIONS

Once installed and powered, the IKK Black Crystal Pendant Light operates like any standard lighting fixture.

- **Turning On/Off:** Use your wall switch to turn the light fixture on or off.
- **Dimming Functionality:** If you have installed a compatible dimmer switch and dimmable E12 bulbs (not included), you can adjust the light intensity using the dimmer switch.
- **Bulb Type:** The fixture is compatible with LED, CFL, incandescent, and vintage filament E12 bulbs. Ensure the bulb wattage does not exceed 40 watts.



Figure 6.1: Visual representation of the pendant light's appearance when illuminated and when off, demonstrating its aesthetic in both states.

7. MAINTENANCE

Regular maintenance will help preserve the appearance and functionality of your pendant light.

- **Cleaning:**

- Always turn off power before cleaning.
- Wipe the metal frame with a soft, dry cloth.
- For glass panels, use a soft, damp cloth with a mild glass cleaner if necessary. Avoid abrasive cleaners that may scratch the glass.
- Ensure all parts are completely dry before restoring power.

- **Bulb Replacement:**

- Turn off power at the circuit breaker.
- Allow the bulb to cool completely before attempting to remove it.

- Replace with a new E12 base bulb, not exceeding 40 watts.

8. TROUBLESHOOTING

If you encounter issues with your pendant light, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Light does not turn on.	<ul style="list-style-type: none"> Power is off at the circuit breaker. Loose wiring connection. Defective bulb. 	<ul style="list-style-type: none"> Check the circuit breaker and wall switch. Turn off power, check all wiring connections. Replace the bulb with a new one.
Light flickers.	<ul style="list-style-type: none"> Loose bulb. Incompatible dimmer switch or bulb. 	<ul style="list-style-type: none"> Tighten the bulb. Ensure dimmer switch and bulbs are compatible and rated for dimming.
Glass panels appear damaged or broken.	<ul style="list-style-type: none"> Damage during shipping or handling. 	<ul style="list-style-type: none"> Contact customer support for free replacement parts.


9. WARRANTY AND SUPPORT


IKK provides a **3-year guarantee** for this product. If you experience any issues or require technical assistance, please contact our customer support team.

- Customer Support:** We offer 24/7 customer support. Refer to the contact information provided with your purchase or visit the official IKK website for assistance.
- Replacement Parts:** In case of damaged components, such as glass panels, contact customer support for free replacements.

© 2025 IKK. All rights reserved.

Related Documents - PAZJU-2022122803

	<p>IKK 2.4G Smart Light Remote Control User Manual</p> <p>User manual for the IKK 2.4G smart light remote control (Model: SN-RF002), detailing its functions, code matching, and grouping settings for LED ceiling lights.</p>
	<p>CarlNann startet Imagekampagne für DAS HANDWERK: Einblicke in erfüllende Handwerksberufe</p> <p>Pressemitteilung von CarlNann über die neue Imagekampagne für DAS HANDWERK, die das erfüllende Gefühl und die positiven Aspekte von Handwerksberufen hervorhebt und Klischees abbaut.</p>

	<p>IKK 2.4G Smart Light Remote Control User Manual</p> <p>User manual for the IKK 2.4G smart light remote control (Model: SN-RF002), detailing its functions, code matching, and grouping settings for LED ceiling lights.</p>
	<p>Improving Material Quality in Mechanical Recycling with Innovative Process Technology</p> <p>This document details advancements in mechanical recycling processes, focusing on improving material quality through innovative technologies. It covers the research focus of the IKK Institute at Leibniz University Hannover, including plastics processing, recycling, sustainability assessment, and material testing. The presentation highlights various recycling approaches, inline analytics for quality control, and legal requirements for recycled plastics.</p>
	<p>The Heartbeat of HealthTech: Munich Conference Participants</p> <p>Explore the comprehensive list of companies and organizations that participated in The Heartbeat of HealthTech conference held in Munich on June 5-6, 2024. This directory showcases key players and innovators shaping the future of health technology.</p>