

Manuals.plus /

› ALDRICH /

› ALDRICH Metal King Size Bed Frame (16 Inch Tall, Black) - Instruction Manual T40-1605

ALDRICH T40-1605

ALDRICH Metal King Size Bed Frame (16 Inch Tall, Black) - Instruction Manual

Model: T40-1605

INTRODUCTION

This manual provides detailed instructions for the assembly, operation, and maintenance of your ALDRICH Metal King Size Bed Frame. Please read all instructions carefully before beginning assembly and retain this manual for future reference.



Figure 1: Assembled ALDRICH Metal King Size Bed Frame.

IMPORTANT SAFETY INFORMATION

Please observe the following safety precautions:

- Exercise caution around sharp metal edges during assembly.
- Do not exceed the maximum weight capacity of 3000 pounds.
- Ensure all bolts are securely tightened before use.

PACKAGE CONTENTS

Verify that all components and hardware are present before beginning assembly. Refer to the diagram below for identification.



Heavy Duty Metal Material

**Made Of High Quality Metal Material
Strong & Sturdy & Durable & Stylish**

Figure 2: All components, screws, and tools included in the package.

Components List

Part	Description	Quantity
A, B, C, K, Q, N	Legs	Various (refer to diagram)
D, E, F, G, H, J	Frame Rails	Various (refer to diagram)
M	Center Support Bar	1 pc
P	Slats	12 pcs (King)
R	Slats	12 pcs (King)
L, S, Y	Screws & Washers	Various (refer to diagram)
T	Plastic Protectors	4 pcs
	Allen Key & Wrench	1 pc each

ASSEMBLY INSTRUCTIONS

Assembly is designed to be straightforward and can typically be completed by one person within 20 minutes.

Follow these steps:

1. **Unpack and Identify Parts:** Carefully unbox all components and lay them out on a clean, soft surface. Match each piece to the corresponding label in the 'Package Contents' diagram.
2. **Assemble Side Frames:** Connect the designated frame rails (e.g., A/B and E, or F/G and H/J) using the provided screws (L, S) and the Allen key/wrench. Ensure connections are secure but do not fully tighten all screws until the frame is fully assembled.

Video 1: General Installation Guide for Metal Bed Frame. This video demonstrates the connection process for frame components and tightening screws.

3. **Attach Center Support:** Secure the center support bar (M) to the main frame using the appropriate hardware.
4. **Install Slats:** Place the slats (P, R) across the frame, ensuring they fit into the designated slots. The slats are designed for easy, tool-free installation.
5. **Final Tightening:** Once all components are in place, fully tighten all screws using the provided tools to ensure stability and prevent noise.
6. **Attach Plastic Protectors:** Install the plastic protectors (T) on the bottom of each leg to prevent floor scratching and reduce noise.



Floor Protectors

Noise Free & Non Slip Design

Prevent Scratch & Protect Your Floor

Figure 3: Illustration of plastic protectors for floor protection.

7. **Headboard Compatibility:** The bed frame legs feature reserved holes for attaching a headboard or footboard, allowing for customization.



Legs With Reserved Holes

Headboard & Footboard Compatible

Allow You To Make a Different Look

Figure 4: Detail of bed frame legs with pre-drilled holes for headboard/footboard attachment.

OPERATING THE BED FRAME

This platform bed frame is designed to support your mattress directly, eliminating the need for a box spring. Simply place your mattress on top of the assembled slats.



Figure 5: Bed frame with mattress and ample under-bed storage space.

Under-Bed Storage

The 16-inch clearance from the floor provides significant space for storing items such as boxes, clothes, toys, and quilts. This maximizes room utility without requiring additional furniture.



Figure 6: Visual representation of the under-bed clearance for storage.

MAINTENANCE

To maintain the condition of your bed frame, wipe it with a damp cloth as needed. Avoid using harsh chemicals or abrasive cleaners that could damage the finish.

TROUBLESHOOTING

- **Noise/Squeaking:** The bed frame is designed with rubber cushions for noise elimination. If squeaking occurs, re-check all bolts and ensure they are securely tightened.
- **Mattress Sliding:** If your mattress tends to slide on the frame, consider placing a non-slip pad between the mattress and the bed frame slats.

Video 2: Short clip demonstrating mattress baffle placement to prevent sliding.

- **Missing Parts:** If any parts are missing upon delivery, please contact ALDRICH customer support for assistance.

SPECIFICATIONS

Product Specifications

Feature	Detail
Size	King
Product Dimensions	79.6"L x 75.6"W x 16"H
Compatible Mattress Size	80"L x 75"W
Special Feature	Squeak Resistant
Color	Black
Finish Type	Steel
Included Components	Slat
Ground To Item Distance	16 Inches
Maximum Weight Capacity	3000 lbs
Assembly Required	Yes
Product Care Instructions	Wipe with Damp Cloth
Item Weight	41 pounds
Model Number	T40-1605
UPC	704090620086