



Manuals.plus /

› VECELO /

› VECELO Twin Size Upholstered Platform Bed Frame Instruction Manual

## VECELO Twin Size Bed Frame

# VECELO Twin Size Upholstered Platform Bed Frame Instruction Manual

Model: Twin Size Bed Frame | Brand: VECELO

## 1. INTRODUCTION

This manual provides detailed instructions for the assembly, operation, and maintenance of your VECELO Twin Size Upholstered Platform Bed Frame. Please read all instructions carefully before beginning assembly and retain this manual for future reference.



Image 1.1: Fully assembled VECELO Twin Size Upholstered Platform Bed Frame, featuring a blue velvet finish and an adjustable headboard, shown with bedding in a bedroom setting.

## 2. SAFETY INFORMATION

---

### Important Safety Instructions:

- Read all instructions before assembly.
- Keep children and pets away during assembly. Small parts can be a choking hazard.
- Assemble on a soft, clean surface to prevent scratches.
- Ensure all bolts and screws are securely tightened before use. Periodically check and re-tighten as needed.
- Do not exceed the maximum weight capacity of 520 lbs (235.87 kg).
- Use only the recommended mattress thickness (8 to 12 inches) for optimal headboard adjustment.
- Do not stand or jump on the bed frame.

## 3. PACKAGE CONTENTS

---

Verify that all components are present before beginning assembly. If any parts are missing or damaged, please contact customer support.

- 1 x Twin Bed Frame (components)
- 1 x Assembly Instruction Manual
- 1 x Accessory Bag (containing all necessary installation tools and hardware)

## 4. SETUP AND ASSEMBLY

Follow these steps for proper assembly of your VECELO Twin Size Bed Frame. It is recommended to have two people for assembly.

### 4.1. Unpacking and Component Identification

Carefully unpack all components from the box. Lay them out on a soft, clean surface. Refer to the included assembly instruction sheet for a detailed list of parts and hardware.



Image 4.1: Dimensional diagram of the VECELO Twin Size Bed Frame, illustrating overall length, width, height, and adjustable headboard range. Max capacity is 520 lbs.

## 4.2. Frame Assembly

1. Connect the side rails to the headboard and footboard using the provided bolts and tools. Ensure all connections are snug but do not fully tighten until the entire frame is assembled.
2. Attach the center support beam(s) to the frame.



Image 4.2: The VECELO Twin Size Bed Frame structure, displaying the metal framework and wooden slats designed for mattress support without a box spring.

## 4.3. Slat Installation

1. Unroll the wooden slats across the bed frame. The slats are conveniently secured with Velcro attachments for quick and hassle-free setup.
2. Press down firmly on each slat to ensure the Velcro adheres properly to the frame, preventing movement and noise.
3. Once all slats are in place, fully tighten all bolts and screws on the bed frame.




Image 4.3: Detail of the Velcro design, highlighting how wooden slats are quickly and securely attached to the bed frame for stability and noise reduction.



Image 4.4: Visual representation of the multi-support system, showing the robust wooden slats and central metal support designed to hold up to 520 lbs.

## 5. OPERATING AND USAGE

### 5.1. Mattress Placement

Place your mattress directly onto the wooden slats. A box spring is not required for this platform bed frame.

### 5.2. Adjustable Headboard

The headboard features four adjustable height settings: 41, 43, 45, and 47 inches. This allows for compatibility with mattresses ranging from 8 to 12 inches in thickness. Adjust the headboard height by repositioning the attachment bolts on the headboard supports to your desired level before fully tightening.

# Adjustable Headboard



Image 5.1: Visual guide demonstrating the four adjustable height options for the upholstered headboard, accommodating various mattress thicknesses.

# Adjustable & Comfort Headboard



Image 5.2: A hand demonstrating the plush, high-resilience memory foam padding within the velvet upholstered headboard, emphasizing comfort.

## 5.3. Under-Bed Clearance

The bed frame provides approximately 8 inches of clearance from the floor to the bottom of the side rail, offering space for under-bed storage or cleaning devices.



Image 5.3: Illustration of the bed leg height, indicating approximately 8 inches of under-bed clearance for storage or robotic vacuum access.

## 6. MAINTENANCE

---

Regular maintenance will help prolong the life and appearance of your bed frame.

- **Cleaning the Upholstery:** For general cleaning, gently vacuum the velvet upholstery with a brush attachment to remove dust and debris. For spills, blot immediately with a clean, dry cloth. For stubborn stains, use a mild fabric cleaner specifically designed for velvet, testing on an inconspicuous area first. Do not saturate the fabric.
- **Cleaning the Frame:** Wipe metal and wood components with a soft, damp cloth. Avoid harsh chemicals or abrasive cleaners.
- **Hardware Check:** Periodically check all bolts and screws to ensure they remain tight. Re-tighten as necessary to maintain stability and prevent squeaks.

## 7. TROUBLESHOOTING

---

If you encounter any issues with your bed frame, refer to the following common solutions:

- **Squeaking Noises:**

- Ensure all bolts and screws are fully tightened.
- Check that the wooden slats are properly seated and the Velcro is securely attached to the frame.
- Verify that the center support legs are making firm contact with the floor.

- **Instability/Wobbling:**

- Re-check all connections and ensure they are tightened evenly.
- Ensure the bed frame is on a level surface.


- **Headboard Not Adjusting:**

- Loosen the bolts securing the headboard to the frame, adjust to the desired height, and then re-tighten firmly.

If problems persist, please contact VECELO customer support.

## 8. SPECIFICATIONS

Feature	Detail
Brand	VECELO
Model Name	Twin Size Bed Frame
Size	Twin
Color	Blue
Material	Metal, Wood, Velvet
Product Dimensions (L x W x H)	194.56 x 108.97 x 120.9 cm (76.6 x 42.9 x 47.6 inches)
Item Weight	22.68 kg (50 lbs)
Maximum Load Capacity	520 lbs (235.87 kg)
Headboard Height Adjustment	41 / 43 / 45 / 47 inches
Recommended Mattress Thickness	8 to 12 inches
Special Features	Adjustable Headboard, No Box Spring Needed, Squeak Resistant, Stain Resistant



## • Twin Specifications •

Color:	Blue
-----	
Twin Size:	77" x 43" x 41/47"
-----	
Headboard Height :	41/43/45/47"
-----	
Material:	Wood/Velvet /Metal
-----	
Max Load Capacity:	520 lbs
-----	

Image 8.1: Summary of key specifications for the VECELO Twin Size Bed Frame, including dimensions, material, and maximum load capacity.

## 9. WARRANTY AND SUPPORT

VECELO offers a hassle-free 30-day return window with no associated costs. For any questions, missing parts, or assistance with assembly, please contact VECELO customer support through your purchase platform or the official VECELO website.

Please have your model number (Twin Size Bed Frame) and ASIN (B0BRCQKB47) ready when contacting support.