

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

> [MONDAWE](#) /

> [MONDAWE MD-A3816-BN 9-Inch Wall Mounted Shower Faucet Set User Manual](#)

MONDAWE MD-A3816-BN

MONDAWE 9-Inch Wall Mounted Shower Faucet Set User Manual

Model: MD-A3816-BN (Brushed Nickel, 9 IN - Without Tub Spout)

1. PRODUCT OVERVIEW

This manual provides detailed instructions for the installation, operation, and maintenance of your MONDAWE 9-Inch Wall Mounted Shower Faucet Set. This system includes a rainfall shower head and a 3-setting handheld spray, designed for a high-pressure shower experience.



Image: Complete MONDAWE 9-Inch Wall Mounted Shower Faucet Set in Brushed Nickel.

2. SAFETY INFORMATION

WARNING: Improper installation or use can lead to injury or property damage. Always consult a qualified professional for plumbing installations if you are unsure.

- Ensure all water supply lines are turned off before beginning installation.
- Wear appropriate personal protective equipment (PPE) such as safety glasses and gloves.
- Verify that all connections are secure and leak-free before restoring water supply.
- The pressure balance valve is designed to protect against sudden changes in water temperature. Do not tamper with this mechanism.

3. PACKAGE CONTENTS

Carefully unpack all components and verify that all parts are present and undamaged. If any parts are missing or damaged, contact customer support.

Package List



Image: All components included in the MONDAWE Shower Faucet Set package.

Key Components:

- Rainfall Shower Head (9-inch)
- Shower Arm (16-inch)
- 3-Setting Handheld Shower Spray
- Shower Hose (59-inch)
- Adjustable Slide Bar
- Pressure Balance Shower Valve (Solid Brass Rough-In Valve)
- Control Panel with Single Handle and Diverter Knob
- Mounting Hardware and Installation Guide

Solid Brass Rough-In Valve




Image: Detailed view of the Solid Brass Rough-In Valve, showing NPT 1/2 inch connectors for rainfall shower head, handheld shower head, hot water, and cold water, along with the 2-function diverter and pressure balanced cartridge.

4. INSTALLATION INSTRUCTIONS

This shower system uses American standard 1/2 inch NPT thread connections. Professional installation is recommended.

4.1 Tools Required (Not Included):

- Plumber's Putty
- Wrench
- Slotted Screwdriver
- Electric Drill
- Cutter
- Glass Glue/Sealant

4.2 Installation Steps:

1. **Prepare the Wall:** Ensure the rough-in valve is securely installed within the wall according to plumbing codes.

2. **Outline the Panel:** Use a pencil to draw an outline of the control panel along its edge on the wall tile.
3. **Remove Components:** Carefully remove the handle, diverter knob, and the decorative panel from the valve assembly.
4. **Cut the Panel Opening:** Use a cutter to cut along the lines of the painted panel. This allows the panel to be trapped into the wall. **Warm Tip:** Cut carefully; do not cut into the inside of the pipe and valve body.
5. **Install Panel and Knobs:** Once the panel is embedded into the wall, install the water distribution knob and the main handle.
6. **Seal Gaps:** After the panel is embedded, fix any gaps between the panel and the brick surface with glass glue/sealant to prevent water intrusion.
7. **Install Shower Arm and Head:** Securely attach the 16-inch shower arm to the wall connection, then attach the 9-inch rainfall shower head. Ensure all connections are tightened and sealed. The shower head features a 360° rotation and 15° tilt for adjustable angle.
8. **Install Slide Bar and Handheld Shower:** Mount the adjustable slide bar to the wall. Connect the shower hose to the handheld spray and the wall outlet, then attach the handheld spray to the slide bar.

4.3 Installation Video:

Video: General installation guide for a round shower panel. Note: The model shown in the video may differ, but connection types and installation steps are similar. Refer to the actual product and included instructions for specific details.




Image: Technical diagram showing dimensions and recommended installation heights for the shower head, slide bar, and faucet diverter valve.

5. OPERATING INSTRUCTIONS

Your MONDAWE shower system is designed for ease of use with a single handle for water flow and temperature control, and a diverter knob to switch between shower functions.

Easy To Operate Retro Panel



Easily Adjust water temperature and flow with a single handle.



Rainfall Shower Mode



Handheld Shower Mode

One Mode at a Time:
rainfall shower and handheld shower conversion.

Image: Control panel illustrating the single handle for temperature and flow adjustment (Hot/Cold) and the diverter knob for selecting between Rainfall Shower Mode and Handheld Shower Mode. Only one function can be used at a time.

5.1 Adjusting Water Flow and Temperature:

The single handle on the control panel allows you to easily adjust both water flow and temperature. Rotate the handle left for hotter water and right for colder water. Lift the handle to increase flow and push down to decrease flow.

5.2 Switching Shower Modes:

The diverter knob allows you to switch between the rainfall shower head and the handheld shower. Rotate the knob to select your desired shower mode. Note that only one function can be active at a time.

9-Inch Powerful Rainfall Shower Head



The rainfall showerhead can offer consistent powerful water.



Adjustable Angle Connector



Easy Clean Silicone Nozzle



Rainfall Experience



Cover Your Whole Body



Seems Like Spa at Home



16-Inch Shower Arm

Image: Features of the 9-Inch Rainfall Shower Head, highlighting the rainfall experience, full body coverage, and easy-clean silicone nozzles. It also shows the 16-inch shower arm and adjustable angle connector.

3 Spray Handheld Shower for Bathing



Massage



Rain



Rain+ Massage

Image: The 3-setting handheld shower, demonstrating its Massage, Rain, and combined Rain+Massage spray patterns.



Image: The height-adjustable slide bar, allowing the handheld shower to be positioned for both children and adults. The handheld holder is removable by pressing a button.

5.3 Product Overview Video:

Video: A brief overview of the 9-inch shower faucet set, showcasing its design and functionality.

6. MAINTENANCE AND CARE

Proper care will ensure the longevity and appearance of your MONDAWE shower system.

- **Cleaning:** Clean the brushed nickel finish with a soft, damp cloth. Avoid abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the finish.
- **Nozzle Cleaning:** The rainfall shower head features easy-clean silicone nozzles. Periodically rub the nozzles to dislodge any mineral buildup.
- **Hard Water Areas:** In areas with hard water, more frequent cleaning may be necessary to prevent mineral deposits. Consider using a mild vinegar solution for stubborn buildup, followed by a thorough rinse.
- **Regular Inspection:** Periodically check all connections for leaks and ensure the handle and diverter knob operate smoothly.

7. TROUBLESHOOTING

If you encounter issues with your shower system, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Low Water Pressure	Clogged shower head nozzles; partially closed shut-off valves; low household water pressure.	Clean shower head nozzles; ensure shut-off valves are fully open; consult a plumber for household water pressure issues.
Water Leaks	Loose connections; damaged O-rings or seals.	Tighten all connections; replace damaged O-rings or seals. If leaks persist, contact a professional plumber.
Temperature Fluctuations	Issue with the pressure balance cartridge; insufficient hot water supply.	Ensure hot water heater is functioning correctly; if the issue persists, the pressure balance cartridge may need inspection or replacement by a professional.
Diverter Not Switching	Mineral buildup in the diverter mechanism; worn diverter cartridge.	Clean the diverter mechanism; if necessary, replace the diverter cartridge.

If you are unable to resolve an issue, please contact MONDAWE customer support for assistance.

8. SPECIFICATIONS

Feature	Detail
Brand	MONDAWE
Model Number	MD-A3816-BN
Color	Brushed Nickel
Material	Acrylonitrile Butadiene Styrene (ABS) for some components, Solid Brass Valve
Finish Type	Brushed
Number of Handles	1
Mounting Type	Wall Mount
Head Size	9 inches (Rainfall Shower Head)
Product Dimensions	9 x 9 x 16 inches (overall, approximate)
Item Weight	11.14 pounds (approx. 5.06 Kilograms)
Included Components	Valve, Rainfall Shower Head, Handheld Spray, Slide Bar, Hose, Trim Kit
Connection Standard	American standard 1/2 inch NPT thread

9. WARRANTY AND SUPPORT

For warranty information and customer support, please refer to the documentation included with your

product or visit the official MONDAWE website. If you have any questions regarding installation or operation, feel free to email us.

Contact Information: Please refer to the 'Service Card' included in your package for specific contact details.