

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [BLANCO](#) /

› [BLANCO CATRIS Flexo Filter Semi-Pro Pull-Down Kitchen Faucet 442992 User Manual](#)

BLANCO 442992

BLANCO CATRIS Flexo Filter Semi-Pro Pull-Down Kitchen Faucet

MODEL: 442992

Introduction

This manual provides essential information for the installation, operation, and maintenance of your BLANCO CATRIS Flexo Filter Semi-Pro Pull-Down Kitchen Faucet. Please read these instructions thoroughly before installation and use to ensure proper function and longevity of your product. Retain this manual for future reference.

Safety Information

Always follow local plumbing and building codes. If you are unsure about any installation steps, consult a qualified plumber. Ensure water supply is turned off before beginning installation or maintenance.

Package Contents

Verify that all components are present before beginning installation. The package includes all necessary installation parts for a standard setup.

- BLANCO CATRIS Flexo Faucet body
- Pull-down spray head
- Mounting hardware
- Water supply lines
- Handle

Setup and Installation

This faucet is designed for deck-mounted installation. Professional installation is recommended.

1. **Prepare the Installation Area:** Ensure the mounting surface is clean and clear. Turn off the main water supply.

2. **Mount the Faucet:** Insert the faucet body into the pre-drilled hole on your sink or countertop. Secure it from underneath using the provided mounting hardware.
3. **Connect Water Supply Lines:** Attach the hot and cold water supply lines to the corresponding connections on the faucet and your home's water supply. Ensure all connections are tight to prevent leaks.
4. **Connect Filtered Water Line (Optional):** The faucet can be paired with common RO water filtration systems. Connect the filtered water line to the designated inlet on the faucet.
5. **Install Spray Head and Hose:** Connect the pull-down spray head to the flexible hose. Ensure the hose weight is properly installed to allow the spray head to retract smoothly.
6. **Test for Leaks:** Slowly turn on the main water supply and check all connections for leaks. Run water through the faucet for a few minutes to flush out any debris.





Figure 1: Faucet Dimensions. This image displays the key measurements of the faucet, including its overall height, spout height, and spout reach, which are approximately 19 1/8 inches, 6 3/16 inches, and 7 3/8 inches respectively.

Operating Instructions

The BLANCO CATRIS Flexo Faucet offers versatile functionality for various kitchen tasks.

- **Water Flow and Temperature:** The single handle controls both water flow and temperature. Lift the handle to increase flow and move it left for hot water or right for cold water.
- **Pull-Down Spray Head:** The insulated pull-down spray head provides an extended range of motion. It features dual selectable spray patterns. Press the buttons on the spray head to switch between an aerated stream for everyday cleaning and a powerful spray for heavy-duty tasks.
- **Filtered Water Function:** A separate control allows for the dispensing of filtered water, ideal for drinking, cooking, and filling containers. This increases efficiency by providing filtered water directly from the faucet.
- **360° Swivel:** The faucet's 360° swivel feature provides optimal range and flexibility, allowing you to direct water precisely where needed in and around the sink.



Figure 2: Pull-Down Spray Function. This image shows a hand holding the pull-down spray head, demonstrating the powerful spray pattern in use for cleaning.



Figure 3: Filtered Water Dispensing. A close-up view of the faucet's dedicated filtered water spout, showing a clear stream of water being dispensed.

Maintenance and Care

Proper care will ensure the longevity and appearance of your BLANCO faucet.

- **Cleaning:** Clean the faucet regularly with a soft cloth and mild soap. Avoid abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the matte black finish and brass construction.
- **Finish Protection:** The solid brass construction and premium metal finish are designed to resist tarnishing and corrosion. Regular gentle cleaning is sufficient to maintain its appearance.
- **Aerator Maintenance:** Periodically unscrew and clean the aerator to remove any mineral deposits or debris that may affect water flow.
- **Hose Inspection:** Inspect the flexible silicone hose for any signs of wear or damage. Replace if necessary.

Troubleshooting

If you encounter issues with your faucet, refer to the following common problems and solutions:

| Problem | Possible Cause | Solution |
|------------------------------------|--|---|
| Low Water Flow | Clogged aerator; partially closed shut-off valve; debris in supply line. | Clean or replace aerator. Ensure shut-off valves are fully open. Flush supply lines. |
| Leaking from Faucet Base or Handle | Loose connections; worn O-rings or cartridge. | Check and tighten all connections. If leaking persists, contact BLANCO customer support for replacement parts or service. |
| Spray Head Stuck on One Mode | Mineral buildup in spray head mechanism; faulty diverter. | Soak spray head in vinegar solution to remove mineral buildup. If issue persists, contact BLANCO customer support for a replacement spray head. |
| Poor Spray Head Retraction | Hose weight improperly positioned or obstructed. | Check the position of the hose weight under the sink and ensure it moves freely. |

If these solutions do not resolve the issue, please contact BLANCO customer support.

Specifications

- **Brand:** BLANCO
- **Model Name:** Catriis Flexo Filter Semi-Pro
- **Part Number:** 442992
- **Color:** Matte Black
- **Material:** Brass
- **Finish Type:** Matte
- **Mounting Type:** Deck Mount
- **Number of Handles:** 1
- **Special Feature:** Pull Down Sprayer, Filtered Water Function
- **Style:** Modern/Contemporary
- **Maximum Flow Rate:** 1.5 Gallons Per Minute (GPM)
- **Product Dimensions:** 8.63"D x 4.5"W x 15.75"H
- **Spout Height:** 6.19 Inches
- **Spout Reach:** 7.38 Inches
- **Item Weight:** 4.95 Pounds


Warranty Information

Your BLANCO CTRIS Flexo Filter Semi-Pro Pull-Down Kitchen Faucet is covered by a **Limited Lifetime Warranty**. This warranty covers defects in material and workmanship under normal use. For detailed terms and conditions, or to make a warranty claim, please refer to the official BLANCO website or contact customer support.

Customer Support

For further assistance, technical support, or to order replacement parts, please contact BLANCO customer service. You can find contact information on the official BLANCO website or through your product retailer.

Related Documents - 442992

| | |
|---|--|
|  | <p>BLANCO CATRIS FLEXO PVD Faucet Specifications and Installation Guide</p> <p>Detailed specifications, features, and installation information for the BLANCO CATRIS FLEXO PVD faucet, including product dimensions, materials, codes and standards compliance, and warranty information.</p> |
|  | <p>BLANCO CATRIS Faucet Specifications and Installation Guide</p> <p>Detailed specifications, features, planning information, codes, standards, and warranty for the BLANCO CATRIS faucet in Metal Finish. Includes installation dimensions and compliance information.</p> |
|  | <p>BLANCO CATRIS-S HD Faucet Installation and Care Guide</p> <p>Comprehensive installation and maintenance guide for the BLANCO CATRIS-S HD kitchen faucet. Includes parts list, step-by-step instructions, technical specifications, and care recommendations from BLANCO.</p> |
|  | <p>BLANCO CATRIS-S Flexo HD Mixer Tap Installation Guide</p> <p>Detailed instructions for installing the BLANCO CATRIS-S Flexo HD mixer tap, including safety precautions and maintenance tips.</p> |
|  | <p>BLANCO SONEA-S Flexo HD Mixer Tap Installation and Care Guide</p> <p>Official installation and care guide for the BLANCO SONEA-S Flexo HD mixer tap. Features include detailed assembly steps, safety information, and maintenance tips for optimal performance and hygiene.</p> |

BLANCO

Faucet Specifications
Color: Matte Black SKU: 442992
Item Date: 03/24
Item ID: 442992

Product Features

- Full-drawn insulated handspray with dual selectable spray patterns
- 360° swivel provides extended range
- Flexible silicone hose provides optimal range of motion
- Patented aerator for reduced scaling and easy cleaning
- Ceramic disc cartridge
- 1.5 GPM (Gallons Per Minute) flow rate

Planning Information

• Not required

• Filter not included

• 1/2" diameter drilled faucet hole required for installation

Codes & Standards

ASME A112.18.1/CSA B125.1, NSF/ANSI/CGC 61, IAPMO 372 listed AB 1953, AB 100, CEC, California, GECA SB 270 compliant

Warning

BLANCO offers a limited lifetime warranty on all sinks and faucets, as well as a one-year warranty on all custom accessories.

Code/Standards Compliance

BLANCO sinks and faucets are third-party tested and certified to standards and listed by applicable certification bodies. For more information on individual product listings, contact our office or listing organization.

View our how-to-video to learn more about installing and caring for BLANCO products: <https://www.blanco.com/us/en/service/how-to-video/how-to-install>

Questions? Contact us today:
BLANCO America, Inc.
110 Mount Holly By-Pass
Lumberton, NJ 08848
Phone: 609-668-6201
Fax: 609-668-6211

With BLANCO trademarks to provide accurate information, all dimensions are nominal, cannot be guaranteed, and are subject to change or cancellation. BLANCO assumes no responsibility for use of superseded or voided specifications.

BLANCO RIVANA High Arc PVD Faucet Specifications and Installation Information

Detailed specifications, product features, planning information, codes, standards, and warranty for the BLANCO RIVANA High Arc PVD faucet. Includes installation guidance and contact information for BLANCO America.

Documents - BLANCO – 442992

BLANCO

Faucet Specifications
Color: Matte Black SKU: 442992

CATRIS FLEXO Filter
Special colors

Product Features

- Full-drawn insulated handspray with dual selectable spray patterns
- 360° swivel provides extended range
- Flexible silicone hose provides optimal range of motion
- Can be paired to RO water filtration systems
- Ceramic disc cartridge
- 1.5 GPM (Gallons Per Minute) flow rate

Planning Information

• Not required

• Filter not included

• 1/2" diameter drilled faucet hole required for installation

Codes & Standards

ASME A112.18.1/CSA B125.1, NSF/ANSI/CGC 61, IAPMO 372 listed AB 1953, AB 100, CEC, California, GECA SB 270 compliant

Warning

BLANCO offers a limited lifetime warranty on all sinks and faucets, as well as a one-year warranty on all custom accessories.

Code/Standards Compliance

BLANCO sinks and faucets are third-party tested and certified to standards and listed by applicable certification bodies. For more information on individual product listings, contact our office or listing organization.

View our how-to-video to learn more about installing and caring for BLANCO products: <https://www.blanco.com/us/en/service/how-to-video/how-to-video/how-to-install>

Questions? Contact us today:
BLANCO America, Inc.
110 Mount Holly By-Pass
Lumberton, NJ 08848
Phone: 609-668-6201
Fax: 609-668-6211

With BLANCO trademarks to provide accurate information, all dimensions are nominal, cannot be guaranteed, and are subject to change or cancellation. BLANCO assumes no responsibility for use of superseded or voided specifications.

[pdf] Specifications Warranty Accessories Catalog

442992 afsupply pub media catalog product matridtech blanco spec |||

Faucet Specifications Color Matte Black SKU **442992** CATRIS FLEXO Filter Special colors Product Features Pull-down, insulated handspray with dual selectable spray patterns 360 swivel provides extended range Flexible silicone hose provides optimal range of motion Patented aerator for reduced scaling and easy cleaning Ceramic disc cartridge 1.5 GPM (Gallons Per Minute) flow rate

Planning information Not required Filter not included 1/2" diameter drilled faucet hole required for installation

Codes & Standards ASME A112.18.1/CSA B125.1, NSF/ANSI/CGC 61, IAPMO 372 listed AB 1953, AB 100, CEC, California, GECA SB 270 compliant

Optional Accessories Filter Starter Set Soft L: 443274 Filter Starter Set Hard L: 443275 Microspout S: 443276 Filter Flometer: 443276

Warning BLANCO offers a limited lifetime warranty on all sinks and faucets, as well as a one-year warranty on all custom accessories.

Code/Standards Compliance BLANCO sinks and faucets are third-party tested and certified to standards and listed by applicable certification bodies. For more information on individual product listings, contact our office or listing organization.

View our how-to-video to learn more about installing and caring for BLANCO products: <https://www.blanco.com/us/en/service/how-to-video/how-to-video/how-to-install>

Questions? Contact us today:
BLANCO America, Inc.
110 Mount Holly By-Pass
Lumberton, NJ 08848
Phone: 609-668-6201
Fax: 609-668-6211

With BLANCO trademarks to provide accurate information, all dimensions are nominal, cannot be guaranteed, and are subject to change or cancellation. BLANCO assumes no responsibility for use of superseded or voided specifications.

BLANCO

Faucet Specifications
Color: Matte Black SKU: 442992

CATRIS FLEXO Filter
Special colors

Product Features

- Full-drawn insulated handspray with dual selectable spray patterns
- 360° swivel provides extended range
- Flexible silicone hose provides optimal range of motion
- Can be paired to RO water filtration systems
- Ceramic disc cartridge
- 1.5 GPM (Gallons Per Minute) flow rate

Planning Information

• Not required

• Filter not included

• 1/2" diameter drilled faucet hole required for installation

Codes & Standards

ASME A112.18.1/CSA B125.1, NSF/ANSI/CGC 61, IAPMO 372 listed AB 1953, AB 100, CEC, California, GECA SB 270 compliant

Optional Accessories

Filter Starter Set Soft L: 443274
Filter Starter Set Hard L: 443275
Microspout S: 443276
Filter Flometer: 443276

Warning

BLANCO offers a limited lifetime warranty on all sinks and faucets, as well as a one-year warranty on all custom accessories.

Code/Standards Compliance

BLANCO sinks and faucets are third-party tested and certified to standards and listed by applicable certification bodies. For more information on individual product listings, contact our office or listing organization.

View our how-to-video to learn more about installing and caring for BLANCO products: <https://www.blanco.com/us/en/service/how-to-video/how-to-video/how-to-install>

Questions? Contact us today:
BLANCO America, Inc.
110 Mount Holly By-Pass
Lumberton, NJ 08848
Phone: 609-668-6201
Fax: 609-668-6211

With BLANCO trademarks to provide accurate information, all dimensions are nominal, cannot be guaranteed, and are subject to change or cancellation. BLANCO assumes no responsibility for use of superseded or voided specifications.

[pdf] Specifications Warranty Accessories

Blanco 442992 Specification SheetBlanco Catris Flexo Filter Ready Dual Spray Kitchen Faucet — Bath4Allijgv1wluk32xuuutxxp1bath4all s3 us west 2 amazonaws ijgv1wluk32xuuutxxp1 |||

Faucet Specifications Color Matte Black SKU **442992** CATRIS FLEXO Filter Special colors Product Features Pull-down, insulated handspray with dual selectable spray patterns 360 swivel provides extended range Flexible silicone hose provides optimal range of motion Can be paired to RO water filtr...

lang:en score:29 filesize: 511.1 K page_count: 1 document date: 2024-02-09

BLANCO

Faucet Specifications
Color: Matte Black SKU: 442992

CATRIS FLEXO Filter
Special colors

Product Features

- Full-drawn insulated handspray with dual selectable spray patterns
- 360° swivel provides extended range
- Flexible silicone hose provides optimal range of motion
- Can be paired to RO water filtration systems
- Ceramic disc cartridge
- 1.5 GPM (Gallons Per Minute) flow rate

Planning Information

• Not required

• Filter not included

• 1/2" diameter drilled faucet hole required for installation

Codes & Standards

ASME A112.18.1/CSA B125.1, NSF/ANSI/CGC 61, IAPMO 372 listed AB 1953, AB 100, CEC, California, GECA SB 270 compliant

Optional Accessories

Filter Starter Set Soft L: 443274
Filter Starter Set Hard L: 443275
Microspout S: 443276
Filter Flometer: 443276

Warning

BLANCO offers a limited lifetime warranty on all sinks and faucets, as well as a one-year warranty on all custom accessories.

Code/Standards Compliance

BLANCO sinks and faucets are third-party tested and certified to standards and listed by applicable certification bodies. For more information on individual product listings, contact our office or listing organization.

View our how-to-video to learn more about installing and caring for BLANCO products: <https://www.blanco.com/us/en/service/how-to-video/how-to-video/how-to-install>

Questions? Contact us today:
BLANCO America, Inc.
110 Mount Holly By-Pass
Lumberton, NJ 08848
Phone: 609-668-6201
Fax: 609-668-6211

With BLANCO trademarks to provide accurate information, all dimensions are nominal, cannot be guaranteed, and are subject to change or cancellation. BLANCO assumes no responsibility for use of superseded or voided specifications.

[pdf] Specifications Warranty Accessories

Rain Bird Sprinklers Irrigation Valves Nozzles Sprays Heads Smart Controllers SupplyStop Blanco 442992 v 1734482448 cdn shopify s files 1 0268 6150 2518 |||

Faucet Specifications Color Matte Black SKU **442992** CATRIS FLEXO Filter Special colors Product Features Pull-down, insulated handspray with dual selectable spray patterns 360 swivel provides extended range Flexible silicone hose provides optimal range of motion Can be paired to RO water filtr...

lang:en score:26 filesize: 511.77 K page_count: 2 document date: 2024-12-18

BLANCO

Faucet Specifications

Colour: SKU: 442992

Matte Black

Product Features

- Pull-down, insulated handspray with dual selectable spray patterns
- 360° swivel provides extended range
- Flexible silicone hose provides optimal range of motion
- Patented aerator for reduced scaling and easy cleaning
- Ceramic disc cartridge
- 1.5 GPM (Gallons Per Minute) flow rate
- Filter not included

Warning: BLANCO offers a limited lifetime warranty on all sinks and faucets, as well as a one-year warranty on all accessories and soap dispensers.

Code/Standards Compliance: BLANCO sinks and faucets are third-party tested and certified to standards and listed by applicable certification bodies. For more information on individual product listings, contact our office or listing organization.

View our how-to-video to learn more about installing and caring for BLANCO products: <https://www.blanco.com/en/service/how-to-video/how-to-video-for-sink/>

Questions? Contact us today:

BLANCO America, Inc.
130 Hopper Street, P.O. Box 1000
Lumberton, NJ 08808

Phone & Fax: 856-668-6201
Fax: 609-668-6211

While BLANCO endeavors to provide accurate information, all images and dimensions in this document are intended for reference only. Actual products may vary. For detailed installation instructions, refer to installation instructions provided with the product. BLANCO assumes no responsibility for the use of unapproved or revised specifications.

[pdf] Specifications Dimension Guide Warranty Accessories

meadyerlmuxr images webfronts cache |||

Faucet Specifications Color Matte Black SKU **442992** CATRIS FLEXO Filter Special colors Product Features Pull-down, insulated handspray with dual selectable spray patterns 360 swivel provides extended range Flexible silicone hose provides optimal range of motion Patented aerator for reduced sc...

lang:en score:15 filesize: 469.76 K page_count: 1 document date: 2018-10-31

BLANCO

Faucet Specifications

Colour: SKU: 442992

Matte Black

Product Features

- Pull-down, insulated handspray with dual selectable spray patterns
- 360° swivel provides extended range
- Flexible silicone hose provides optimal range of motion
- Can be paired to RO water filtration systems
- Ceramic disc cartridge
- 1.5 GPM (Gallons Per Minute) flow rate

Planning information

Certified to NSF 42/372 standard
Can be paired to RO water filtration systems
Filter not included
1 1/2" diameter drilled faucet hole required for installation

Codes & Standards

ASME A112.18.1/CSA B125.1, NFPA/ANSI/ASME, IAPMO, NSF/ANSI/NSF/AR 1953, AB 100, CEC, CalGreen, George SB 270 compliant

Optional Accessories

Soft L Filter Set: 443274
Microplastic C Filter Set: 443275
Filter Flometer: 443276

Warning: Limited lifetime warranty on all sinks and faucets. One-year warranty on all accessories and soap dispensers.

Code/Standards Compliance: BLANCO sinks and faucets are third-party tested and certified to CSA, cUPC, ANSI/ASME, IAPMO and NSF standards and listed by applicable certification bodies. For more information on individual product listings, contact our office or listing organization.

Need support? Learn more by watching our sink & faucet How-to-video:
<https://www.blanco.com/en/support/how-to-video/how-to-video-for-sink/>

BLANCO Canada Inc.
130 Hopper Street, P.O. Box 1000
Lumberton, NJ 08808

Tel & Fax: 856-668-2400 Toll free: 1-877-425-2626
Fax: 609-668-2425 Toll free: 1-877-825-2626

While BLANCO endeavors to provide accurate information, all images and dimensions in this document are intended for reference only. Actual products may vary. For detailed installation instructions, refer to installation instructions provided with the product. BLANCO assumes no responsibility for the use of unapproved or revised specifications.

[pdf] Specifications Warranty Accessories

Specifications SheetBlanco Catris Flexo Filter Semi Pro 1 5 GPM Pull Down Kitchen Faucet — Rise186 618 CATRIS FLEXO en CAcdn shopify s files 0564 4422 3675 186 CA v 1727226463 |||

Faucet Specifications Colour Matte Black SKU **442992** CATRIS FLEXO Filter Special colours Product Features Pull-down, insulated handspray with dual selectable spray patterns 360 swivel provides extended range Flexible silicone hose provides optimal range of motion Can be paired to RO water fil...

lang:en score:15 filesize: 511.53 K page_count: 2 document date: 2024-09-25

BLANCO

Faucet Specifications

Colour: SKU: 442992

Matte Black

Product Features

- Pull-down, insulated handspray with dual selectable spray patterns
- 360° swivel provides extended range
- Flexible silicone hose provides optimal range of motion
- Can be paired to RO water filtration systems
- Ceramic disc cartridge
- 1.5 GPM (Gallons Per Minute) flow rate

Planning information

Certified to NSF 42/372 standard
Can be paired to RO water filtration systems
Filter not included
1 1/2" diameter drilled faucet hole required for installation

Codes & Standards

ASME A112.18.1/CSA B125.1, NFPA/ANSI/ASME, IAPMO, NSF/ANSI/NSF/AR 1953, AB 100, CEC, CalGreen, George SB 270 compliant

Optional Accessories

Soft L Filter Set: 443274
Microplastic C Filter Set: 443275
Filter Flometer: 443276

Warning: Limited lifetime warranty on all sinks and faucets. One-year warranty on all accessories and soap dispensers.

Code/Standards Compliance: BLANCO sinks and faucets are third-party tested and certified to CSA, cUPC, ANSI/ASME, IAPMO and NSF standards and listed by applicable certification bodies. For more information on individual product listings, contact our office or listing organization.

Need support? Learn more by watching our sink & faucet How-to-video:
<https://www.blanco.com/en/support/how-to-video/how-to-video-for-sink/>

BLANCO Canada Inc.
130 Hopper Street, P.O. Box 1000
Lumberton, NJ 08808

Tel & Fax: 856-668-2400 Toll free: 1-877-425-2626
Fax: 609-668-2425 Toll free: 1-877-825-2626

While BLANCO endeavors to provide accurate information, all images and dimensions in this document are intended for reference only. Actual products may vary. For detailed installation instructions, refer to installation instructions provided with the product. BLANCO assumes no responsibility for the use of unapproved or revised specifications.

[pdf] Specifications Warranty Accessories

Specification SheetBlanco Catris Flexo Filter Ready Semi Pull Down Dual Spray

Kitchenmstufsjrn8erzh6gfz7vimages salsify image upload s dRpXMP9q mstufsjrn8erzh6gfz7v |||

Faucet Specifications Colour Matte Black SKU **442992** CATRIS FLEXO Filter Special colours Product Features Pull-down, insulated handspray with dual selectable spray patterns 360 swivel provides extended range Flexible silicone hose provides optimal range of motion Can be paired to RO water fil...

lang:en score:15 filesize: 511.53 K page_count: 2 document date: 2024-09-13