

Green Valley 159032

Green Valley Easy One EVO 03 Steel Roof Bars Instruction Manual

1. INTRODUCTION

This manual provides detailed instructions for the safe and correct installation, operation, and maintenance of your Green Valley Easy One EVO 03 Steel Roof Bars. Please read this manual thoroughly before installation and retain it for future reference. Proper installation and use are crucial for safety and product longevity.

2. SAFETY INFORMATION

Important: Failure to follow these safety guidelines may result in property damage, personal injury, or death.

- Always adhere to the maximum load capacity specified by your vehicle manufacturer and for the roof bars. Do not exceed the lower of the two limits.
- Ensure all components are securely fastened before each journey. Regularly check the tightness of all bolts and connections, especially after driving on rough roads or at high speeds.
- Distribute the load evenly across the roof bars. Secure all items firmly to prevent shifting during transit.
- Driving with roof bars and loads can affect vehicle handling, braking, and fuel consumption. Adjust your driving style accordingly, especially in strong winds or when cornering.
- Be aware of increased vehicle height when entering garages, car washes, or low-clearance areas.
- Do not modify the roof bars or their components. Use only original Green Valley replacement parts.

3. PACKAGE CONTENTS

Verify that all components are present and undamaged before beginning installation. The Green Valley Easy One EVO 03 roof bar system typically includes:

- 2 x Steel Roof Bars with Pre-assembled Feet
- Vehicle-specific mounting pads and hardware (if applicable)
- Instruction Manual (this document)



Individual components of the Green Valley Easy One EVO 03 roof bar system, including multiple foot bases and mounting pads.

4. SETUP AND INSTALLATION

The Easy One EVO 03 roof bars feature pre-assembled feet for simplified installation. Refer to your vehicle's owner's manual for specific roof bar mounting points and weight limits.

1. **Prepare Vehicle:** Ensure your vehicle's roof is clean and free of debris where the roof bars will be mounted.
2. **Identify Bars:** Determine which bar is for the front and which is for the rear. They may differ slightly in length or foot positioning depending on your vehicle's roof curvature.
3. **Position Bars:** Carefully place the front roof bar onto the designated mounting points on your vehicle's roof. Repeat for the rear bar. Ensure the feet are correctly seated.
4. **Secure Feet:** Tighten the securing mechanisms on each foot according to the specific instructions provided with your roof bar set. Ensure even pressure and a firm grip on the vehicle's roof. Do not overtighten.
5. **Final Check:** After tightening, gently attempt to move each roof bar by hand to confirm it is securely attached and does not wobble. Re-check all fasteners.



Green Valley Easy One EVO 03 steel roof bars installed on a vehicle.



Close-up view of the pre-assembled foot mechanism of the Green Valley Easy One EVO 03 roof bar.

5. OPERATING INSTRUCTIONS

Once installed, your Green Valley Easy One EVO 03 roof bars are ready for use. Always observe the following guidelines:

- **Load Capacity:** Never exceed the maximum load capacity of the roof bars or your vehicle's roof,

whichever is lower. This information is typically found in your vehicle's owner's manual.

- **Load Distribution:** Distribute the weight of your cargo as evenly as possible across the roof bars. Place heavier items closer to the center of the vehicle.
- **Secure Cargo:** Use appropriate straps, nets, or cargo boxes to secure all items to the roof bars. Ensure there is no possibility of movement during transit. Check cargo security frequently during long journeys.
- **Driving Adjustments:** Be mindful that carrying a load on your roof will change your vehicle's center of gravity and aerodynamics. Drive at reduced speeds, especially when cornering, braking, or in windy conditions.
- **Noise:** Some wind noise is normal when roof bars are installed. Ensure all components are tightly secured to minimize excessive noise.

6. MAINTENANCE

Regular maintenance ensures the longevity and safe operation of your roof bars.

- **Regular Checks:** Before each use and periodically during long trips, inspect all mounting points, bolts, and straps for tightness and wear.
- **Cleaning:** Clean the roof bars with mild soap and water. Avoid abrasive cleaners or solvents that could damage the finish.
- **Storage:** When not in use for extended periods, it is recommended to remove the roof bars to reduce wind noise, improve fuel efficiency, and prevent unnecessary wear. Store them in a dry, protected area.
- **Corrosion:** The steel bars are designed for durability, but regular inspection for signs of rust or corrosion, especially in harsh weather conditions, is advised.

7. TROUBLESHOOTING

Problem	Possible Cause	Solution
Excessive wind noise	Loose components; improper installation; aerodynamic factors	Ensure all feet and bars are securely tightened. Re-check installation steps. Consider removing when not in use.
Roof bars feel loose or wobble	Insufficient tightening of mounting hardware	Re-tighten all securing bolts and mechanisms. Ensure feet are correctly seated on the vehicle's roof.
Difficulty installing	Incorrect bar placement; vehicle-specific fitment issues	Refer to the installation section and your vehicle's manual. Ensure the correct bar is used for front/rear. Contact customer support if issues persist.

8. SPECIFICATIONS

- **Product Type:** Steel Roof Bars with Pre-assembled Feet
- **Brand:** Green Valley

- **Model:** Easy One EVO 03
- **Model Number:** 159032
- **Material:** Steel
- **Foldable:** No
- **Approximate Package Dimensions:** 135 x 18 x 13 cm
- **Approximate Package Weight:** 5 kg
- **Manufacturer:** GREENVALLEY
- **ASIN:** B0BT1V9YPM

9. WARRANTY AND SUPPORT

For warranty information, please refer to the documentation provided at the time of purchase or visit the official Green Valley website. If you encounter any issues or require technical assistance, please contact Green Valley customer support through their official channels.