

[Manuals.plus](#) /

› [Jeffrey Alexander](#) /

› Jeffrey Alexander Larkin Cabinet Bar Pull Instruction Manual (160 mm Center-to-Center, Matte Black with Satin Bronze)

Jeffrey Alexander 478-160MBSBZ

Jeffrey Alexander Larkin Cabinet Bar Pull Instruction Manual

Model: 478-160MBSBZ | Brand: Jeffrey Alexander

INTRODUCTION

This manual provides detailed instructions for the installation, use, and maintenance of your Jeffrey Alexander Larkin Cabinet Bar Pull. Designed with a modern aesthetic, this 160 mm center-to-center pull features a matte black bar with satin bronze accents, suitable for various cabinetry styles. Please read these instructions carefully before installation to ensure proper function and longevity of your product.

PRODUCT OVERVIEW

The Larkin Cabinet Bar Pull combines a classic beveled bar with a defined squared foot, offering a distinctive look. Its design provides higher hand clearance, making it suitable for universal design and aging-in-place considerations.



Image: Jeffrey Alexander Larkin Cabinet Bar Pull, featuring a matte black bar and satin bronze square bases. This pull is 160 mm center-to-center.

Key Features:

- **Design:** Edgy with undiluted style, featuring a classic beveled bar and defined squared foot.
- **Finish:** Matte Black bar with Satin Bronze accents.
- **Center-to-Center Spacing:** 160 mm (6.3 inches).
- **Hand Clearance:** Higher clearance for improved ergonomics.
- **Versatility:** Suitable for kitchens, baths, closets, and furniture.
- **Durability:** Constructed from metal (Bronze).

PACKAGE CONTENTS

- 1 x Jeffrey Alexander Larkin Cabinet Bar Pull (Matte Black w/Satin Bronze)
- 2 x 1" Breakaway Screws
- 2 x 1-3/4" Breakaway Screws

SETUP AND INSTALLATION

Installation of the Larkin Cabinet Bar Pull is straightforward. Ensure you have the necessary tools before beginning.

Tools Required:

- Measuring tape or ruler
- Pencil
- Drill with appropriate drill bit (typically 3/16" or 5mm for cabinet hardware)
- Screwdriver (Phillips head)
- Optional: Cabinet hardware jig for precise hole placement

Installation Steps:

1. **Mark Hole Locations:** Using a measuring tape or a cabinet hardware jig, carefully mark the two points on your cabinet door or drawer where the screws will pass through. The center-to-center distance for this pull is 160 mm (6.3 inches).
2. **Drill Pilot Holes:** Using a drill with the appropriate drill bit, carefully drill pilot holes through the marked points. Ensure the holes are straight and clean.
3. **Prepare Screws:** Select the appropriate screw length (1" or 1-3/4") for your cabinet thickness. If using breakaway screws, score them at the desired length and snap off any excess.
4. **Attach Pull:** Align the pull with the drilled holes. Insert the screws from the inside of the cabinet door/drawer through the pilot holes and into the threaded posts of the pull.
5. **Tighten Screws:** Using a Phillips head screwdriver, gently tighten the screws until the pull is secure. Do not overtighten, as this can damage the cabinet or the pull.
6. **Verify Alignment:** Check that the pull is straight and securely fastened.

OPERATING INSTRUCTIONS

The Jeffrey Alexander Larkin Cabinet Bar Pull is designed for easy and comfortable operation. Simply grasp the pull and apply gentle force to open or close your cabinet doors and drawers. The higher hand clearance ensures a comfortable grip for various hand sizes.

MAINTENANCE

To maintain the appearance and longevity of your cabinet pull, follow these simple cleaning guidelines:

- **Regular Cleaning:** Wipe the pull regularly with a soft, damp cloth to remove dust and fingerprints.
- **Avoid Harsh Cleaners:** Do not use abrasive cleaners, harsh chemicals, or solvents, as these can damage the finish.
- **Gentle Drying:** After cleaning, dry the pull immediately with a soft, dry cloth to prevent water spots.

TROUBLESHOOTING

- **Loose Pull:** If the pull becomes loose over time, gently retighten the screws from the inside of the cabinet door or drawer using a Phillips head screwdriver. Do not overtighten.
- **Difficulty Installing:** Ensure that the pilot holes are drilled correctly and are aligned with the pull's posts. Verify that the chosen screws are the correct length for your cabinet thickness.
- **Scratches/Damage:** Handle the pulls carefully during installation. If minor scratches occur, consult with a hardware specialist for appropriate touch-up solutions for matte black and satin bronze finishes.

SPECIFICATIONS

Brand	Jeffrey Alexander
Model Number	478-160MBSBZ
Material	Metal (Bronze)
Color/Finish	Matte Black w/Satin Bronze
Center-to-Center Spacing	160 mm (6.3 inches)
Product Dimensions (Overall)	8.69"L x 0.69"W
Projection Distance	1.44 Inches
Item Weight	3.84 ounces
Included Components	Pull, Screws (1" and 1-3/4" breakaway)
UPC	196734005906

WARRANTY AND SUPPORT

This Jeffrey Alexander Larkin Cabinet Bar Pull comes with a**Limited Lifetime Warranty**. For warranty claims or technical support, please contact Jeffrey Alexander customer service through their official website or authorized retailers. Keep your purchase receipt as proof of purchase.

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question