nania Beone Group 0+

Nania Beone Group 0+ Car Seat User Manual

Model: Beone Group 0+

Brand: Nania

1. Introduction

Thank you for choosing the Nania Beone Group 0+ Car Seat. This manual provides essential information for the correct installation, use, and maintenance of your car seat. Please read it thoroughly before use and keep it for future reference. The Nania Beone car seat is designed for infants from birth up to 13 kg (approximately 12-15 months), conforming to ECE R44/04 safety standards. It has achieved a 4-star rating in ADAC safety tests, ensuring high levels of protection for your child.



Image 1.1: The Nania Beone Group 0+ Car Seat, featuring its ergonomic design and integrated harness system.

Important Safety Information

- Always install the car seat rear-facing.
- Never use the car seat on a front passenger seat equipped with an active airbag.
- Ensure the 5-point harness is correctly adjusted and snug against your child.
- Do not modify the car seat in any way.
- Replace the car seat after any accident, even if there is no visible damage.

2. Product Features

The Nania Beone Group 0+ Car Seat is equipped with several features designed for safety, comfort, and convenience:

- **Group 0+ Classification:** Suitable for newborns up to 13 kg.
- **ECE R44/04 Approved:** Certified to European safety standards.
- **ADAC 4-Star Safety Rating:** Recognized for excellent safety performance in independent crash tests.
- **Rear-Facing Installation:** Provides optimal safety for infants.
- **5-Point Harness:** Securely holds your child with central adjustment.
- **Side Protection:** Enhanced protection in case of side impact.

- **Newborn Reducers:** Padded inserts for comfort and proper positioning of newborns.
- **Removable Canopy:** Protects your child from sun and light.
- **Carrying Handle:** Ergonomically designed for easy transport.
- **Lightweight Design:** Weighs only 3 kg for effortless portability.
- **Removable and Hand-Washable Cover:** For easy cleaning and hygiene.



Image 2.1: The Nania Beone car seat featuring its newborn cushion for enhanced comfort and the ADAC 4-star safety rating.



Image 2.2: Detail of the robust side protection, designed to absorb impact forces.



Image 2.3: The car seat with its adjustable carrying handle and removable canopy for sun protection.

3. Setup and Installation

The Nania Beone car seat must always be installed rear-facing using the vehicle's 3-point seat belt. It can be placed on the front passenger seat (only if the airbag is deactivated) or on any rear seat.

Installation Steps:

1. **Position the Car Seat:** Place the car seat rear-facing on the desired vehicle seat.
2. **Route the Lap Belt:** Pass the lap section of the vehicle's 3-point seat belt through the blue belt guides located on both sides of the car seat base.
3. **Fasten the Seat Belt:** Buckle the vehicle's seat belt.
4. **Route the Shoulder Belt:** Pull the shoulder section of the vehicle's seat belt around the back of the car seat and through the blue belt guide at the back.
5. **Tighten the Seat Belt:** Press the car seat firmly into the vehicle seat while pulling the vehicle's seat belt tight to remove any slack. Ensure the car seat is securely installed and does not move excessively.



Image 3.1: The car seat's interior, highlighting the 5-point harness system and comfortable padding.

4. Operating Instructions

Securing Your Child:

1. **Place Child in Seat:** Open the 5-point harness buckle and place your child in the car seat.
2. **Fasten Harness:** Bring the two buckle tongues together and insert them into the central buckle until you hear a click.
3. **Tighten Harness:** Pull the central adjustment strap to tighten the harness straps. Ensure the straps are snug against your child's shoulders and hips, with no slack. You should not be able to pinch any excess webbing at the child's shoulder.
4. **Adjust Shoulder Straps:** The shoulder straps should be at or just below your child's shoulders when rear-facing.

Using the Canopy:

The removable canopy can be adjusted to shield your child from direct sunlight. Simply pull it forward or push it back as needed. To remove, detach it from its anchor points on the carrying handle.

Using the Carrying Handle:

The carrying handle can be adjusted to multiple positions. Press the buttons on both sides of the handle simultaneously to adjust its position for carrying or for stability when placed on the ground.

5. Maintenance

Cleaning the Cover:

The car seat cover is removable and can be hand-washed. Follow these steps:

1. **Remove the Cover:** Carefully detach the fabric cover from the car seat shell.
2. **Hand Wash:** Wash the cover by hand using mild soap and cold water. Do not use bleach or harsh detergents.
3. **Air Dry:** Allow the cover to air dry completely. Do not tumble dry or iron.
4. **Reattach the Cover:** Once dry, carefully reattach the cover to the car seat, ensuring all openings for the harness and belt guides are correctly aligned.

Cleaning the Harness and Plastic Parts:

- Wipe plastic parts with a damp cloth and mild soap.
- Clean harness straps with a damp cloth. Do not immerse the harness buckle in water or use lubricants, as this may affect its performance.

6. Troubleshooting

If you encounter any issues with your Nania Beone car seat, please refer to the following common solutions:

- **Car Seat Feels Loose After Installation:** Ensure the vehicle's 3-point seat belt is pulled as tight as possible. Press down firmly on the car seat while tightening the belt to remove all slack. Check that the belt is routed correctly through all blue guides.
- **Harness Straps Are Difficult to Adjust:** Check for any twists in the harness straps behind the car seat. Ensure the central adjustment mechanism is clear of obstructions.
- **Harness Buckle Not Clicking:** Make sure both buckle tongues are fully inserted into the central buckle until a distinct click is heard. Check for any debris in the buckle mechanism.

- **Canopy Not Staying in Place:** Ensure the canopy is correctly attached to the carrying handle's anchor points.

If the problem persists, please contact Nania customer support.

7. Specifications

Specification	Detail
Brand	Nania
Model	Beone Group 0+
Age Range	Newborn
Weight Recommendation	Up to 13 kg
Installation Type	Vehicle 3-point seat belt
Orientation	Rear-facing only
Harness Type	5-point harness
Product Weight	3 Kilograms
Safety Standard	ECE R44/04
ADAC Rating	4 Stars
Material	Fabric, Plastic




Image 7.1: Dimensional diagram of the Nania Beone car seat, indicating height, width, and depth.

8. Warranty and Support

Warranty Information:

The Nania Beone Group 0+ Car Seat comes with a manufacturer's warranty of 24 months from the date of purchase. This warranty covers manufacturing defects under normal use. Please retain your proof of purchase for warranty claims.

Customer Support:

For any questions, concerns, or assistance with your Nania car seat, please contact Nania customer support through their official website or the retailer where the product was purchased. Provide your product model and date of purchase for efficient service.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question