

## Teka Nerissa 60 B

# Teka Nerissa 60 B Micro Linen Kitchen Sink User Manual

## 1. INTRODUCTION

---

This manual provides essential information for the safe and efficient installation, operation, and maintenance of your Teka Nerissa 60 B Micro Linen Kitchen Sink. Please read these instructions carefully before beginning installation or use, and retain them for future reference. Proper installation and care will ensure the longevity and optimal performance of your sink.

## 2. SAFETY INFORMATION

---

- Always wear appropriate personal protective equipment (PPE) such as gloves and safety glasses during installation.
- Ensure all water supply lines are turned off before commencing installation to prevent water damage.
- Handle the sink with care to avoid chipping or cracking, especially during transport and positioning. Ceramic materials can be fragile.
- If you are unsure about any part of the installation process, consult a qualified plumber or professional installer.
- Do not use harsh chemicals or abrasive cleaning agents on the sink surface, as this can damage the polished finish.

## 3. PRODUCT OVERVIEW

---

The Teka Nerissa 60 B is a high-quality kitchen sink featuring a micro linen texture and a polished ceramic finish. Designed for undermount installation, it includes a main bowl and a left-hand drainer, offering both functionality and a sleek aesthetic for your kitchen. Its durable ceramic construction ensures resistance to daily wear and tear.

## 4. SETUP AND INSTALLATION

---

The Teka Nerissa 60 B sink is designed for undermount installation. Accurate measurements and careful cutting of the countertop are crucial for a successful installation. Refer to the technical drawing below for

precise dimensions.

## 4.1 Required Tools (Typical)

- Jigsaw or circular saw for countertop cut-out
- Drill with appropriate bits for faucet hole (if not pre-drilled)
- Sealant (silicone-based, waterproof)
- Mounting clips and screws (usually supplied with the sink)
- Measuring tape, pencil, level
- Adjustable wrench for plumbing connections

## 4.2 Installation Steps

1. **Prepare Countertop:** Based on the technical drawing, mark and cut the opening in your countertop. Ensure the edges are smooth and clean. The recommended cut-out dimensions are 980mm x 480mm with an R10 corner radius.
2. **Apply Sealant:** Apply a continuous bead of silicone sealant around the rim of the sink where it will contact the underside of the countertop.
3. **Position Sink:** Carefully lift and position the sink into the countertop opening from underneath, ensuring it is centered and aligned.
4. **Secure Sink:** Attach the provided mounting clips to the underside of the countertop and tighten them evenly to secure the sink in place. Wipe away any excess sealant.
5. **Install Faucet and Drain:** Install your chosen faucet into the pre-drilled hole (diameter 35mm) and connect the drain assembly according to the manufacturer's instructions.
6. **Connect Plumbing:** Connect the water supply lines to the faucet and the drain trap to the sink's drain assembly. Ensure all connections are tight and leak-free.
7. **Test:** Turn on the water supply and check for any leaks around the faucet, drain, and sink edges.



**Figure 1:** This diagram illustrates the precise dimensions required for the installation of the Teka Nerissa 60 B sink. Key measurements include an overall length of 1000mm, a width of 500mm, and specific cut-out dimensions for the sink bowls and drainer area. The main bowl has a width of 340mm, and the smaller bowl is 185mm wide, with a 30mm separation. The drainer area is approximately 405mm. The faucet hole diameter is 35mm. The cut-out for installation should be 980mm in length and 480mm in width, with a corner radius of R10.

## 5. OPERATING INSTRUCTIONS

---

Your Teka Nerissa 60 B sink is designed for standard kitchen use, including washing dishes, preparing food, and general cleaning tasks. Ensure the drain stopper is properly seated when filling the sink and removed for drainage. The left-hand drainer provides a convenient area for drying dishes or preparing food.

## 6. MAINTENANCE AND CARE

---

To maintain the polished ceramic finish and extend the life of your sink, follow these care guidelines:

- **Daily Cleaning:** Clean the sink regularly with warm water, a soft cloth or sponge, and a mild dish soap. Rinse thoroughly and dry with a soft cloth to prevent water spots.
- **Avoid Abrasives:** Do not use abrasive cleaners, scouring pads, steel wool, or harsh chemical

detergents, as these can scratch or dull the polished ceramic surface.

- **Stain Removal:** For stubborn stains, a non-abrasive cream cleaner specifically designed for ceramic or porcelain surfaces can be used. Always test on an inconspicuous area first.
- **Prevent Damage:** Avoid dropping heavy or sharp objects into the sink, which could chip or crack the ceramic. Do not expose the sink to extreme temperature changes, such as pouring boiling water directly onto a cold surface.
- **Drain Care:** Regularly clean the drain strainer to prevent blockages and ensure efficient drainage.

## 7. TROUBLESHOOTING

Problem	Possible Cause	Solution
Slow Drainage	Drain blockage (food particles, grease)	Remove and clean the drain strainer. Use a plunger or a non-corrosive drain cleaner if necessary.
Water Spots/Streaks	Hard water deposits	Wipe the sink dry after each use. For existing spots, use a mild vinegar solution (diluted) or a specialized limescale remover, then rinse thoroughly.
Leaking around Faucet/Drain	Loose connections or worn seals	Check and tighten all plumbing connections. Inspect seals and replace if worn. Consult a plumber if leaks persist.
Surface Scratches/Dullness	Use of abrasive cleaners or tools	Avoid abrasive materials. For minor dullness, specialized ceramic polish may help, but deep scratches are often permanent.

## 8. SPECIFICATIONS

Feature	Detail
Brand	Teka
Model	Nerissa 60 B
Material	Ceramic
Finish	Polished
Color	Silver
Shape	Square
Installation Type	Undermount
Drainer Position	Left
Overall Dimensions (approx.)	1000mm (L) x 500mm (W)
Cut-out Dimensions (approx.)	980mm (L) x 480mm (W) with R10 corner radius
Faucet Hole Diameter	35mm

Feature	Detail
ASIN	B0BTDDJCTL
First Available Date	January 18, 2023

## 9. WARRANTY INFORMATION

---

Teka products are manufactured to high-quality standards and are covered by a manufacturer's warranty against defects in materials and workmanship. Please refer to the warranty card included with your purchase or visit the official Teka website for specific warranty terms, conditions, and registration details. Keep your proof of purchase for warranty claims.

## 10. CUSTOMER SUPPORT

---

If you have any questions regarding the installation, operation, or maintenance of your Teka Nerissa 60 B kitchen sink, please contact Teka customer support. Contact information can typically be found on the Teka official website or on your product packaging. When contacting support, please have your product model number (Nerissa 60 B) and ASIN (B0BTDDJCTL) available.