

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Chicco](#) /

› [Chicco KeyFit 35 ClearTex Infant Car Seat User Manual](#)

Chicco KeyFit 35 Infant Car Seat

Chicco KeyFit 35 ClearTex Infant Car Seat User Manual

Model: KeyFit 35 Infant Car Seat (00079737230070)

For infants 4-35 lbs and up to 32 inches tall.

1. INTRODUCTION AND OVERVIEW

This manual provides essential instructions for the safe and correct use, installation, and maintenance of your Chicco KeyFit 35 ClearTex Infant Car Seat. Please read all instructions and warnings carefully before using this product. Keep this manual for future reference.

The Chicco KeyFit 35 ClearTex Infant Car Seat is designed for rear-facing use, accommodating infants weighing 4 to 35 pounds and up to 32 inches in height. It features an extended headrest height and legroom to support growth.



Image 1.1: The Chicco KeyFit 35 ClearTex Infant Car Seat and its base.

2. SAFETY INFORMATION

Your child's safety is paramount. The KeyFit 35 ClearTex incorporates several features to ensure maximum protection:

- **ClearTex Fabric:** All textiles are free from added chemicals, ensuring gentle comfort for your child.
- **GREENGUARD Gold Certified:** Tested for low chemical emissions, contributing to healthier air quality within the vehicle.
- **EPS Energy-Absorbing Foam:** The carrier shell is lined with EPS foam for enhanced impact protection.
- **Integrated Anti-Rebound Bar:** Provides increased stability during travel.
- **5-Point Harness System:** Securely fastens your child in the seat.



ClearTex™

Textiles with no added chemicals

Image 2.1: ClearTex textiles, free from added chemicals, provide comfort for the infant.



Image 2.2: The car seat is GREEGUARD Gold Certified for low chemical emissions.

3. COMPONENTS

The Chicco KeyFit 35 ClearTex Infant Car Seat system includes the following main components:

- **Infant Car Seat Carrier:** The main seat unit where the child is secured.
- **Stay-in-Car Base:** Designed for secure installation in your vehicle.
- **Infant Head and Body Support:** Removable insert for newborns weighing 4-11 lbs.
- **Harness System:** A 5-point harness with chest clip and buckle.
- **Easy-Extend Headrest:** Adjustable headrest that raises with the harness.
- **Anti-Rebound Bar:** Integrated into the base for stability.
- **SuperCinch LATCH Tightener:** For easy and secure LATCH installation.
- **ReclineSure Leveling Foot:** Spring-loaded foot for proper base angle.
- **RideRight Bubble Level-Indicators:** Visual guides for correct installation angle.

- **LockSure Steel-Reinforced Belt System:** For secure vehicle belt installation.



Anti-Rebound Bar

Provides added stability

Image 3.1: The integrated anti-rebound bar provides additional stability.

4. SETUP AND INSTALLATION

Proper installation is crucial for safety. The KeyFit 35 ClearTex offers multiple installation methods:

4.1. Base Installation using LATCH System

1. Place the car seat base on the vehicle seat in a rear-facing position.
2. Locate the lower anchor connectors on the base and attach them to your vehicle's lower anchors.
3. Press down firmly on the base while pulling the SuperCinch force-multiplying tightener strap to remove slack and secure the base.
4. Adjust the ReclineSure spring-loaded leveling foot until the RideRight bubble level-indicators show the correct angle.
5. Verify the base is securely installed by checking for less than one inch of movement side-to-side or front-

to-back at the belt path.



Easiest To Install

SuperCinch® force-multiplying LATCH tightener

Image 4.1: The SuperCinch LATCH tightener simplifies secure base installation.

4.2. Base Installation using Vehicle Seat Belt

1. Place the car seat base on the vehicle seat in a rear-facing position.
2. Route the vehicle lap and shoulder belt through the LockSure steel-reinforced belt system on the base.
3. Buckle the vehicle seat belt and remove all slack by pulling the shoulder belt.
4. Adjust the ReclineSure spring-loaded leveling foot until the RideRight bubble level-indicators show the correct angle.
5. Verify the base is securely installed by checking for less than one inch of movement side-to-side or front-to-back at the belt path.

4.3. Attaching the Car Seat Carrier to the Base

1. Align the car seat carrier with the base.
2. Lower the carrier onto the base until it clicks securely into place.
3. Pull up on the carrier to ensure it is firmly attached to the base.



Effortless Attachment

Intuitive click-in design for secure attachment

Image 4.2: The car seat carrier attaches effortlessly to the installed base.

5. OPERATING INSTRUCTIONS

5.1. Securing Your Child

1. Place your child in the car seat. For infants 4-11 lbs, use the removable head and body support.
2. Bring the harness straps over your child's shoulders and between their legs.
3. Buckle the harness, ensuring the chest clip is at armpit level.
4. Tighten the harness until it is snug against your child's body, with no slack.

5.2. Adjusting the Headrest and Harness

The 5-position Easy-Extend Headrest System allows the headrest to raise with the harness, accommodating your child's growth up to 32 inches tall. To adjust:

- Locate the headrest adjustment lever at the top of the car seat.

- Squeeze the lever and slide the headrest up or down to the desired position. Ensure the harness straps are at or below your child's shoulders when rear-facing.



Easy-Extend Headrest System

Harness adjusts with headrest

Image 5.1: The Easy-Extend Headrest System adjusts the harness simultaneously with the headrest.



More Legroom

Extended rear-facing comfort

Image 5.2: The design provides more legroom for extended rear-facing comfort.

5.3. Travel System Compatibility

The KeyFit 35 ClearTex car seat carrier is compatible with Chicco strollers, allowing for a convenient travel system. To attach to a compatible stroller:

1. Ensure the stroller is fully open and locked.
2. Align the car seat carrier with the stroller's attachment points.
3. Lower the carrier until it clicks securely into place.
4. To remove, use the one-hand release mechanism on the car seat carrier.



Travel System Mobility

One-hand, click-in attachment

Image 5.3: The car seat offers travel system mobility with compatible Chicco strollers.

6. MAINTENANCE

- **Seat Pad:** The seat pad is machine washable. Refer to the care label on the fabric for specific washing instructions.
- **Harness Straps:** Wipe harness straps with a damp cloth. Do not machine wash or submerge in water, as this may weaken the straps.
- **Plastic and Metal Parts:** Clean plastic and metal parts with a soft, damp cloth and mild soap. Do not use abrasive cleaners or solvents.
- **Buckle:** Periodically check the buckle for debris. Clean with a damp cloth if necessary.

7. TROUBLESHOOTING

If you encounter issues with your Chicco KeyFit 35 ClearTex Infant Car Seat, please refer to the following common solutions:

- **Difficulty Tightening Harness:** Ensure the harness straps are not twisted and are routed correctly through the slots. Check for any obstructions under the seat pad.
- **Car Seat Base Feels Loose:** Re-check the installation steps for both LATCH and vehicle belt methods. Ensure the SuperCinch tightener is fully engaged or the vehicle belt is pulled taut, and the bubble level-indicators are correct.
- **Carrier Not Clicking into Base/Stroller:** Ensure the base or stroller attachment points are clear of debris. Verify the carrier is correctly aligned before lowering it.
- **Stuck Buckle:** Check for food or debris inside the buckle. Clean with a damp cloth.

For further assistance, contact Chicco Customer Service.

8. SPECIFICATIONS

Feature	Specification
Product Dimensions	28 x 16.5 x 24 inches
Item Model Number	00079737230070
Minimum Weight Recommendation	4 Pounds
Maximum Weight Recommendation	35 Pounds
Maximum Height Recommendation	32 Inches
Material Type	Metal, Plastic, Polyester
Material Composition	77.0% Plastic, 9.0% Metal, 14.0% Fabric & Foam
Care Instructions	Machine washable seat pad
Additional Product Features	LATCH Compatible, Machine Washable Seat Pad, No-Rethread Harness, Rear Facing Seat
Number of Items	1 (Car Seat Base included)
Style	KeyFit 35 Infant Car Seat
Number of Reclining Positions	5
Batteries Required	No
Orientation	Rear Facing
Harness Type	5-Point
Item Weight	18.5 pounds

Installation Type	LATCH system or European belt path or Belt lock-off
-------------------	---






Image 8.1: Key dimensions of the Chicco KeyFit 35 Infant Car Seat.

9. WARRANTY AND SUPPORT

For warranty information, please refer to the documentation included with your product or visit the official Chicco website. For customer support, product registration, or to order replacement parts, please contact Chicco Customer Service through their official channels.

Chicco USA Website: www.chiccoua.com

Related Documents - KeyFit 35 Infant Car Seat

	<p><u>Chicco KeyFit 35 Zip ClearTex Canopy Features and Instructions</u></p> <p>Detailed instructions for installing, using, and cleaning the Chicco KeyFit 35 Zip ClearTex Canopy. Learn how to attach the mesh panel and privacy shield for your child's comfort and protection.</p>
	<p><u>Chicco KeyFit Caddy Owner's Manual: Assembly, Use, and Maintenance</u></p> <p>This comprehensive owner's manual provides detailed instructions for the assembly, safe use, and maintenance of the Chicco KeyFit Caddy stroller frame. Learn how to attach your Chicco infant car seat, fold and unfold the caddy, and care for the product.</p>
	<p><u>Chicco KeyFit® Max Zip ClearLux Canopy Features and Cleaning Instructions</u></p> <p>Detailed instructions for installing, using, and cleaning the Chicco KeyFit® Max Zip ClearLux car seat canopy, including mesh panel and privacy shield features.</p>
	<p><u>Chicco KeyFit 35 Infant Car Seat User Manual</u></p> <p>Comprehensive instructions for the Chicco KeyFit 35 infant car seat, covering usage, care, and safety guidelines. Learn about installation, harness adjustment, and important warnings to ensure child safety.</p>
	<p><u>Chicco NextFit MAX ZIP Convertible Car Seat User Guide</u></p> <p>Comprehensive user guide for the Chicco NextFit MAX ZIP Convertible Car Seat, detailing safe installation, usage instructions, and important safety guidelines for rear-facing and forward-facing modes. Includes maintenance and support information.</p>
	<p><u>Chicco KeyFit 35 Child Restraint Softgood Removal Instructions</u></p> <p>Detailed instructions for removing and re-attaching the softgoods on the Chicco KeyFit 35 infant car seat, including warnings and cleaning advice.</p>

Documents - Chicco – KeyFit 35 Infant Car Seat

[\[pdf\]](#) User Manual Owner's Manual Installation Guide Guide Catalog Label



KeyFit 35 Infant Car Seat Product Manual Chicco USA ® Before installing this Child Restraint in a vehicle be sure to also check the owner's manual for information on proper installation. Refer your tips Contact certified Passenger Safety Technician area by visiting safercar.gov and select Find Local 03 2020 chiccousa demandware static Sites chicco catalog default dwda5af4ff images products Manuals car seats Library dwc928f670 manuals

Car Seat User Guide For future use, STORE USER GUIDE in location on bottom of base. IS0190E_03 2020 Artsana USA, Inc. 03/20 www.chiccousa.com If you have any problems with your Chicco Child Restraint, or any questions regarding installation or use, please call: Chicco Customer Service 1-877-424-4...

lang:en score:35 filesize: 3.45 M page_count: 46 document date: 2020-04-07

**UNDER PENALTY OF
LAW THIS TAG NOT
TO BE REMOVED
EXCEPT BY THE
CONSUMER**

**ALL NEW MATERIAL
consisting of**

SEAT PAD (1):

**99% POLYURETHANE
FOAM PAD
1% POLYESTER
FIBER BATTING**

HEAD REST (1):

**100% POLYURETHANE
FOAM PAD**

NEWBORN INSERT (1):

**92% POLYURETHANE
FOAM PAD
8% POLYESTER
FIBER BATTING**

HEAD REST INSERT (1):

**77% POLYURETHANE
FOAM PAD
23% POLYESTER
FIBER BATTING**

HARNESS PADS (3):

**100% POLYURETHANE
FOAM PAD**

REG. NO. VA23333(CN)

Certification is made by
the manufacturer that
the materials in this
article are described in
accordance with law

MADE FOR

Artsana USA, Inc.
1826 William Penn Way
Lancaster, PA 17601

Date of delivery _____

MADE IN CHINA

[\[pdf\] Catalog Label](#)

LT0443BP_01 KeyFit 35 Infant Car Seat Law Label Zip ClearTex Ash Chicco chiccousa on demandware static Sites chicco catalog default dw97c8b346 images products law tag |||

LT0443BP_01 UNDER PENALTY OF LAW THIS TAG NOT TO BE REMOVED
EXCEPT BY THE CONSUMER ALL NEW MATERIAL consisting of SEAT PAD 1 : 99
POLYURETHANE FOAM PAD 1 POLYESTER FIBER BATTING HEAD REST 1 : 100
POLYURETHANE FOAM PAD NEWBORN INSERT 1 : 92 POLYURETHANE FOAM
PAD 8 POLYESTER FIBER BATTING HEAD...

lang:en score:24 filesize: 222.01 K page_count: 1 document date: 2019-12-09

