Manuals+
Q & A | Deep Search | Upload

MPKKE AC Adapter DC Power Supply Cord

MPKKE AC Adapter DC Power Supply Cord User Manual

For Beelink M18 4K S905 Core Android 5.1 TV Box

Introduction

This manual provides essential instructions for the safe and effective use of your MPKKE AC Adapter DC Power Supply Cord. This power adapter is designed to provide reliable power to compatible devices, specifically the Beelink M18 4K S905 Core Android 5.1 TV Box. Please read this manual thoroughly before use and retain it for future reference.

Safety Information

Always observe the following safety precautions to prevent damage to the product or injury to yourself:

- Ensure the power adapter's voltage and current ratings match your device's requirements.
- Do not expose the adapter to water, moisture, or extreme temperatures.
- Avoid dropping or subjecting the adapter to strong impacts.
- Do not attempt to open or modify the adapter. This will void the warranty and may cause electrical hazards.
- Unplug the adapter from the power outlet when not in use for extended periods.
- Keep out of reach of children.
- This product is equipped with OVP (Over Voltage Protection), OCP (Over Current Protection), SCP (Short Circuit Protection), and OTP (Over Temperature Protection) for enhanced safety.

Product Overview

The MPKKE AC Adapter consists of a main power brick with an integrated wall plug and an attached DC output cable terminating in a barrel connector.

Image 1: Front view of the MPKKE AC Adapter showing the main unit and the DC barrel connector.

Image 2: Side view of the MPKKE AC Adapter, highlighting the integrated wall plug.

Setup

1. **Verify Compatibility:** Ensure your device, such as the Beelink M18 4K S905 Core Android 5.1 TV Box, requires a power input compatible with this adapter's specifications (refer to the "Specifications" section).
2. **Connect to Device:** Insert the barrel connector of the power adapter's DC output cable firmly into the power input port of your Beelink M18 TV Box.
3. **Connect to Power Outlet:** Plug the AC adapter's wall plug into a standard electrical wall outlet (100V-240V AC, 50-60Hz).

Image 3: The MPKKE AC Adapter with its cord extended, ready for connection.

Operating Instructions

Once properly connected, the power adapter will supply power to your device. There are no user-adjustable settings on the adapter itself.

- The adapter is designed for continuous operation within its specified voltage and current limits.
- To power off your device, follow the device's specific power-off procedure. To completely remove power from the device, unplug the adapter from the wall outlet.

Maintenance

- **Cleaning:** Disconnect the adapter from the power outlet and the device before cleaning. Use a soft, dry cloth to wipe the exterior. Do not use liquid cleaners or solvents.
- **Storage:** When not in use, store the adapter in a cool, dry place, away from direct sunlight and moisture. Avoid tightly coiling the cable to prevent damage.
- **Inspection:** Periodically inspect the adapter and cable for any signs of damage, such as frayed wires, cracks, or bent pins. If damage is found, discontinue use immediately and replace the adapter.

Image 4: The MPKKE AC Adapter with its cord neatly coiled for storage.

Troubleshooting

Problem	Possible Cause	Solution

Problem	Possible Cause	Solution
Device not powering on.	Adapter not properly plugged in. Device not properly connected. Power outlet is not active. Adapter or device malfunction.	Ensure adapter is fully inserted into the wall outlet. Verify the barrel connector is securely plugged into the device. Test the outlet with another working appliance. Try a different compatible power adapter if available. If the issue persists, the device may be faulty.
Adapter feels unusually hot.	Overload or poor ventilation. Internal malfunction.	Ensure the adapter is in a well-ventilated area. Verify the device's power requirements do not exceed the adapter's output. Unplug immediately and discontinue use if excessively hot.
Flickering power or intermittent connection.	Loose connection. Damaged cable or connector.	Check all connections for tightness. Inspect the cable and connector for visible damage. Replace if damaged.

Specifications

Feature	Detail
Brand	MPKKE
Input Voltage	AC 100V - 240V, 50-60Hz (Worldwide Use)
Connector Type	Barrel Connector
Main Power Connector Type	2 Pin (US Standard)
Special Feature	Travel-friendly design
Protection Features	OVP, OCP, SCP, OTP

Warranty and Support

This MPKKE product comes with a**30-day money-back guarantee**. For any issues or support inquiries, please contact your retailer or the manufacturer directly. Please retain your proof of purchase for warranty claims.

© 2023 MPKKE. All rights reserved.