

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [YOUTASTE](#) /

› [YOUTASTE Bar Stools Set of 2 Instruction Manual for Kitchen Island, Beige Faux Leather Adjustable Swivel Barstools, Model YOUTASTE](#)

YOUTASTE YOUTASTE

YOUTASTE Bar Stools Set of 2 Instruction Manual

Model: YOUTASTE

INTRODUCTION

This manual provides detailed instructions for the assembly, operation, and maintenance of your YOUTASTE Bar Stools. Please read all instructions carefully before assembly and use to ensure safe and proper functionality. Keep this manual for future reference.



Image: YOUTASTE Bar Stools in a kitchen environment.

SAFETY INFORMATION

- **Maximum Weight Recommendation:** This product has a maximum weight recommendation of 300 pounds. Do not exceed this limit.
- **Gas Cap Removal:** It is critical to remove the plastic gas cap from the gas lift cylinder before assembly. Failure to do so will prevent proper height adjustment.
- **Proper Assembly:** Ensure all components are correctly assembled and all screws are tightened securely. Improper assembly may result in injury or damage to the product.
- **Floor Protection:** The base features a non-slip rubber ring for floor protection and quiet use. Avoid dragging the stools to prevent damage to flooring.
- **Stability:** Always ensure the stool is on a flat, stable surface before use.

PACKAGE CONTENTS

Before beginning assembly, verify that all parts are present and undamaged. If any parts are missing or damaged, please contact customer support.

- Seat (2)
- Base Plate (2)
- Gas Lift Cylinder (2)
- Footrest (2)
- Mounting Plate (2)
- Screws and Allen Wrench (for assembly)
- Instruction Manual (1)



Image: Components and quality features of the YOUTASTE Bar Stools.

ASSEMBLY INSTRUCTIONS

Assembly is quick and typically takes 5-10 minutes per stool. Follow these steps:

- 1. Prepare the Gas Lift Cylinder:** Locate the plastic gas cap on the top of the gas lift cylinder. **Remove this cap before proceeding.** This is crucial for the height adjustment mechanism to function.



Image: Gas cap removal from the gas lift cylinder.

- 2. Attach Footrest to Seat:** Turn the seat upside down. Align the footrest with the pre-drilled holes on the underside of the seat. Secure it using the provided screws and Allen wrench. Ensure the longer screws are used for the front attachment points and shorter ones for the rear.
- 3. Insert Gas Lift into Base:** Place the large circular base plate on the floor. Insert the prepared gas lift cylinder into the central hole of the base plate.
- 4. Attach Seat to Gas Lift:** Carefully place the assembled seat (with footrest attached) onto the top of the gas lift cylinder. Apply gentle downward pressure to secure it.
- 5. Verify Stability:** Once assembled, test the stability of the stool. Ensure all connections are firm and the stool does not wobble.

Your browser does not support the video tag.

Video: Assembly and feature overview of YOUTASTE Bar Stools.

OPERATING INSTRUCTIONS

- **Height Adjustment:** To adjust the seat height, locate the lever positioned under the seat. While seated, pull the lever upwards to lower the seat. To raise the seat, stand up and pull the lever upwards; the seat will automatically extend. Release the lever at the desired height.
- **360° Swivel:** The seat is designed to swivel 360 degrees, allowing for easy rotation and interaction without moving the base of the stool.

Your browser does not support the video tag.

Video: Demonstration of adjustable height and swivel features.

MAINTENANCE

- **Cleaning:** Wipe the faux leather upholstery with a damp cloth. For tougher stains, use a mild soap solution and then wipe clean with a damp cloth. Avoid harsh chemicals or abrasive cleaners.
- **Metal Parts:** Clean metal components with a soft, dry cloth. Avoid using abrasive materials that could scratch the finish.
- **Regular Checks:** Periodically check all screws and connections to ensure they remain tight. Re-tighten if necessary.

TROUBLESHOOTING

- **Stool Not Adjusting Height:** Ensure the plastic gas cap has been completely removed from the gas lift cylinder. If the cap is removed and the issue persists, check for any obstructions or contact support.
- **Stool Wobbles:** Check that all screws are securely tightened. Ensure the stool is placed on a flat, even surface.
- **Difficulty Swiveling:** Ensure no debris is obstructing the swivel mechanism. If the issue persists, contact support.

SPECIFICATIONS



Quick Response
Customer
Service Team



10Mins Easy
Assembly



Stronger
Structure



Exclusive
Designs

Image: Detailed dimensions of the YOUTASTE Bar Stool.

Feature	Detail
Product Dimensions	16.92"D x 19.29"W x 36"H
Color	Beige
Brand	YOUTASTE
Size	Set of 2
Style	Modern
Furniture Finish	Metal
Leg Style	Straight
Maximum Weight Recommendation	300 Pounds
Product Care Instructions	Wipe with Damp Cloth

Assembly Required	Yes
Number of Pieces	2
Item Weight	32.3 pounds
Manufacturer	Baolande Inc
Item Model Number	YOUTASTE
Seat Material Type	Faux Leather+Foam

WARRANTY AND SUPPORT

YOUTASTE provides 24-month replacement support for bar stools. This warranty covers manufacturing defects and issues arising from normal use. It does not cover damage from misuse, improper assembly, modifications, or impact. For questions, missing parts, or support, please contact Baolande Furniture, the manufacturer, via their official channels or the platform where the product was purchased.



Image: YOUTASTE After-Sales Service details.