

[Manuals.plus](#) /

› [Profile](#) /

› GE Profile ClearView Inverter Window Air Conditioner (10,300 BTU) User Manual

## Profile PHNT10CC

# GE Profile ClearView Inverter Window Air Conditioner (10,300 BTU) User Manual

## 1. INTRODUCTION

---

This manual provides essential information for the safe and efficient use of your GE Profile ClearView Inverter Window Air Conditioner, model PHNT10CC. This 10,300 BTU unit is designed for quiet operation and energy efficiency, capable of cooling rooms up to 450 square feet. It features a unique design that maintains full window visibility and offers smart control options.



**10,300 BTU  
COOLING CAPACITY  
FOR MEDIUM ROOMS**

Image: The GE Profile ClearView Air Conditioner provides 10,300 BTU cooling capacity, suitable for medium-sized rooms.



Image: A visual comparison highlighting the full window view offered by the ClearView design versus a traditional window air conditioner.

## 2. IMPORTANT SAFETY INFORMATION

Before operating your air conditioner, please read all safety instructions carefully. This unit operates on 115 Volts and requires proper electrical grounding. Do not attempt to repair or modify the unit yourself. Always unplug the unit before performing any maintenance or cleaning. Keep packaging materials away from children. For comprehensive safety guidelines, refer to the complete PDF user manual.

## 3. SETUP AND INSTALLATION

This section provides instructions for installing your GE Profile ClearView Inverter Window Air Conditioner. Ensure you have all components from the included window kit before beginning.

### Window Requirements

- Fits double-hung windows.

- Window width: 20 inches to 40 inches.
- Minimum window opening height: 13 inches.
- Minimum height from floor: 10 inches.



Image: Diagram illustrating the minimum and maximum window width and minimum height requirements for installation.

### Flex-Depth Design

The unit's industry-exclusive flex-depth feature allows it to expand and accommodate wall thicknesses between 4.5 inches and 13.75 inches. Adjust the unit to fit your windowsill depth for a secure, custom fit.




Image: Illustration of the air conditioner's flex-depth design, showing it can expand up to 13.75 inches to fit various wall thicknesses.

### **Installation Process**

The design facilitates easy and safe installation without the need for external mounting brackets (subject to local code approval). This allows the window to be freely opened and closed even with the unit installed.



**No Drilling. No Brackets.  
No Hassle.**

Image: Close-up of the air conditioner's exterior installation, emphasizing that no drilling or brackets are required.



## Full Window Access—Even Installed

Image: A woman demonstrating the ability to fully open and close the window with the ClearView air conditioner installed.

### Installation Video

Video: Official GE Appliances video demonstrating the easy installation process for the GE Profile ClearView Window AC.

### Post-Installation Tip

If the unit was placed on its side or upside down during transport, allow it to stand upright for at least 30 minutes before operation. This ensures internal oils settle correctly for proper lubrication.

## 4. OPERATING INSTRUCTIONS

Your air conditioner can be operated using its electronic controls, the included remote, or smart features via the SmartHQ app and voice assistants.

### Control Panel and Remote

Use the electronic controls located on the unit or the included remote control to adjust settings such as power, mode, fan speed, and temperature.

## **Modes and Fan Speeds**

The unit offers four cooling modes and three fan speeds (Auto, Low, Medium, High) for customized comfort and airflow.

## **Temperature Adjustment**

Set your desired temperature using the '+' and '-' buttons on the control panel or remote. The unit can cool down to 64°F (18°C).

## **Timer Function**

Utilize the 24-hour on/off timer to schedule the unit's operation according to your preferences.

## **Power Interruption Restart**

The unit is equipped with a power interruption restart feature, automatically resuming previous settings after a power outage.

## **SmartHQ App and Voice Control**

Connect your air conditioner to the SmartHQ app for remote monitoring, scheduling, and control from any location. The app also allows you to track energy usage and set up geolocation features. The unit is compatible with Amazon Alexa and Google Assistant for convenient voice-activated control.



Image: A woman interacting with an Amazon Alexa device to control the air conditioner, demonstrating voice command capability.



Image: A woman comfortably using the remote control for the air conditioner, with an overlay indicating its ultra-quiet 40dB operation.

## 5. MAINTENANCE

Regular maintenance ensures optimal performance and longevity of your air conditioner.

### Filter Maintenance

The unit features a removable filter for easy cleaning. A filter light reminder will illuminate to indicate when cleaning is necessary. Clean the filter regularly to maintain air quality and cooling efficiency.

### General Cleaning

Periodically clean the exterior of the unit with a soft, damp cloth. Ensure the unit is unplugged before cleaning any part of the appliance.

## 6. TROUBLESHOOTING

This section addresses common issues you might encounter with your air conditioner. For more complex problems, contact customer support.

### Flashing WiFi Light

If the WiFi light on the unit flashes, it indicates a lost connection or that the unit is not properly connected to your network. Use the SmarthQ app to re-establish or set up the connection.

### Noise and Vibration

If excessive noise or vibration occurs, especially when the compressor is active, check the installation for secure fit. For units installed in homes with vinyl siding or stucco, consider placing a rubber dampener (e.g., a folded bicycle tire tube) under the adjustable stabilizer screws where the clamp meets the exterior wall. This can help absorb vibration.

### Cooling Performance Issues

Ensure the air filter is clean, windows are properly sealed, and the unit is set to an appropriate cooling mode and temperature. Verify that there are no obstructions to the airflow around the unit.

## 7. SPECIFICATIONS

Feature	Detail
Brand	Profile
Model Number	PHNT10CC
Cooling Power	10,300 BTU
Coverage Area	Up to 450 sq ft
Product Dimensions (D x W x H)	28" x 20" x 13"
Item Weight	75.7 Pounds
Voltage	115 Volts
Wattage	900 watts
Noise Level	40 Decibels
Seasonal Energy Efficiency Ratio (SEER)	11.2
Annual Energy Consumption	417.6 Kilowatt Hours Per Year
Refrigerant	R-32
Special Features	Filter Light Reminder, Inverter Compressor, Remote Controlled, WiFi Enabled
Control Method	App, Remote Control, Touch Control
Window Opening Min Width	20 Inches
Window Opening Max Width	40 Inches

Feature	Detail
Window Opening Min Height	13 Inches




Image: The official Energy Guide label for the GE Profile ClearView 10,300 BTU air conditioner, showing an estimated yearly energy cost of \$53 and a combined efficiency ratio of 14.7.

## 8. WARRANTY INFORMATION

The GE Profile ClearView Inverter Window Air Conditioner (Model PHNT10CC) comes with a 1-Year Limited Warranty. This warranty covers defects in materials and workmanship under normal use. For complete details regarding coverage, limitations, and how to obtain service, please refer to the official warranty document included with your product or available on the GE Appliances website.

## 9. SUPPORT

For additional assistance, troubleshooting tips, or to access the full user manual, please visit the official GE

Appliances website or contact their customer support. You can also find helpful resources and manage your smart appliance through the SmartHQ app.

Visit the [GE Appliances Store on Amazon](#) for more product information and support.