

VECELO KHD-CY-FB03-DGRY-BC11

VECELO Full Bed Frame with Upholstered Headboard - Instruction Manual

Model: KHD-CY-FB03-DGRY-BC11

INTRODUCTION

Thank you for choosing the VECELO Full Bed Frame with Upholstered Headboard. This manual provides detailed instructions for assembly, safe use, and maintenance of your new bed frame. Please read all instructions carefully before beginning assembly and retain this manual for future reference.

IMPORTANT SAFETY INFORMATION

- Do not tighten screws until fully assembled. Ensure all legs are in contact with the ground for stability.
- Do not exceed the maximum weight capacity of 600 lbs (Full) to prevent damage or injury.
- Follow all assembly instructions carefully to avoid potential noise and instability.
- Regularly check all screws and bolts to ensure they are tightened.
- Mattress is not included with the bed frame.

PACKAGE CONTENTS

Before assembly, verify that all parts listed below are present and undamaged. If any parts are missing or damaged, please contact customer service.

- 1 x Bed Frame
- 1 x Upholstered Headboard
- 1 x Instruction Manual (this document)
- 1 x Assembly Kit (includes screws, bolts, and tools)

Note: The mattress is not included.

ASSEMBLY INSTRUCTIONS

Please follow these steps carefully for proper assembly. It is recommended to have two people for assembly.

Assembly Video Guide

Your browser does not support the video tag.

Official VECELO Platform Bed Frame assembly video. This video demonstrates the step-by-step process for assembling the bed frame, including attaching the headboard, side rails, support legs, and slats.

Step-by-Step Written Instructions

1. **Attach Headboard Legs:** Secure the headboard legs to the upholstered headboard using the provided bolts and Allen wrench. Ensure they are firmly attached but do not overtighten initially.



Image: Front view of the VECELO Full Bed Frame with upholstered headboard, showing the overall design and leg attachment points.

2. **Assemble Side Rails:** Connect the side rails to the headboard and footboard (if applicable) using the designated hardware. Ensure the brackets are facing inward and lay towards the ground as indicated in the instructions.

3. **Install Center Support Beam:** Attach the center support beam(s) to the bed frame. These beams provide crucial support for the slats and mattress.
4. **Attach Support Legs:** Screw the support legs into the designated points on the center support beam and corners of the bed frame. For corner legs, ensure the preinstalled screws are loosened for installation, then tighten them again.



Image: Detail showing the sturdy frame construction, approximately 7.9 inches of under-bed clearance, and the Velcro design for securing slats.

5. **Place Wooden Slats:** Lay the wooden slats across the bed frame. The slats are designed with Velcro to prevent movement and reduce noise. Ensure they are evenly spaced and securely attached.

VELCRO Design:

Easy Assembly &
Prevent Slats Loss



Image: Illustration of the VELCRO Design on the wooden slats, facilitating easy assembly and preventing slats from shifting or falling out.

6. **Final Tightening:** Once all components are in place and aligned, fully tighten all screws and bolts. Do not overtighten.

ADJUSTABLE HEADBOARD FEATURE

The VECELO bed frame features a height-adjustable upholstered headboard, allowing you to customize its height to best suit your mattress thickness and aesthetic preference.

- The headboard height can be adjusted from 41.7 inches to 47.7 inches.
- This feature accommodates mattresses with a recommended thickness of 6 to 12 inches.
- To adjust, loosen the bolts connecting the headboard to its support legs, slide the headboard to the desired height, and then re-tighten the bolts securely.

Height Adjustable Headboard

Fit for Different Mattress Thickness (Recommend 6"-12" Mattress)



Image: Visual representation of the headboard's adjustable height, illustrating settings from 41.7 inches to 47.7 inches to fit various mattress sizes.

CARE AND MAINTENANCE

- **Cleaning:** For the upholstered headboard, gently spot clean with a damp cloth and mild detergent if necessary. Avoid harsh chemicals. For the metal frame, wipe with a dry or slightly damp cloth.
- **Regular Checks:** Periodically inspect all bolts and screws to ensure they remain tight. Re-tighten as needed to maintain stability and prevent noise.
- **Avoid Overloading:** Do not place excessive weight on the bed frame beyond its specified capacity to prevent structural damage.
- **Movement:** When moving the bed frame, lift it rather than dragging to prevent damage to the legs and frame structure.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Bed frame is wobbly or unstable.	Loose bolts or uneven legs.	Ensure all bolts are securely tightened. Check that all support legs are in full contact with the floor. Adjust if necessary.
Squeaking noises from the bed frame.	Loose connections or slats rubbing.	Re-tighten all assembly bolts. Verify that the wooden slats are properly seated and secured by the Velcro strips.
Slats are shifting or falling.	Slats not properly aligned or Velcro not engaged.	Ensure each slat is correctly positioned and the Velcro strips on the slats and frame are aligned and pressed together.

If you encounter issues not listed here or if the suggested solutions do not resolve the problem, please contact VECELO customer service for assistance.

SPECIFICATIONS

Feature	Detail
Model Number	KHD-CY-FB03-DGRY-BC11
Size	Full
Color	Dark Grey
Product Dimensions (L x W x H)	76.57" x 56.89" x 47.65"
Material	Metal frame, Upholstered headboard (velvet surface)
Weight Capacity (Full)	600 lbs
Under-bed Clearance	Approximately 14 inches
Recommended Mattress Thickness	6" - 12"
Assembly Required	Yes



Image: Detailed dimensions of the VECELO Full Bed Frame, including overall length, width, headboard height, and under-bed clearance.

WARRANTY AND CUSTOMER SUPPORT

VECELO products are designed for durability and customer satisfaction. Your VECELO Full Bed Frame is backed by a **2-year worry-free warranty**.

If you have any questions, concerns, or require assistance with assembly or parts, please do not hesitate to contact our friendly customer service team. We are committed to ensuring 100% satisfaction and will respond to your inquiries within 24 hours.

For support, please refer to the contact information provided with your purchase or visit the official VECELO website.