

[Manuals.plus](#) /

› [HUIZHEN](#) /

› HUIZHEN Replacement Parts Kit Instruction Manual for DreameTech D10 Plus Robot Vacuum Cleaner (RLS3D)

HUIZHEN D10 Plus

HUIZHEN Replacement Parts Kit for DreameTech D10 Plus Robot Vacuum Cleaner (RLS3D)

Model: D10 Plus (RLS3D)

Brand: HUIZHEN

INTRODUCTION

This instruction manual provides detailed guidance for the installation and maintenance of the HUIZHEN Replacement Parts Kit for the DreameTech D10 Plus Robot Vacuum Cleaner (Model RLS3D). Regular replacement of these components ensures optimal performance and extends the lifespan of your robot vacuum.

Important Compatibility Note: This kit is specifically designed for the DreameTech D10 Plus (RLS3D) model. It is **not compatible** with the DreameTech D10s Plus (RLS6AD) or DreameTech D10 Plus Gen2 models. Please verify your robot vacuum model before installation.



COMPATIBLE WITH MODELS

for Dreame **D10 Plus** Robot Vacuum and Mop (RLS3D)

This image illustrates the compatibility of the replacement parts kit with the Dreame D10 Plus robot vacuum cleaner. It highlights that the kit is designed for the D10 Plus model and not other variants.

These accessories only fit **Dreame D10 Plus
not **Dreame D10 Plus Gen2.****



Dreame D10 Plus




Dreame D10 Plus Gen2

This image visually distinguishes between the compatible Dreametech D10 Plus and the incompatible Dreametech D10 Plus Gen2, emphasizing the specific model for which these accessories are intended.

PACKAGE CONTENTS

The HUIZHEN Replacement Parts Kit includes the following components:

- 2 x Main Roller Brushes
- 4 x Side Brushes (White, 3-Arm Spin)
- 4 x HEPA Filters
- 4 x Microfiber Mop Pads
- 4 x Dust Bags (4L capacity)



This image displays all 18 components of the HUIZHEN Replacement Parts Kit, including main roller brushes, side brushes, HEPA filters, mop pads, and dust bags, laid out for clear identification.

INSTALLATION GUIDE

1. Main Roller Brush Installation

1. Turn off the robot vacuum and place it upside down on a clean, flat surface.
2. Locate the brush guard cover, usually secured by clips or screws. Open or remove it.
3. Remove the old main roller brush.
4. Insert the new main roller brush into its designated slot, ensuring the ends align with the brush bearings.
5. Close or re-secure the brush guard cover.

HUIZHEN

Main Brush

ABS material

Sturdy and durable.

Non-toxic and odorless.


Environmentally friendly.

Nylon Material

Soft nylon bristles

Better dust cleaning

No damage to floor




This diagram details the construction of the main roller brush, emphasizing its durable ABS material and soft nylon bristles designed for efficient dust collection without damaging floors.

2. Side Brush Installation

1. Turn off the robot vacuum and place it upside down.
2. Locate the side brushes. They are typically held in place by a screw or a snap-on mechanism.
3. Remove the old side brush. If secured by a screw, use a screwdriver to loosen it.
4. Align the new side brush with the corresponding slot and press it firmly or secure it with the screw.

Tip: If side brushes are bent or curled from shipping, please soak them in warm water for a few minutes to recover their shape. This will not affect the quality or performance.

HUIZHEN Side Brush




This diagram highlights the key features of the side brush, such as its soft nylon bristles for gentle cleaning, an easy-to-use slot design for replacement, and small bristles to minimize hair tangling.

3. HEPA Filter Installation

1. Open the dustbin compartment of your robot vacuum.
2. Remove the dustbin.
3. Locate the old HEPA filter within the dustbin and remove it.
4. Insert the new HEPA filter into the designated slot in the dustbin, ensuring a snug fit.
5. Reinsert the dustbin into the robot vacuum and close the compartment.

HUIZHEN

Hepa Filter



The Hepa Filter theoretically removes at least **99.97%** of dust, pollen, mold, bacteria, and any airborne particles as small as **0.3** microns.

This image illustrates the HEPA filter's function, showing arrows representing airflow through the filter, which effectively captures fine particles like dust, pollen, and mold.

HUIZHEN Hepa Filter

HUIZHEN

Filters with sealed edges



OTHER

Filters without sealing edges



VS



Edge-sealed filter prevents dust ingress in robot vacuum through gaps. The filter will cost more



Non-edge-sealed filters can't prevent dust ingress in robot vacuum through gaps. The filter will cost less.


This comparison image demonstrates the advantage of HUIZHEN HEPA filters with sealed edges, which prevent dust from bypassing the filter through gaps, compared to filters without this sealing.

4. Mop Pad Installation

1. Locate the mop pad attachment on the underside of the robot vacuum.
2. Remove the used mop pad.
3. Attach the new microfiber mop pad to the mop pad holder, ensuring it is securely fastened.

HUIZHEN

Mop Pad



**Microfiber
Mop**



**Quality
fabrics**



**Excellent
sewing**



This image provides details about the mop pad, including its dimensions and key attributes such as microfiber material, quality fabric construction, and durable sewing.

5. Dust Bag Installation

1. Open the auto-empty station's dust bag compartment.
2. Carefully remove the full dust bag, ensuring the opening is sealed to prevent dust leakage.
3. Insert a new HUIZHEN 4L dust bag into the compartment, aligning it correctly.
4. Close the dust bag compartment securely.

HUIZHEN

Dust Bag



Original dust bags

2.5L

VS



**HUIZHEN upgraded
dust bags**

4.0L

This image compares the dimensions and capacity of standard 2.5L dust bags with the larger 4.0L HUIZHEN upgraded dust bags, indicating increased storage capacity.

MAINTENANCE AND REPLACEMENT SCHEDULE

To maintain optimal cleaning performance and extend the life of your DreameTech D10 Plus robot vacuum, it is recommended to replace consumable parts regularly. The replacement frequency may vary based on usage and environment (e.g., presence of pets, carpeted areas).

Component	Recommended Replacement Frequency
Main Roller Brush	Every 6-12 months
Side Brushes	Every 3-6 months
HEPA Filters	Every 3-6 months
Mop Pads	Every 1-3 months (or as needed, based on usage)
Dust Bags	As needed (when full, typically every 1-2 months)

Regularly inspect all components for wear and tear. Clean brushes and filters frequently between replacements to maintain efficiency.

TROUBLESHOOTING

- **Side brushes are bent:** If side brushes appear bent or curled upon arrival, soak them in warm water for a few minutes. This will help them regain their original shape.
- **Reduced cleaning performance:** Ensure all components (main brush, side brushes, HEPA filter, mop pad) are correctly installed and not excessively worn. Replace parts according to the recommended schedule.
- **Dust bag not fitting:** Verify you have the correct dust bag for the Dreametech D10 Plus auto-empty station. HUIZHEN dust bags are designed for a 4L capacity. Ensure proper alignment during installation.
- **Parts do not fit:** Double-check your robot vacuum model number. This kit is exclusively for Dreametech D10 Plus (RLS3D) and not compatible with D10s Plus (RLS6AD) or D10 Plus Gen2.

SPECIFICATIONS

- **Brand:** HUIZHEN
- **Compatible Model:** Dreametech D10 Plus (RLS3D)
- **Material:** ABS materials, Soft nylon bristles, HEPA filter media, Microfiber fabric, 4-layer dust bag material
- **Package Quantity:** 18 pieces
- **Included Components:** 2 Main Roller Brushes, 4 Side Brushes, 4 HEPA Filters, 4 Mop Pads, 4 Dust Bags
- **Dust Bag Capacity:** 4 Liters (HUIZHEN upgraded design)

SUPPORT

For further assistance or inquiries regarding your HUIZHEN Replacement Parts Kit, please contact your retailer or refer to the official Dreametech D10 Plus user manual for specific robot vacuum operation details.