

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Overstock](#) /

› [Overstock 3-Light Vanity Light and Bath Set Instruction Manual](#)

Overstock F81113-BN

Overstock 3-Light Vanity Light with Brushed Nickel Finish and Bath Set

INSTRUCTION MANUAL

Model: F81113-BN

Introduction

This manual provides detailed instructions for the safe installation, operation, and maintenance of your Overstock 3-Light Vanity Light and accompanying 5-Piece Bath Set. Please read this manual thoroughly before beginning installation and retain it for future reference.

Safety Information

WARNING: Risk of Electric Shock. Disconnect power at the circuit breaker or fuse box before installation or servicing.

- All electrical connections must be in accordance with local codes and ordinances, National Electric Code (NEC), and ANSI/NFPA 70-1999.
- Consult a qualified electrician if you are unsure about the installation process.
- Do not connect this fixture to an ungrounded electrical system.
- Handle glass components with care to prevent breakage.
- Ensure all connections are secure and correct before restoring power.

Package Contents

Carefully unpack your product and ensure all items listed below are present and undamaged. If any parts are missing or damaged, do not attempt to assemble or install the product. Contact customer service for assistance.

- 3-Light Vanity Light Fixture (Brushed Nickel Finish)
- Clear Glass Shades (3)
- Towel Bar
- Towel Ring
- Toilet Paper Holder
- Robe Hook

- Mounting Hardware Kit
- Instruction Manual



Image 1: Components of the Overstock 3-Light Vanity Light and 5-Piece Bath Set. Shown are the vanity light fixture with three clear glass shades, a towel ring, a toilet paper holder, a robe hook, and a towel bar, all in a brushed nickel finish.

Setup and Installation

Professional installation is recommended for electrical fixtures. If you are performing the installation yourself, ensure you follow all safety guidelines.

Tools Required (Not Included):

- Phillips Head Screwdriver
- Flat Head Screwdriver
- Wire Strippers
- Electrical Tape
- Pliers
- Safety Glasses
- Ladder (if necessary)

Vanity Light Installation Steps:

1. **Turn Off Power:** Locate the circuit breaker that supplies power to the light fixture outlet box. Turn off the power. Verify the power is off using a voltage tester.
2. **Prepare Wiring:** Carefully pull the electrical wires from the outlet box. Identify the hot (black), neutral (white), and ground (bare copper or green) wires.
3. **Attach Mounting Plate:** Secure the mounting plate to the outlet box using the provided screws. Ensure the plate is level.
4. **Make Electrical Connections:** Connect the fixture's black wire to the outlet box's black (hot) wire, the fixture's white wire to the outlet box's white (neutral) wire, and the fixture's ground wire to the outlet box's ground wire. Secure connections with wire nuts and wrap with electrical tape.
5. **Mount Fixture:** Carefully push the connected wires back into the outlet box. Align the fixture base with the mounting plate and secure it with the provided screws.
6. **Install Glass Shades:** Gently attach the clear glass shades to the fixture. Ensure they are securely fastened.
7. **Install Bulbs:** Insert incandescent bulbs (not included) of up to 60-Watt into each socket. Do not exceed the maximum wattage.
8. **Restore Power:** Turn the power back on at the circuit breaker. Test the light fixture.

Bath Set Installation Steps:

The bath set components (towel bar, towel ring, toilet paper holder, robe hook) typically install using wall anchors and screws. Specific instructions may vary slightly by component, but the general process is as follows:

1. **Choose Location:** Select appropriate locations on your wall for each accessory. Use a level to ensure proper alignment.
2. **Mark Drilling Points:** Hold the mounting bracket of each accessory against the wall and mark the screw hole locations with a pencil.
3. **Drill Pilot Holes:** Drill pilot holes at the marked points. Use a drill bit appropriate for your wall type (e.g., drywall, tile). Insert wall anchors if necessary.
4. **Attach Mounting Brackets:** Secure the mounting brackets to the wall using the provided screws.
5. **Attach Accessories:** Slide or screw the main accessory body onto its mounting bracket, securing it with set screws if applicable.



Image 2: The Overstock 3-Light Vanity Light and 5-Piece Bath Set installed in a modern bathroom setting, showcasing the brushed nickel finish and clear glass shades.

Operating Instructions

The 3-Light Vanity Light is designed for use with standard incandescent bulbs up to 60-Watt. It is compatible with a dimmer switch (not included) to allow for adjustable light intensity and to create a desired ambiance. Ensure the dimmer switch is rated for incandescent loads.

The bath set components are fixed accessories designed for holding towels, toilet paper, and robes. No specific operational instructions are required beyond their intended use.

Maintenance

Cleaning:

- Always disconnect power before cleaning the light fixture.
- Wipe the fixture and bath set components with a soft, dry cloth.

- Do not use abrasive cleaners, solvents, or polishes as they may damage the finish.
- For glass shades, use a mild glass cleaner applied to a cloth, not directly to the shade.

Bulb Replacement:

- Ensure the power is off at the circuit breaker before replacing bulbs.
- Allow bulbs to cool completely before touching them.
- Unscrew the old bulb counter-clockwise.
- Screw in the new bulb clockwise. Use A19 type incandescent bulbs, maximum 60-Watt.

Troubleshooting

Problem	Possible Cause	Solution
Light does not turn on.	No power to fixture.	Check circuit breaker or fuse. Ensure wall switch is ON.
Light does not turn on.	Loose wire connections.	Turn off power. Check all wire connections are secure.
Light does not turn on.	Faulty bulb.	Replace bulb with a new one.
Light flickers.	Loose bulb or wiring.	Tighten bulb. Turn off power and check wire connections.
Light flickers.	Incompatible dimmer switch.	Ensure dimmer is rated for incandescent bulbs and compatible with the fixture.

Specifications

Attribute	Detail
Brand	Overstock
Model Name	F81113-BN
Color	Nickel
Material	Bronze, Glass, Nickel
Light Fixture Form	Vanity
Room Type	Bathroom
Power Source	Corded Electric
Light Source Type	Incandescent
Shade Material	Glass
Number of Light Sources	3
Input Voltage	110V - 220V
Max Wattage per Bulb	60-Watt

Attribute	Detail
Use Environment	Damp
UPC	716237698797

Warranty and Support


This product is manufactured by Overstock. For specific warranty information, please refer to the documentation included with your purchase or contact Overstock customer service directly. Warranty terms typically cover defects in materials and workmanship for a specified period from the date of purchase.

For technical support or assistance with parts, please contact the retailer where the product was purchased. If purchased from Amazon, you may contact BED BATH & BEYOND, the seller for this product.

Online Resources: For additional information or frequently asked questions, please visit the official Overstock website or the product page on the retailer's website.

© 2023 Overstock. All rights reserved.

Related Documents - F81113-BN

 <p>WaysPride 3-Light Vanity Fixture (VLT2401-BN)</p> <p>Detailed information on the WaysPride 3-Light Vanity Fixture, model VLT2401-BN. Includes product features, dimensions, installation steps, and a one-year limited warranty.</p>	<p>WaysPride 3-Light Vanity Fixture (VLT2401-BN) - Installation and Warranty</p> <p>Detailed information on the WaysPride 3-Light Vanity Fixture, model VLT2401-BN. Includes product features, dimensions, installation steps, and a one-year limited warranty.</p>
 <p>24 in. 3-Light Vanity Light Assembly Instructions</p> <p>Assembly and installation guide for the 24-inch 3-Light Vanity Light with Brush Nickel Finish and Clear Glass Shade, including safety precautions, tools, hardware, and step-by-step instructions.</p>	<p>24 in. 3-Light Vanity Light Assembly Instructions</p> <p>Assembly and installation guide for the 24-inch 3-Light Vanity Light with Brush Nickel Finish and Clear Glass Shade, including safety precautions, tools, hardware, and step-by-step instructions.</p>
 <p>CKB CK Series Shower and Bathtub Door Installation Manual and Warranty Information</p> <p>This document provides comprehensive installation instructions, parts lists, and warranty information for the CKB CK Series shower and bathtub doors. It details required tools, step-by-step assembly, and product maintenance guidelines.</p>	<p>CKB CK Series Shower and Bathtub Door Installation Manual and Warranty Information</p> <p>This document provides comprehensive installation instructions, parts lists, and warranty information for the CKB CK Series shower and bathtub doors. It details required tools, step-by-step assembly, and product maintenance guidelines.</p>
 <p>Style Selections 24-Inch/18-Inch Towel Bar Installation Guide</p> <p>A guide for installing the Style Selections 24-inch or 18-inch towel bar, including parts list, hardware, and step-by-step instructions for mounting into studs or drywall.</p>	<p>Style Selections 24-Inch/18-Inch Towel Bar Installation Guide</p> <p>A guide for installing the Style Selections 24-inch or 18-inch towel bar, including parts list, hardware, and step-by-step instructions for mounting into studs or drywall.</p>

 <p>ROSETTA-BN <i>Aqua</i></p> <p><small>Brass and chrome plated brass faucet</small></p> <p>Product Description</p> <p>Product Type: Single-hole, single handle, ceramic cartridge</p> <p>Features: Flow/temperature control, easy cleaning, adjustable temperature limiting device, life warranty on cartridge</p> <p>Dimensions: 10.5" H x 4.5" W x 2.5" D</p> <p>Materials: Solid brass, chrome plated brass</p> <p>Technical Data:</p> <ul style="list-style-type: none"> Flow rate: 1.5 GPM Water pressure: 20-120 psi Temperature range: 40-140°F Cartridge: 10-year life <p>Warranty: 10-year cartridge, lifetime faucet</p> <p>Certifications: CSA, CUPC</p>	<p>ROSETTA-BN Brushed Nickel Bathroom Faucet - Aqua</p> <p>Detailed specifications for the Aqua ROSETTA-BN brushed nickel bathroom faucet. Includes materials (solid brass), features (single-hole, single handle, ceramic cartridge), functions (flow/temperature control), technical dimensions, available finishes, and warranty/certification information (CSA, CUPC).</p>
 <p>VANNI-BN <i>Aqua</i></p> <p><small>Brass and chrome plated brass finishing kit</small></p> <p>Product Description</p> <p>Product Type: Round finishing kit</p> <p>Features: Easy cleaning, adjustable temperature limiting device, life warranty on cartridge</p> <p>Dimensions: 4.5" H x 4.5" W x 2.5" D</p> <p>Materials: Brass, chrome plated brass</p> <p>Technical Data:</p> <ul style="list-style-type: none"> Flow rate: 1.5 GPM Water pressure: 20-120 psi Temperature range: 40-140°F Cartridge: 10-year life <p>Warranty: 10-year cartridge, lifetime faucet</p> <p>Certifications: CSA, CUPC</p>	<p>VANNI-BN Round Brushed Nickel Finishing Kit - Aqua</p> <p>Detailed specifications and technical drawing for the Aqua VANNI-BN round brushed nickel finishing kit. Features include easy cleaning, adjustable temperature limiting device, and life warranty on cartridge.</p>